

www.sigmaaldrich.com

Version 8.4 Revision Date 10/01/2021 Print Date 12/19/2022

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Ammonia solution 25% for analysis

EMSURE® ISO, Reag. Ph Eur

Product Number : 1.05432 Catalogue No. : 105432 Brand : Millipore

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis, Chemical production

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-

527-3887 CHEMTREC (International) 24

Hours/day; 7 Days/week

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin corrosion (Category 1B), H314

Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Millipore - 1.05432

Millipore Sigma

Hazard statement(s) H314 H335 H400 H411	Causes severe skin burns and eye damage. May cause respiratory irritation. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.
P310	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Component		Concentration
1336-21-6 215-647-6 007-001-01-2 01-2119488876-14- (XXX	Skin Corr. 1B; Eye Dam. 1; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 2; H314, H318, H335, H400, H411 Concentration limits: >= 5 %: STOT SE 3, H335; M-Factor - Aquatic Acute:	>= 20 - < 30 %
	215-647-6 007-001-01-2 01-2119488876-14-	1; STOT SE 3; Aquatic Acute 1; Aquatic Chronic 2; H314, H318, H335, H400, H411 Concentration limits: >= 5 %: STOT SE 3, H335;

For the full text of the H-Statements mentioned in this Section, see Section 16.



SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Not combustible.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Cool closed containers exposed to fire with water spray. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® OH-, Merck Art. No. 101596). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

No metal or light-weight-metal containers.

Tightly closed.

Recommended storage temperature see product label.

Storage class

Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters



Component	CAS-No.	Value	Control	Basis
			parameters	
ammonia solution	1336-21-6	TWA	25 ppm	USA. ACGIH Threshold Limit
				Values (TLV)
		STEL	35 ppm	USA. ACGIH Threshold Limit
				Values (TLV)
		TWA	25 ppm	USA. NIOSH Recommended
			18 mg/m3	Exposure Limits
		ST	35 ppm	USA. NIOSH Recommended
			27 mg/m3	Exposure Limits

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.7 mm Break through time: 480 min Material tested:Butoject® (KCL 898)

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.40 mm Break through time: 240 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

Body Protection

protective clothing

Respiratory protection

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not empty into drains.



SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties 9.1

Appearance Form: liquid

Color: colorless

b) Odor stinging

c) Odor Threshold 0.02 - 70.7 ppm - Ammonia

at 20 °C (68 °F)strongly alkaline d) pH Melting point: -57.5 °C (-71.5 °F) e) Melting

point/freezing point

Initial boiling point 37.7 °C 99.9 °F at 1,013 hPa f)

and boiling range

g) Flash point No data available No data available h) Evaporation rate

Flammability (solid, i)

gas)

No data available

Upper/lower Upper explosion limit: 33.6 %(V) j) Lower explosion limit: 15.4 %(V) flammability or explosive limits

k) Vapor pressure 483 hPa at 20 °C (68 °F)

Vapor density No data available

0.903 g/cm3 at 20 °C (68 °F) m) Density

No data available Relative density

n) Water solubility soluble

o) Partition coefficient: log Pow: -1.38 - (anhydrous substance), (Lit.), Bioaccumulation

n-octanol/water is not expected.

p) Autoignition

temperature

q) Decomposition

No data available

No data available

temperature

Viscosity No data available r)

Explosive properties Not classified as explosive.

Oxidizing properties none

Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

Page 6 of 11

10.2 Chemical stability

Ammonia solution itself is not flammable, but can form an ignitable ammonia/air-mixture by outgassing.

10.3 Possibility of hazardous reactions

A risk of explosion and/or of toxic gas formation exists with the following substances:

Oxidizing agents

Mercury

Oxygen

silver compounds

nitrogen trichloride

hydrogen peroxide

silver

antimony hydride

Halogens

Acids

Calcium

Chlorine

Chlorites

auric salts

perchlorates

sodium hypochlorite

mercury compounds

halogen oxides

Heavy metals

Heavy metal salts

Acid chlorides

Acid anhydrides

Risk of ignition or formation of inflammable gases or vapours with:

Boranes

Boron

Oxides of phosphorus

Nitric acid

silicon compounds

chromium(VI) oxide

chromyl chloride

Exothermic reaction with:

Acetaldehyde

Acrolein

Barium

boron compounds

Bromine

halogen-halogen compounds

hydrogen bromide

silane

Hydrogen chloride gas

halogen compounds

dimethylsulfate

nitrogen oxides

Fluorine

Hydrogen fluoride

chlorates

carbon dioxide

Ethylene oxide

polymerisable



10.4 Conditions to avoid

Heating.

10.5 Incompatible materials

Aluminum, Lead, Nickel, silver, Zinc, Copper, metal alloys, various metals

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Oral: No data available

Symptoms: mucosal irritations, Cough, Shortness of breath, bronchitis, Possible damages:,

damage of respiratory tract Dermal: No data available

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Severe irritations Remarks: (29% solution)

(RTECS)

Dermatitis Necrosis

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Severe irritations Remarks: (29% solution)

(RTECS)

Mixture causes serious eye damage. Risk of blindness!

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Mixture may cause respiratory irritation. - Respiratory system

Millipore - 1.05432

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Cough

Shortness of breath

bronchitis

gastric pain

Bloody vomiting

Nausea

collapse

shock

Unconsciousness

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

ammonia solution

Acute toxicity

Oral: No data available

Inhalation: Material is extremely destructive to the tissue of the mucous membranes

and upper respiratory tract. Dermal: No data available

No data available

Skin corrosion/irritation

Causes skin burns.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available



SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

Biodegradability Remarks: No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

Biological effects:

Harmful effect due to pH shift.

Forms toxic and corrosive mixtures with water even if diluted.

Discharge into the environment must be avoided.

No data available

Components

ammonia solution

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead

minnow) - 0.068 mg/l - 96 h

Remarks: (in analogy to similar products)

(ECHA)

The value is given in analogy to the following substances:

ammonium sulphate

Toxicity to daphnia

and other aquatic

static test LC50 - Daphnia magna (Water flea) - 101 mg/l - 48

h

invertebrates Remarks: (ECHA)

anhydrous

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.



SECTION 14: Transport information

DOT (US)

UN number: 2672 Class: 8 Packing group: III

Proper shipping name: Ammonia solution Reportable Quantity (RQ): 4000 lbs

1) Marine pollutant: yesPoison Inhalation Hazard: No

IMDG

UN number: 2672 Class: 8 Packing group: III EMS-No: F-A, S-B

Proper shipping name: AMMONIA SOLUTION

Marine pollutant : yes Marine pollutant : yes

IATA

UN number: 2672 Class: 8 Packing group: III

Proper shipping name: Ammonia solution

SECTION 15: Regulatory information

SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date ammonia solution 1336-21-6 2007-03-01

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

SECTION 16: Other information

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.4 Revision Date: 10/01/2021 Print Date: 12/19/2022

