

Material Name: ARGON, COMPRESSED

**SDS ID: MAT01860** 

# Section 1 - PRODUCT AND COMPANY IDENTIFICATION

**Material Name** 

ARGON, COMPRESSED

Synonyms

ARGON; UN 1006; AR Chemical Family

non-metallic

**Product Use** 

Industrial and Specialty Gas Applications.

Restrictions on Use

None known.

Details of the supplier of the safety data sheet

MATHESON TRI-GAS, INC.

150 Allen Road, Suite 302

Basking Ridge, NJ 07920

General Information: 1-800-416-2505

Emergency #: 1-800-424-9300 (CHEMTREC) Outside the US: 703-527-3887 (Call collect)

# Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Gases Under Pressure - Compressed gas

Simple Asphyxiant

**GHS Label Elements** 

Symbol(s)



# Signal Word

Warning

Hazard Statement(s)

Contains gas under pressure; may explode if heated.

**Precautionary Statement(s)** 

Prevention

None needed according to classification criteria.

Response

None needed according to classification criteria.

Storage

Protect from sunlight. Store in a well-ventilated place.

Disposal

Dispose in accordance with all applicable regulations.

Other Hazards

Rapid release of compressed gas may cause frostbite.

Page 1 of 7

Issue date: 2020-07-11 Revision 7.0

Print date: 2020-07-11



Material Name: ARGON, COMPRESSED

Section 3	COMPOSITION / INFORMATION ON IN	ORMATION ON INGREDIENTS		
CAS	Component Name	Percent		
7440-37-1	ARGON, COMPRESSED	100		

**SDS ID: MAT01860** 

#### Section 4 - FIRST AID MEASURES

#### Inhalation

If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.

#### Skin

If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115°F; 41-46°C). DO NOT USE HOT WATER. If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention.

#### Eyes

Immediately flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.

#### Ingestion

If swallowed, get medical attention.

## Most Important Symptoms/Effects

Acute

frostbite, suffocation

#### Delayed

no information on significant adverse effects.

#### Note to Physicians

For inhalation, consider oxygen.

# **Section 5 - FIRE FIGHTING MEASURES**

## Extinguishing Media

### Suitable Extinguishing Media

Use extinguishing agents appropriate for surrounding fire. Large fires: Use water spray to keep containers cool.

# Unsuitable Extinguishing Media

None known.

### **Special Hazards Arising from the Chemical**

Negligible fire hazard. Pressurized containers may rupture or explode if exposed to sufficient heat.

## **Hazardous Combustion Products**

None known.

#### **Fire Fighting Measures**

Move container from fire area if it can be done without risk. Damaged cylinders should be handled only by specialists. Fight fire from maximum distance or use unmanned hose holders or monitor nozzles. Cool containers with water spray until well after the fire is out. Do not direct water at source of leak or safety devices; icing may occur. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. Stay away from the ends of tanks. For tank, rail car or tank truck, evacuation radius: 800 meters (1/2 mile).

### **Special Protective Equipment and Precautions for Firefighters**

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

## Section 6 - ACCIDENTAL RELEASE MEASURES

# Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Page 2 of 7 Issue date: 2020-07-11 Revision 7.0 Print date: 2020-07-11



# Material Name: ARGON, COMPRESSED

**SDS ID: MAT01860** 

Do not touch or walk through spilled material. Stop leak if possible without personal risk. Use water spray to reduce vapors or divert vapor cloud drift. Avoid allowing water runoff to contact spilled material. Do not direct water at spill or source of leak. If possible, turn leaking containers so that gas escapes rather than liquid. Prevent entry into waterways, sewers, basements, or confined areas. Allow substance to evaporate. Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas. Ventilate closed spaces before entering.

# **Environmental Precautions**

Avoid release to the environment.

# Section 7 - HANDLING AND STORAGE

## **Precautions for Safe Handling**

Avoid breathing dust/fume/gas/mist/vapors/spray. Use only with adequate ventilation. Wash hands thoroughly after

# Conditions for Safe Storage, Including any Incompatibilities

Protect from sunlight. Store in a well-ventilated place.

Subject to storage regulations: U.S. OSHA 29 CFR 1910.101.

# **Incompatible Materials**

No data available.

# Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Cities	Component	Exposure	Limits
---------------------------	-----------	----------	--------

ARGON, COMPRESSED	7440-37-1
ACGIH:	(See Appendix F: Minimal Oxygen Content)

# ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

## **Engineering Controls**

Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

## Individual Protection Measures, such as Personal Protective Equipment

### Eye/face protection

For the gas: Eye protection not required, but recommended. For the liquid: Wear splash resistant safety glasses. Contact lenses should not be worn. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

## **Skin Protection**

For the gas: Protective clothing is not required. For the liquid: Wear appropriate protective, cold insulating clothing. Respiratory Protection

Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

### **Glove Recommendations**

For the gas: Wear appropriate chemical resistant gloves. For the liquid: Wear insulated gloves.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES									
Appearance	colorless gas	Physical State	gas						
Odor	odorless	Color	colorless						
Odor Threshold	Not available	рН	Not available						
Melting Point	-189 °C (-308 °F)	Boiling Point	-185.9 °C (-303 °F)						

Page 3 of 7

Issue date: 2020-07-11 Revision 7.0

270 - 3/5 : 1348

Print date: 2020-07-11

27.74



Material Name: ARGON, COMPRESSED

iai Name: Argon, Cowie	350 ID. IIIAT				
Boiling Point Range	Not available	Not available Freezing point			
Evaporation Rate	Not available	ot available Flammability (solid, gas)			
Autoignition Temperature	Not available	Flash Point	(Non-flammable)		
Lower Explosive Limit	Not available	Decomposition temperature	Not available		
Upper Explosive Limit	Not available	Vapor Pressure	500 mmHg @ -190 °C		
Vapor Density (air=1)	1.38	Specific Gravity (water=1)	Not available		
Water Solubility	3.36 % (@ 20 °C )	Partition coefficient: n- octanol/water	Not available  Not available		
Viscosity	0.0225 ср	Kinematic viscosity			
Solubility (Other)	Not available	Density	1.784 g/L at 0 °C		
Physical Form	gas	Taste	tasteless		

Solvent Solubility

Molecular Formula

Soluble

organic solvents

# Section 10 - STABILITY AND REACTIVITY

**Molecular Weight** 

Reactivity

No reactivity hazard is expected.

**Chemical Stability** 

Stable at normal temperatures and pressure.

Ar

**Possibility of Hazardous Reactions** 

Will not polymerize.

**Conditions to Avoid** 

Protect from physical damage and heat. Containers may rupture or explode if exposed to heat.

**Incompatible Materials** 

No data available.

Hazardous decomposition products

No data available.

# Section 11 - TOXICOLOGICAL INFORMATION

# Information on Likely Routes of Exposure

Inhalation

nausea, vomiting, difficulty breathing, irregular heartbeat, headache, dizziness, Disorientation, loss of coordination, mood swings, tingling sensation, suffocation, convulsions, Unconsciousness, coma

**Skin Contact** 

frostbite

Page 4 of 7 Issue date: 2020-07-11 Revision 7.0 Print date: 2020-07-11

**SDS ID: MAT01860** 

39.948



Material Name: ARGON, COMPRESSED

**SDS ID: MAT01860** 

**Eye Contact** 

frostbite, blurred vision

Ingestion

ingestion of a gas is unlikely

**Acute and Chronic Toxicity** 

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

**Product Toxicity Data** 

**Acute Toxicity Estimate** 

No data available.

**Immediate Effects** 

frostbite, suffocation

**Delayed Effects** 

no information on significant adverse effects.

Irritation/Corrosivity Data

No data available.

Respiratory Sensitization

No data available.

**Dermal Sensitization** 

No data available.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.

Germ Cell Mutagenicity

No data available.

Tumorigenic Data

No data available

Reproductive Toxicity

No data available.

Specific Target Organ Toxicity - Single Exposure

No information on significant adverse effects.

**Specific Target Organ Toxicity - Repeated Exposure** 

No information on significant adverse effects.

**Aspiration hazard** 

Not applicable.

**Medical Conditions Aggravated by Exposure** 

None known.

# Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components.

Persistence and Degradability

This substance is not expected to biodegrade.

**Bioaccumulative Potential** 

No data available.

Mobility

No data available.

# Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Page 5 of 7

Issue date: 2020-07-11 Revision 7.0

Print date: 2020-07-11



Material Name: ARGON, COMPRESSED

**SDS ID: MAT01860** 

Dispose in accordance with all applicable regulations.

**Component Waste Numbers** 

The U.S. EPA has not published waste numbers for this product's components.

# Section 14 - TRANSPORT INFORMATION

**US DOT Information:** 

Shipping Name: ARGON, COMPRESSED

Hazard Class: 2.2 UN/NA #: UN1006 Required Label(s): 2.2

**IMDG Information:** 

Shipping Name: ARGON, COMPRESSED

Hazard Class: 2.2 UN#: UN1006

Required Label(s): 2.2

**International Bulk Chemical Code** 

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in

bulk.

### Section 15 - REGULATORY INFORMATION

# U.S. Federal Regulations

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

Gas Under Pressure; Simple Asphyxiant

## **U.S. State Regulations**

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
ARGON, COMPRESSED	7440-37-1	No	Yes	Yes	Yes	Yes

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)

Not listed under California Proposition 65.

**Component Analysis - Inventory** 

ARGON, COMPRESSED (7440-37-1)

		CA					JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
ĺ	Yes	DSL	Yes	Yes	EIN	Yes	No	Yes	No

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW	VN (Draft)
No	Yes	Yes	Yes	Yes	Yes	Yes

# Section 16 - OTHER INFORMATION

**NFPA Ratings** 

Health: 0 Fire: 0 Instability: 0 Other: SA

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Page 6 of 7 Issue date: 2020-07-11 Revision 7.0 Print date: 2020-07-11



Material Name: ARGON, COMPRESSED

**SDS ID: MAT01860** 

Summary of Changes Updated: 12/13/2016 Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU -Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA -California/Massachusetts/Minnesota/New Jersey/Pennsylvania\*; CAS - Chemical Abstracts Service; CERCLA -Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG -Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN -European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA -Environmental Protection Agency; EU - European Union; F - Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH -Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; KR REACH CCA - Korea Registration and Evaluation of Chemical Substances Chemical Control Act; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIsts™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne- Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP -National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL-Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH-Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA -Superfund Amendments and Reauthorization Act; Sc - Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TH-TECI - Thailand -FDA Existing Chemicals Inventory (TECI); TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act: TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS -Workplace Hazardous Materials Information System (Canada).

## Other Information

#### Disclaimer:

Matheson Tri-Gas, Inc. makes no express or implied warranties, guarantees or representations regarding the product or the information herein, including but not limited to any implied warranty or merchantability or fitness for use. Matheson Tri-Gas, Inc. shall not be liable for any personal injury, property or other damages of any nature, whether compensatory, consequential, exemplary, or otherwise, resulting from any publication, use or reliance upon the information herein.



:07