

Safety Data Sheet Spartan Chemical Company, Inc.

1. PRODUCT AND COMPANY IDENTIFICATION

| Product Identifier Product Name: Product Number: Recommended Use: Uses Advised Against: | CITRO SHIELD FURNITURE POLISH 6120 Furniture polish For Industrial and Institutional Use Only |
|---|--|
| Manufacturer/Supplier: | Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com |
| 24 Hour Emergency Phone Number Medical Emergency/Information: Transportation/Spill/Leak: | r s: 888-314-6171 CHEMTREC 800-424-9300 |
| | 2. HAZARDS IDENTIFICATION |
| GHS Classification Flammable Aerosols Gases Under Pressure | Category 1 Liquefied gas |
| <u>GHS Label Elements</u> Signal Word: | Danger |
| Symbols: | |
| Hazard Statements: | Extremely flammable aerosol. |
| Precautionary Statements: Prevention: | Contains gas under pressure; may explode if heated Keep away from heat/sparks/open flames/hot surfaces. — No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal |
| Response: -Specific Treatment: | See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information. |
| Storage: | Protect from sunlight. Do not expose to temperatures exceeding 122°F (50°C) Store in a well-ventilated place |
| Disposal: | Not Applicable |
| Hazards Not Otherwise Classified: | Not Applicable |
| Other Information: | May be harmful if swallowed |

- May cause eye irritation
- May cause skin irritation.
- Inhalation of vapors or mist may cause respiratory irritation.
- Keep out of reach of children

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|-------------------------|-------------|----------|
| Water | 7732-18-5 | 60-100 |
| Dimethicone | 63148-62-9 | 1-5 |
| Isobutane | 75-28-5 | 1-5 |
| Propane | 74-98-6 | 0.1-1 |
| Copernicia Cerifera Wax | 8015-86-9 | 0.1-1 |
| Limonene | 5989-27-5 | <0.1 |
| Ammonium Hydroxide | 1336-21-6 | <0.1 |
| Fragrance | PROPRIETARY | <0.1 |
| Citral | 5392-40-5 | <0.1 |

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

| -Eye Contact: -Skin Contact: -Inhalation: -Ingestion: Note to Physicians: | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Wash with soap and water. If skin irritation occurs: Get medical attention. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell. Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell. Treat symptomatically. | |
|---|--|--|
| 5. FIRE-FIGHTING MEASURES | | |
| Suitable Extinguishing Media: Specific Hazards Arising from the Chemical: | Water spray (fog), Foam Extremely flammable aerosol. Exposure to high temperature may cause containers to burst. Bursting aerosol containers may be propelled from fire at high speed. EXTREMELY FLAMMABLE. | |
| Hazardous Combustion Products: | May include Carbon monoxide Carbon dioxide and other toxic gases or vapors. | |
| Protective Equipment and Precautions for Firefighters: | Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Water may be used to cool closed containers to prevent pressure build-up | |

6. ACCIDENTAL RELEASE MEASURES

and possible auto ignition or explosion when exposed to extreme heat.

| Personal Precautions: | Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. |
|----------------------------|---|
| Environmental Precautions: | Do not rinse spill onto the ground, into storm sewers or bodies of water. |
| Methods for Clean-Up: | Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). |

7. HANDLING AND STORAGE

Advice on Safe Handling:

Handle in accordance with good industrial hygiene and safety practice. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Keep away

| | from heat/sparks/open flames/hot surfaces. — No smoking. Wash thoroughly after handling. |
|-----------------------|---|
| Storage Conditions: | NFPA 30B Level 1 Aerosol. Do not store in direct sunlight or above 122 F° / 50 C°. |
| | Exposure to high temperature may cause containers to burst. Keep out of the reach of |
| | children. |
| Suggested Shelf Life: | Minimum of 2 years from date of manufacture. |

Suggested Shelf L

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH |
|---|---|--|--|
| Isobutane 75-28-5 | STEL: 1000 ppm | - | TWA: 800 ppm TWA: 1900 mg/m ³ |
| Propane 74-98-6 | : See Appendix F: Minimal Oxygen Content | TWA: 1000 ppm TWA: 1800 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m ³ | IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m ³ |
| Citral 5392-40-5 | TWA: 5 ppm inhalable fraction and vapor S* | - | - |
| Engineering Controls: | Provide good general ventilatic If work practices generate dust chemicals above the occupatio engineering controls should be | , fumes, gas, vapors or mists w nal exposure limits, local exhau | • |
| Personal Protective Equipment Eye/Face Protection: Skin and Body Protection: Respiratory Protection: | | | |
| General Hygiene Considerations: | 3 should be considered. Wash hands and any exposed See 29 CFR 1910.132-138 for | | |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance/Physical State: | Aerosol |
|---------------------------------|---|
| Color: | White emulsion |
| Odor: | Lemon |
| pH: | 6.5-7.5 |
| Melting Point / Freezing Point: | No information available |
| Boiling Point / Boiling Range: | 99 °C / 210 °F (Product without propellant) |
| Flash Point: | < -18 °C / < 0 °F (Propellant-estimated) |
| Evaporation Rate: | < 1 (Butyl acetate = 1) |
| Flammability (solid, gas) | No information available |
| Upper Flammability Limit: | No information available |
| Lower Flammability Limit: | No information available |
| Vapor Pressure: | No information available |
| Vapor Density: | No information available |
| Specific Gravity: | 0.96 (Product without propellant) |
| Solubility(ies): | No information available |
| Partition Coefficient: | No information available |
| Autoignition Temperature: | No information available |
| Decomposition Temperature: | No information available |
| Viscosity: | No information available |

10. STABILITY AND REACTIVITY

Reactivity: **Chemical Stability:** This material is considered to be non-reactive under normal conditions of use. Stable under normal conditions.

| Possibility of Hazardous Reactions: | Not expected to occur with normal handling and storage. |
|--|--|
| Conditions to Avoid: | Extremes of temperature and direct sunlight. |
| Incompatible Materials: | Strong oxidizing agents. Strong acids. |
| Hazardous Decomposition Products: | May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors. |
| Troducts. | |

11. TOXICOLOGICAL INFORMATION

| Likely Routes of Exposure: Symptoms of Exposure: | Eyes, Skin, Ingestion, Inhalation. |
|---|--|
| -Eve Contact: | Pain and redness. |
| -Skin Contact: | Drying of the skin. |
| -Inhalation: | Nasal discomfort and coughing. |
| -Ingestion: | Pain, nausea, vomiting and diarrhea. |
| Immediate, Delayed, Chronic Effects | S |
| Product Information: | Data not available or insufficient for classification. |
| Target Organ Effects: Numerical Measures of Toxicity | Central nervous system. |
| | (ATE) are calculated based on the GHS document. |
| | |

| ATEmix (dermal): | 40650 mg/kg |
|--------------------------|--------------|
| ATEmix (inhalation-gas): | 6524651 mg/l |

Component Acute Toxicity Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------------------------|---|-----------------------|---------------------|
| Water 7732-18-5 | > 90 mL/kg (Rat) | Not Available | Not Available |
| Dimethicone 63148-62-9 | > 24 g/kg (Rat) | Not Available | Not Available |
| Isobutane 75-28-5 | Not Available | Not Available | = 658 mg/L (Rat)4 h |
| Propane 74-98-6 | Not Available | Not Available | = 658 mg/L (Rat)4 h |
| Limonene 5989-27-5 | = 5200 mg/kg (Rat)= 4400 mg/kg (Rat) | > 5 g/kg (Rabbit) | Not Available |
| Ammonium Hydroxide 1336-21-6 | = 350 mg/kg (Rat) | Not Available | Not Available |
| Citral 5392-40-5 | = 4960 mg/kg (Rat) | = 2250 mg/kg (Rabbit) | Not Available |

| Carcinogenicity: | No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC |), NTP or |
|------------------|--|-----------|
| OSHA. | | |

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Chemical Name | Algae/Aquatic Plants | Fish | Toxicity to Microorganisms | Crustacea |
|---------------------------------|--|---|-------------------------------|--|
| Limonene 5989-27-5 | Not Available | 0.619 - 0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50 | Not Available | Not Available |
| Ammonium Hydroxide 1336-21-6 | Not Available | 8.2: 96 h Pimephales promelas mg/L LC50 | Not Available | 0.66: 48 h water flea mg/L EC50 0.66: 48 h Daphnia pulex mg/L EC50 |
| Citral 5392-40-5 | 16: 72 h Desmodesmus subspicatus mg/L EC50 19: 96 h Desmodesmus subspicatus mg/L EC50 | Not Available | Not Available | 7: 48 h Daphnia magna mg/L EC50 |

Persistence and Degradability: Bioaccumulation: No information available. No information available. Other Adverse Effects:

No information available

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Contaminated Packaging: Dispose of in accordance with federal, state and local regulations. Pressurized container: Do not pierce or burn, even after use. Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

| 15. REGULATORY INFORMATION | | | | |
|----------------------------|---|--|--|--|
| Additional information: | Limited Quantity | | | |
| Hazard Class: | 2.1 | | | |
| Proper Shipping Name: | Aerosols | | | |
| UN/ID No: | UN1950 | | | |
| IMDG: | | | | |
| Special Provisions: | This product meets the exception requirements of section 49 CFR 173.306 as a limited quantity and may be shipped as a limited quantity. | | | |
| Hazard Class: | 2.1 | | | |
| Proper Shipping Name: | Aerosols | | | |
| UN/ID No: | UN1950 | | | |
| DOT: | | | | |

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

<u>SARA 313</u>

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

| Acute Health Hazard: | Yes |
|------------------------------------|-----|
| Chronic Health Hazard: | No |
| Fire Hazard: | Yes |
| Sudden release of pressure hazard: | Yes |
| Reactive Hazard: | No |

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

Section, 3, 11, 12

16. OTHER INFORMATION

| NFPA | Health Hazards: 1 | Flammability: 1 | Instability: 0 | Special: N/A |
|----------------|-------------------|-----------------|---------------------|--------------|
| HMIS | Health Hazards: 1 | Flammability: 2 | Physical Hazards: 2 | |
| Revision Date: | 02-Nov-20 | 020 | | |

Revision Date: Reasons for Revision:

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet