

Safety Data Sheet

Revision Date: 02/06/2014
Z17000000428/Version: 2.0
Print Date: 10/16/2014
Page: 1/14

Kodak alaris

1. Identification of the substance/mixture and of the company/undertaking

Product name: KODAK DEKTOL Developer (Single Powder)

Product code: 1464734

Synonyms: PCD 224

Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: photographic processing chemical (developer/activator). For industrial use only.

Supplier: Kodak Alaris Inc., 2400 Mount Read Boulevard, Rochester, NY 14615

IN EMERGENCY, telephone: 1-800-424-9300 or +1 703-527-3887.

For further information about this product, email kes@kodak.com.

2. Hazards identification

Classification of the chemical in accordance with paragraph (d) of 29 CFR 1910.1200:

Hazard class	Hazard category	Route of exposure
Acute toxicity	Category 4	Oral
Acute toxicity	Category 4	Dermal
Skin corrosion/irritation	Category 2	--
Eye irritation	Category 2A	--
Skin sensitisation	Category 1	--
Specific target organ toxicity - single exposure	Category 2	--
Specific target organ toxicity - repeated exposure	Category 2	--

GHS-Labeling

Contains:

Polyphosphoric acids, sodium salts (68915-31-1), Sodium carbonate, monohydrate (5968-11-6), Sodium sulphite (7757-83-7), Hydroquinone (123-31-9), Bis(4-hydroxy-N-methylanilinium) sulphate (55-55-0)

Symbol(s):

Safety Data Sheet

Revision Date: 02/06/2014
Z17000000428/Version: 2.0
Print Date: 10/16/2014
Page: 2/14



Signal word: Warning

Hazard statements: Harmful if swallowed. Harmful in contact with skin. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause damage to organs. (Kidney.) May cause damage to organs through prolonged or repeated exposure. (Kidney, Blood.)

Precautionary statements:

Prevention: Wear protective gloves/ protective clothing/ eye protection/ face protection. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product.

Response: IF exposed or if you feel unwell: Call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation.

HMIS III Hazard Ratings: Health - 2*, Flammability - 0, Physical Hazard - 0

NFPA Hazard Ratings: Health - 3, Flammability - 0, Instability - 0

NOTE: HMIS III and NFPA 704 (2007) hazard indexes involve data review and interpretation that may vary among companies. They are intended only for rapid, general identification of the magnitude of the potential hazards. To adequately address safe handling, ALL information in this MSDS must be considered.

3. Composition/information on ingredients

Weight	Components - (CAS-No.)
--------	------------------------

Safety Data Sheet

Revision Date: 02/06/2014
Z17000000428/Version: 2.0
Print Date: 10/16/2014
Page: 3/14

percent

50 - 55	Sodium carbonate, monohydrate (5968-11-6)
30 - 35	Sodium sulphite (7757-83-7)
5 - 10	Hydroquinone (123-31-9)
1 - 5	Bis(4-hydroxy-N-methylanilinium) sulphate (55-55-0)
1 - 5	Polyphosphoric acids, sodium salts (68915-31-1)
1 - 5	Potassium bromide (7758-02-3)
0.1 - < 1	Boric anhydride (1303-86-2)

4. First aid measures

Inhalation: If inhaled, remove to fresh air. Get medical attention if symptoms occur.

Eyes: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Skin: IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse.

Ingestion: IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.

Most important symptoms and effects, both acute and delayed: No information available.

Indication of any immediate medical attention and special treatment needed:

Treatment: Absorption of this material into the body leads to the formation of methemoglobin that, in sufficient concentration, causes cyanosis. Since reversion of methemoglobin to hemoglobin occurs spontaneously after termination of exposure, moderate degrees of cyanosis need to be treated only by supportive measures such as bed rest and oxygen inhalation. Thorough cleansing of the entire contaminated area of the body, including scalp and nails, is of utmost importance. If cyanosis is severe, intravenous injection of methylene blue, one milligram per kilogram of body weight, may be of value.

5. Firefighting measures

Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special hazards arising from the substance or mixture

Hazardous Combustion Products: None (noncombustible), (see also Hazardous Decomposition Products sections.)

Safety Data Sheet

Revision Date: 02/06/2014
Z17000000428/Version: 2.0
Print Date: 10/16/2014
Page: 4/14

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing. Fire or excessive heat may produce hazardous decomposition products.

Unusual Fire and Explosion Hazards: None.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Refer to protective measures listed in sections 7 and 8.

Methods and materials for containment and cleaning up: Shovel into suitable container for disposal. Avoid dust formation. Clean surface thoroughly to remove residual contamination.

Environmental precautions: No information available.

7. Handling and storage

Precautions for safe handling

Personal precautions: Do not breathe dust at concentrations greater than the exposure limits. Avoid contact with eyes, skin, and clothing. Keep container tightly closed. Use only with adequate ventilation. Wash thoroughly after handling. Do not eat, drink or smoke when using this product.

Prevention of Fire and Explosion: No special technical protective measures required.

Conditions for safe storage, including any incompatibilities: Keep container tightly closed. Keep away from incompatible substances (see Incompatibility section.)

8. Exposure controls/personal protection

Occupational exposure controls

Chemical Name	Regulatory List	Value Type	Value
Hydroquinone	ACGIH	time weighted average	1 mg/m ³
Hydroquinone	OSHA	time weighted average	2 mg/m ³
Sulphur dioxide	ACGIH	Short term exposure limit	0.25 ppm
	OSHA	time weighted average	5 ppm 13 mg/m ³

Appropriate engineering controls: Use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. Controls should be sufficient so that applicable occupational exposure limits are not exceeded.

Individual protection measures, such as personal protective equipment

Safety Data Sheet

Revision Date: 02/06/2014
Z17000000428/Version: 2.0
Print Date: 10/16/2014
Page: 5/14

Eye protection: Wear eye/face protection.

Hand protection: Wear protective gloves.

Respiratory protection: If engineering controls do not maintain airborne concentrations below recommended exposure limits, an approved respirator must be worn. Respirator type: N95 Particulate Filter. A respirator should be worn if hazardous decomposition products are likely to be or have been released. Respirator type: acid gas See Stability and Reactivity Section. If respirators are used, a program should be instituted to assure compliance with applicable federal, state, commonwealth, provincial, or local laws and regulations.

9. Physical and chemical properties

Physical form: solid (powder)

Colour: white

Odour: odourless

Specific gravity: No data available

Vapour pressure (at 20.0 °C (68.0 °F)): negligible

Vapour density: not applicable

Boiling point/boiling range: not applicable

Melting point/range: No data available

Water solubility: appreciable

pH: not applicable

Flash point: not applicable

Evaporation rate: No data available

Flammability (Solid; gas): No data available

Upper explosion limit: No data available

Lower explosion limit: No data available

Partition coefficient: n-octanol/water: No data available

Safety Data Sheet

Revision Date: 02/06/2014
Z17000000428/Version: 2.0
Print Date: 10/16/2014
Page: 6/14

Auto-ignition temperature: No data available

Decomposition temperature: No data available

Viscosity: No data available

Explosive properties: No data available

Oxidizing properties: No data available

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions.

Possibility of hazardous reactions: Hazardous polymerisation does not occur.

Conditions to avoid: No data available

Incompatible materials: Acids. Contact with strong acids liberates sulphur dioxide.

Hazardous decomposition products: Sulphur oxides

11. Toxicological information

Effects of Exposure

General advice:

Contains: Hydroquinone. There is insufficient evidence for classifying hydroquinone as a suspected carcinogenic or mutagenic substance in humans. No increases in cancer rates were observed in an epidemiology study which looked at mortality among more than 800 persons employed primarily in the manufacture of hydroquinone. Carcinogenicity studies in animals were inconclusive. Rats and mice were given hydroquinone by stomach tube or at high concentrations in the diet. Responses were not consistent across route of exposure, species or sex. The International Agency for Research on Cancer (IARC) has classified hydroquinone in Group 3, i.e., "not classifiable" as a carcinogen. Hydroquinone is generally negative in bacterial mutagenicity tests; there is evidence for the clastogenicity (chromosome breakage) of hydroquinone in vivo and in vitro. The relevance of chromosomal effects in test animals in predicting human risk is unclear.

Contains: Bis(4-hydroxy-N-methylanilinium) sulphate. Based on animal data, may cause adverse effects on the following organs/systems: blood, kidney, spleen. Based on animal data

Safety Data Sheet

Revision Date: 02/06/2014
Z17000000428/Version: 2.0
Print Date: 10/16/2014
Page: 7/14

this material can produce methemoglobin which, in sufficient concentration, causes cyanosis, a blue-gray discoloration of the skin and lips caused by a reduced ability of the blood to carry oxygen.

Contains: Polyphosphoric acids, sodium salts. May cause kidney damage based on animal data.

Contains: Potassium bromide. Ingestion of bromide salts can cause nausea, vomiting, headache, irritability, delirium, memory loss, decreased appetite, joint pain, hallucinations, stupor, coma, and acne like rash on face, legs, and trunk.

Contains: Boric anhydride. Toxicity evaluation of this chemical is based, in part, on a structurally similar chemical. Based on repeated-dose ingestion studies in animals, may cause adverse reproductive and developmental effects. However, high doses to humans handling this material are not expected since oral consumption is not a likely route of significant exposure.

Inhalation: Expected to be a low hazard for recommended handling. In contact with strong acids or if heated, sulphites may liberate sulphur dioxide gas. Sulphur dioxide gas is irritating to the respiratory tract. Some asthmatics or hypersensitive individuals may experience difficult breathing.

Eyes: Causes serious eye irritation.

Skin: Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction.

Ingestion: Harmful if swallowed. Some asthmatics or sulfite-sensitive individuals may experience wheezing, chest tightness, stomach upset, hives, faintness, weakness and diarrhea.

Acute Toxicity Data:

Oral LD50 (rat): 500 - 5,000 mg/kg

- Skin irritation: moderate

Data for Sodium carbonate, monohydrate (CAS 5968-11-6):

Acute Toxicity Data:

Oral LD50: 1,600 - 3,200 mg/kg

- Skin irritation: slight

Data for Sodium sulphite (CAS 7757-83-7):

Acute Toxicity Data:

Oral LD50 (rat): 820 mg/kg

- Inhalation LC50 (rat): > 22 mg/l / 1 hr
- Skin irritation: none
- Eye irritation: slight; washing palliative

Data for Hydroquinone (CAS 123-31-9):

Safety Data Sheet

Revision Date: 02/06/2014
Z17000000428/Version: 2.0
Print Date: 10/16/2014
Page: 8/14

Acute Toxicity Data:

Oral LD50 (male rat): 400 mg/kg

- Oral LD50 (male mouse): 100 - 200 mg/kg
- Dermal LD50 (guinea pig): > 1,000 mg/kg
- Dermal absorption rate: 1.1 micrograms (s) / cm² / hour
- Skin irritation: slight
- Skin Sensitization (guinea pig): positive
- Eye irritation: moderate

Mutagenicity/Genotoxicity Data:

- Salmonella typhimurium assay (Ames test): negative (in presence and absence of activation)
- Chromosomal aberration assay: negative (in absence of activation)
- Chromosomal aberration assay: positive (in presence of activation)
- Sister chromatid exchange (SCE) assay: positive (in presence and absence of activation)

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowest-observed-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

Repeated dose toxicity:

- Dermal (17-day, rat): NOEL; 3800 mg/kg/day
- Dermal (17-day): Lowest observable effect level; 4800 mg/kg/day

Developmental Toxicity Data:

- Oral (female rabbit): NOEL for developmental toxicity; 25mg/kg/day
- Oral (female rat): NOAEL for developmental toxicity; mg/kg/day

Data for Bis(4-hydroxy-N-methylanilinium) sulphate (CAS 55-55-0):

Acute Toxicity Data:

Oral LD50 (rat): 237 mg/kg

- Oral LD50 (mouse): 565 mg/kg
- Dermal LD50 (guinea pig): > 1,000 mg/kg (highest dose tested)
- Skin irritation: slight
- Skin irritation: slight to moderate (repeated skin application)
- Skin Sensitization: positive
- Eye irritation (unwashed eyes): moderate to strong
- Eye irritation (washed eyes): slight

Definitions for the following section(s): LOEL =lowest-observed-effect level, LOAEL = lowest-observed-adverse-effect, NOAEL = no observed-adverse-effect level, NOEL =no-observed-effect level.

Repeated dose toxicity:

Safety Data Sheet

Revision Date: 02/06/2014
Z17000000428/Version: 2.0
Print Date: 10/16/2014
Page: 9/14

- Oral (11 days): Lowest observable effect level; 1.0 % in diet (reduced feed intake, reduced body weight gain, target organ effects: red blood cell)
- Oral (11 days): NOEL; 0.1 % in diet

Data for Polyphosphoric acids, sodium salts (CAS 68915-31-1):

Data for Potassium bromide (CAS 7758-02-3):

Acute Toxicity Data:

Oral LD50 (rat): > 1,600 mg/kg

- Skin irritation: none

Data for Boric anhydride (CAS 1303-86-2):

Acute Toxicity Data:

- Dermal LD50 (rabbit): > 2,000 mg/kg
- Skin irritation: none
- Eye irritation: mild

12. Ecological information

The following properties are ESTIMATED from the components of the preparations.

Potential Toxicity:

Toxicity to fish (LC50): 1 - 10 mg/l

Toxicity to daphnia (EC50): Daphnia: 1 - 10 mg/l

Persistence and degradability: Not readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No information available.

13. Disposal considerations

Discharge, treatment, or disposal may be subject to federal, state, commonwealth, provincial, or local laws. Since emptied containers retain product residue, follow label warnings even after container is emptied.

Safety Data Sheet

Revision Date: 02/06/2014
Z17000000428/Version: 2.0
Print Date: 10/16/2014
Page: 10/14

14. Transport information

The information given below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions. Please consult the product packaging for further details.

IATA:	UN number:	UN3077
	Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (hydroquinone, Bis(4-hydroxy-N-methylanilinium) sulphate)
	Class:	9
	Packaging group:	III
	Marine Pollutant(s):	hydroquinone, Bis(4-hydroxy-N-methylanilinium) sulphate
IMDG:	UN number:	UN3077
	Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (hydroquinone, Bis(4-hydroxy-N-methylanilinium) sulphate)
	Class:	9
	Packaging group:	III
	Marine Pollutant status:	Marine pollutant
	Marine Pollutant(s):	hydroquinone, Bis(4-hydroxy-N-methylanilinium) sulphate
US DOT:	UN number:	UN3077
	Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (hydroquinone, Bis(4-hydroxy-N-methylanilinium) sulphate)
	Class:	9
	Packaging group:	III
	Marine Pollutant status:	Marine pollutant
	Marine Pollutant(s):	hydroquinone, Bis(4-hydroxy-N-methylanilinium) sulphate

For more transportation information, go to: www.kodak.com/go/ship.

15. Regulatory information

Notification status

Regulatory List

Notification status

Safety Data Sheet

Revision Date: 02/06/2014
Z17000000428/Version: 2.0
Print Date: 10/16/2014
Page: 11/14

TSCA	Not all listed
DSL	Not all listed
NDSL	None listed
EINECS	Not all listed
ELINCS	None listed
NLP	None listed
AICS	All listed
IECS	All listed
ENCS	Not all listed
ECI	Not all listed
NZIoC	All listed
PICCS	All listed

"Not all listed" indicates one or more component is either not on the public Inventory or is subject to exemption requirements. If additional information is needed contact Kodak.

Other regulations

American Conference of Governmental Industrial Hygienists (ACGIH):	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans: Hydroquinone
International Agency for Research on Cancer (IARC):	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
U.S. National Toxicology Program (NTP):	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
U.S. Occupational Safety and Health Administration (OSHA):	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
California Prop. 65	This product does not contain any chemicals known to State of California to cause cancer, birth

Safety Data Sheet

Revision Date: 02/06/2014
Z17000000428/Version: 2.0
Print Date: 10/16/2014
Page: 12/14

	defects, or any other reproductive harm.
U.S. - CERCLA/SARA (40 CFR § 302.4 Designation of hazardous substances):	Hydroquinone
U.S. - CERCLA/SARA - Section 302 (40 CFR § 355 Appendices A and B - The List of Extremely Hazardous Substances and Their Threshold Planning Quantities):	Hydroquinone
U.S. - CERCLA/SARA - Section 313 (40 CFR § 372.65 Toxic Chemical Release Reporting):	Hydroquinone
U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances:	Hydroquinone
U.S. - California - 8 CCR Section 5200-5220 - Specifically Regulated Carcinogens:	No components found on the California Specifically Regulated Carcinogens List.
U.S. - California - 8 CCR Section 5203 Carcinogens:	No components found on the California Section 5203 Carcinogens List.
U.S. - California - 8 CCR Section 5209 Carcinogens:	No components found on the California Section 5209 Carcinogens List.
U.S. - Massachusetts - General Law Chapter 111F (MGL c 111F) - Hazardous Substances Disclosure by Employers (a.k.a. Right to Know Law):	Hydroquinone
U.S. - Minnesota Employee Right-to-Know (5206.0400, Subpart 5. List of Hazardous Substances):	Hydroquinone
U.S. - New Jersey - Worker and Community Right to Know Act (N.J.S.A. 34:5A-1):	Hydroquinone
U.S. - Pennsylvania - Part XIII. Worker and Community Right-to-Know Act (Chapter 323 Hazardous Substance List, Appendix A):	Sodium carbonate, monohydrate , Sodium sulphite , Hydroquinone

16. Other information

The data below reflects current legislative requirements whereas the product in your possession may carry a different version of the label depending on the date of manufacture.

US/Canadian Label Statements:

KODAK DEKTOL Developer (Single Powder)

Contains:

Safety Data Sheet

Revision Date: 02/06/2014
Z17000000428/Version: 2.0
Print Date: 10/16/2014
Page: 13/14

Polyphosphoric acids, sodium salts (68915-31-1), Sodium carbonate, monohydrate (5968-11-6), Sodium sulphite (7757-83-7), Hydroquinone (123-31-9), Bis(4-hydroxy-N-methylanilinium) sulphate (55-55-0)

Symbol(s):



Signal word: Warning

Hazard statements: Harmful if swallowed. Harmful in contact with skin. Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause damage to organs. (Kidney.) May cause damage to organs through prolonged or repeated exposure. (Kidney, Blood.)

Precautionary statements:

Prevention: Wear protective gloves/ protective clothing/ eye protection/ face protection. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product.

Response: IF exposed or if you feel unwell: Call a POISON CENTER or doctor/ physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.

Storage: Store in a well-ventilated place. Keep cool.

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulation.

FIRST AID: If inhaled, remove to fresh air. Get medical attention if symptoms occur. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth. **Note to Physicians:** Absorption of this material into the body leads to the formation of methemoglobin that, in sufficient concentration, causes cyanosis. Since reversion of methemoglobin to hemoglobin occurs spontaneously after termination of exposure, moderate degrees of cyanosis need to be treated only by supportive measures such as bed rest and oxygen inhalation. Thorough cleansing of

Safety Data Sheet

Revision Date: 02/06/2014
Z17000000428/Version: 2.0
Print Date: 10/16/2014
Page: 14/14

the entire contaminated area of the body, including scalp and nails, is of utmost importance. If cyanosis is severe, intravenous injection of methylene blue, one milligram per kilogram of body weight, may be of value. Keep out of reach of children. Do not handle or use until safety precautions in Material Safety Data Sheet (MSDS) have been read and understood. Since emptied containers retain product residue, follow label warnings even after container is emptied. **IN CASE OF FIRE:** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. **IN CASE OF SPILL:** Shovel into suitable container for disposal. Avoid dust formation. Clean surface thoroughly to remove residual contamination.

The information contained herein is furnished without warranty of any kind. Users should consider these data only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers and the protection of the environment. The information relating to the working solution is for guidance purposes only, and is based on correct mixing and use of the product according to instructions.

R-2, S-2, F-0, C-0