

# SAFETY DATA SHEET

## DIAZINON AG600 WBC

SDS NUMBER: 66222103-15-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 01/12/15

SUPERSEDES: 06/10/14

**FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL CHEMTREC - DAY OR NIGHT 1-800-424-9300**

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

#### 1.1 PRODUCT IDENTIFIER:

**TRADE NAME:** DIAZINON AG600 WBC INSECTICIDE

**1.2 RECOMMENDED USE:** WATER-BASED CONCENTRATE FOR CONTROL OF CERTAIN INSECTS

#### 1.3 SUPPLIER DETAILS:

LOVELAND PRODUCTS, INC.  
P.O. Box 1286 • Greeley, CO 80632-1286

**1.4 24 Hour Emergency Phone:** 1-800-424-9300 - **Medical Emergencies:** 1-866-944-8565 – **Product Information:** 1-888-574-2878 (LPI-CUST)  
**U.S. Coast Guard National Response Center:** 1-800-424-8802

### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

##### Classification according to 29 CFR 1910.1200

Acute Toxicity - Oral	Category 4	H302
Acute Toxicity – Inhalation	Category 4	H332
Acute Toxicity – Dermal	Category 4	H312
Eye Damage/Irritation	Category 2B	H320
Specific Target Organ Toxicity (Single Exposure)	Category 2	H371
Specific Target Organ Toxicity (Repeated Exposure)	Category 2	H373
Aquatic Toxicity	Category 2	H401

#### 2.2 Label elements



Signal word: WARNING

Hazard Statement: H302 – Harmful if swallowed.  
H332 – Harmful if inhaled.  
H312 – Harmful in contact with skin.  
H320 – Causes eye irritation.  
H371 – May cause damage to organs.  
H373 – May cause damage to organs through prolonged or repeated exposure.  
H401 – Toxic to aquatic life.

Precautionary Statement: P261 – Avoid breathing dust/fume/gas/mist/vapors/spray.  
P264 – Wash thoroughly after handling.

(Prevention): P270 – Do not eat, drink or smoke when using this product.  
P271 – Use only outdoors or in a well-ventilated area.  
P280 – Wear protective gloves/eye protection/face protection.

Precautionary Statement: P305+P351+P338: IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.  
P337+P313: If eye irritation persists: Get medical advice/attention.  
P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
P330 – Rinse mouth.

(Response): P304+P340: IF INHALED: Remove person to fresh air at keep at rest in a position comfortable for breathing.  
P312 - Call a POISON CENTER or doctor/physician if you feel unwell.  
P302+P352: IF IN SKIN: Wash with soap and water.  
P312 - Call a POISON CENTER or doctor/physician if you feel unwell.  
P101 – If medical advice is needed, have the product container or label at hand.  
P362 – Take off contaminated clothing and wash before reuse.  
P391 – Collect spillage.

Precautionary Statement: (Storage): P401+P234 – Store in a dry place. Keep only in original container.  
(Disposal): P501 – Dispose of contents/containers to a sanitary landfill after triple rinsing and puncturing, incinerate, or burning.

#### 2.3 Other hazards

None known

**SAFETY DATA SHEET**

SDS NUMBER: 66222103-15-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 01/12/15

**DIAZINON AG600 WBC**

SUPERSEDES: 06/10/14

**Potential Health effects**

<b>Routes of exposure</b>	Ingestion. Inhalation. Dermal. Eyes.
<b>Eyes</b>	Causes eye irritation.
<b>Skin</b>	Harmful in contact with skin.
<b>Inhalation</b>	Harmful if inhaled.
<b>Ingestion</b>	Harmful if swallowed.
<b>Target organs</b>	Eyes. Ingestion. Inhalation. Skin.
<b>Signs and symptoms</b>	Causes eye irritation.
<b>Potential environmental effects</b>	This product is highly toxic to birds, fish and other wildlife.

**3. COMPOSITION, INFORMATION ON INGREDIENTS****3.1 Substances****3.2 Mixtures****Classification according to 29 CFR 1910.1200**

Chemical Name:	CAS No.	Classification	Concentration [%]
Diazinon	333-41-5	Oral tox. 4; H302 Inh. tox.; 4; H332 Dermal tox; 4; H312	56.00
*Other ingredients	Trade Secret	Eye dam/irrit. 2B; H320 STOT-SE. 2; H371 STOT-RE 2; H373 Aquatic tox. 2; H401	44.00

\*Ingredients not specifically listed are non-hazardous or are to be considered proprietary or confidential business information per 29 CFR 1910.1200(i)

**4. FIRST AID MEASURES****4.1 Description of First Aid Measures**

General Advice: Get medical attention if symptoms occur.

<b>If swallowed:</b>	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
<b>If in eyes:</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
<b>If inhaled:</b>	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
<b>If on skin or clothing:</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**4.2 Most Important Symptoms and Effects, Acute and Delayed**

Symptoms: Eyes: Causes eye irritation. Skin: Harmful in contact with skin.  
Oral: Harmful if swallowed. Inhalation: Harmful if inhaled.

**4.3 Immediate Medical Attention and Special Treatment**

Treatment: Treat symptomatically. Symptoms may be delayed.

**FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-866-944-8565**

Take container, label or product name with you when seeking medical attention.

**NOTES TO PHYSICIAN:** This product contains Diazinon, an organophosphate that inhibits cholinesterase. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal, but should be administered only in conjunction with atropine.

# SAFETY DATA SHEET

SDS NUMBER: 66222103-15-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 01/12/15

**DIAZINON AG600 WBC**

SUPERSEDES: 06/10/14

---

## 5. FIRE FIGHTING MEASURES

---

### 5.1 EXTINGUISHING MEDIA:

Suitable Extinguishing Media:

Use medium appropriate to surrounding fire. Dry chemical, carbon dioxide (CO<sub>2</sub>), alcohol foam, foam, water spray or fog.

### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Specific Hazards During Firefighting:

Various aliphatic organophosphates, substituted pyrimidines, hydrogen cyanide, and other unknown hazardous material may be released in a fire situation.

### 5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters:

Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.

---

## 6. ACCIDENTAL RELEASE MEASURES

---

### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions:

Avoid inhalation of vapors and spray mist and contact with skin and eyes. Ensure adequate ventilation. Wear suitable protective clothing.

### 6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions:

This product is highly toxic to birds, fish, and other wildlife. Birds, especially waterfowl, feeding or drinking on treated areas may be killed. Do not exceed maximum permitted label rates. Rates above those recommended significantly increase potential hazards to birds, especially waterfowl. Keep out of lakes, streams, ponds, tidal marshes, and estuaries. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Shrimp and crab may be killed at application rates recommended on the product label. Do not apply where fish, shrimp, crab, and other aquatic life are important resources. Do not contaminate water by cleaning of equipment or disposal of equipment washwater. This pesticide is highly toxic to bees exposed to direct treatment or to residues on blooming crops or weeds. Do not apply this pesticide or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Do not contaminate water when disposing of equipment wash water.

### 6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up:

Wear chemical safety glasses with side shields or chemical goggles, rubber gloves, rubber boots, long-sleeved shirt, long pants, head covering, and a NIOSH-approved pesticide respirator or air-supplied respirator. For small spills, absorb with an absorbent material such as pet litter. Sweep up and place in an approved chemical container for proper disposal. Check local, state and federal regulations for proper disposal. For large spills, contain liquid by diking the area, keep product out of water supplies. If possible use a pump to pick up liquid, then use absorbent material to absorb any residual liquid. Place both in an approved container. Flush the area with a household bleach and water mixture (1:1) and then absorb the liquid as described in small spills.

**CAUTION:** Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

---

## 7. HANDLING AND STORAGE

---

### 7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling:

Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

### 7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers:

If freezing occurs, place the product in a warm room (68°F / 20°C or above) and allow to thaw. Roll or shake container frequently until thawing is complete. Do not contaminate water, food or feed by storage or disposal.

**SAFETY DATA SHEET**

SDS NUMBER: 66222103-15-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 01/12/15

**DIAZINON AG600 WBC**

SUPERSEDES: 06/10/14

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****8.1 CONTROL PARAMETERS:****OCCUPATIONAL EXPOSURE LIMITS****U.S. Workplace Exposure Level (ACGIH) TLVs**

Components	Type	Value
Diazinon	TWA	0.01 mg/m <sup>3</sup> – Inhalable   Skin

**U.S. Workplace Exposure Level (OSHA) PELs**

Components	Type	Value
No listings	TWA	

**Biological limit values****ACGIH Biological Exposure Indices**

Components	Value	Specimen
Acetylcholinesterase Inhibiting Pesticides	70% of individual's baseline	Cholinesterase activity in red blood cells

**8.2 EXPOSURE CONTROLS:****Engineering Measures**

Mixers and loaders must use a closed system that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides that provides dermal and inhalation protection [40 CFR 170.240 (d)(4)], and must wear the personal protective equipment required for mixers/loaders using engineering controls; wear protective eyewear if the system operates under pressure; and be provided and have immediately available for use in an emergency, such as a broken package, spill, or equipment breakdown, chemical resistant footwear and the respirator specified in the PPE section of this labeling for handlers not using engineering controls. Applicators using motorized ground equipment must use an enclosed cab that meets the definition in the Worker Protection Standard for Agricultural Pesticides [40 CFR 170.240 (d)(5)] for dermal protection. Flagger supporting aerial applications to lettuce must use an enclosed cab that meets the definition in the Worker Protection Standard for Agricultural Pesticides [40 CFR 170.240 (d)(5)] for dermal protection. In addition, applicators must wear the personal protective equipment required in the PPE section of this document for handlers using engineering controls; either wear the respirator specified for handlers not using engineering controls or use an enclosed cab that is declared in writing by the manufacturer or by a government agency to provide at least as much respiratory protection as the respirator specified for handlers not using engineering controls; be provided and have immediately available for use in an emergency when they must exit the cab in the treated area, coveralls, chemical resistant footwear, and if not already using one, the respirator specified for handlers not using engineering controls; take off any PPE that was worn in the treated area before reentering the cab, and store all such PPE in a chemical-resistant container, such as a plastic bag, to prevent contamination of the inside of the cab. Exception: For application to apples and lettuce, see directions for use for a special exception to these engineering controls requirements. Pilots must use an enclosed cockpit in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(6)]. When entering or leaving an aircraft contaminated with pesticide residues, pilots must wear chemical resistant gloves and must store used gloves in a chemical resistant container, such as a plastic bag, to prevent contamination of the inside of the cockpit.

**Individual Protection Measures:**

Eye / Face Protection: Goggles or shielded safety glasses are recommended.

Skin Protection: Long-sleeved shirt and long pants. Chemical-resistant gloves, such as polyethylene or polyvinylchloride. Shoes plus socks.

Respiratory Protection: In case of inadequate ventilation or risk of inhalation of mists or vapors, use suitable respiratory equipment such as MSHA/NIOSH TC-84A with NIOSH equipped N, R, or P class filter media. Wear respiratory protection during operations where spraying or misting occurs. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

9.1 APPEARANCE :	Liquid
ODOR:	Slight sulfur-like.
ODOR THRESHOLD:	No data available.
COLOR:	Off-white.
pH:	7 - 8 (1% solution)
MELTING POINT / FREEZING POINT:	No data available
BOILING POINT:	No data available
FLASH POINT:	220°F   104.5°C (PMCC).
FLAMMABILITY (solid, gas):	No data available.
UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:	No data available.
VAPOR PRESSURE:	< 0.1 mm Hg @ 25°C.
SOLUBILITY:	Slight.
PARTITION CO-EFFICIENT, n-OCTANOL / WATER:	No data available.
AUTO-IGNITION TEMPERATURE:	No data available.
DECOMPOSITION TEMPERATURE:	No data available.
VISCOSITY:	No data available.
SPECIFIC GRAVITY (Water = 1):	1.07 g/ml
DENSITY:	8.93 lbs./gal / 1.07 kg/L

Note: These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

**SAFETY DATA SHEET**

SDS NUMBER: 66222103-15-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 01/12/15

**DIAZINON AG600 WBC**

SUPERSEDES: 06/10/14

**10. STABILITY AND REACTIVITY****10.1 REACTIVITY**

Stable

**10.2 CHEMICAL STABILITY**

Stable under normal temperature conditions

**10.3 POSSIBILITY OF HAZARDOUS REACTIONS**

No data available. Will not polymerize.

**10.4 CONDITIONS TO AVOID**

Excessive heat and moisture.

**10.5 INCOMPATIBLE MATERIALS**

Strong bases, acids, and oxidizers.

**10.6 HAZARDOUS DECOMPOSITION PRODUCTS**

Thermal decomposition – aliphatic organophosphates, substituted pyrimidines, and hydrogen cyanide.

**11 TOXICOLOGICAL INFORMATION****11.3 LIKELY ROUTES OF EXPOSURE**

Eye contact. Ingestion. Inhalation. Dermal.

**LC<sub>50</sub> (rat):** > 2.5 mg/L (4 HR)**LD<sub>50</sub> Oral (female rat):** 1,600 mg/kg**LD<sub>50</sub> Dermal (rat):** > 2,020 mg/kg**Acute Toxicity Estimates:** No data available**Skin Irritation (rabbit):** Not an irritant.**Eye Irritation (rabbit):** Irritant.**Specific Target Organ Toxicity:** Eyes, respiratory system, central nervous system, cardiovascular system, blood cholinesterase.**Aspiration:** No data available**Skin Sensitization (guinea pig):** Not a sensitizer**Carcinogenicity:** TLV-A4 (Not classifiable as a Human Carcinogen).**Germ Cell Mutagenicity:** No data available**Interactive Effects:** None known**12 ECOLOGICAL INFORMATION****12.3 ECOTOXICITY**

The product may be toxic to fish and aquatic invertebrates. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Information below is based on the technical ingredient Diazinon.

**Ecotoxicological Data**

	<b>Species</b>	<b>Test Results</b>
Diazinon	Oncorhynchus mykiss	1.8 mg A.I./L – 96-hour LC <sub>50</sub>
	Bluegill sunfish	0.21 mg A.I./L – 96-hour LC <sub>50</sub>
	Daphnia Magna	0.0011 mg A.I./L – 48-hour EC <sub>50</sub>
	Bobwhite Quail	235 ppm – 8-day Dietary LC <sub>50</sub>
	Bobwhite Quail	5.2 mg/kg – Oral LD <sub>50</sub>

Drift or runoff may adversely affect non-target plants.

Do not apply directly to water.

Do not contaminate water when disposing of equipment wash water.

Do not apply when weather conditions favor drift from target area.

**12.2 PERSISTENCE AND DEGRADABILITY**

Biodegradability: No data available.

**12.3 BIOACCUMULATIVE POTENTIAL**

Bioaccumulation: No data available.

**12.4 MOBILITY IN SOIL**

No data available..

**12.5 OTHER ADVERSE EFFECTS**

Assessment: No data available.

**SAFETY DATA SHEET**

SDS NUMBER: 66222103-15-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 01/12/15

**DIAZINON AG600 WBC**

SUPERSEDES: 06/10/14

**13 DISPOSAL CONSIDERATIONS****13.1 WASTE TREATMENT METHODS**

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. To avoid harming aquatic organisms in rivers and other surface waters, do not pour the concentrate, spray mixture, or rinse water into sanitary drains (for example, toilets, floor drains, and sinks) or into storm water sewers (for example street drains). If pesticide, spray mixture, or rinsate cannot be disposed of by use according to the label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL: Non-refillable Container (five gallons or less):** Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. **Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then puncture and dispose of in a sanitary landfill, incinerate or burn, if allowed by state and local authorities. Stay out of smoke from burning container. **Non-refillable Container (greater than five gallons):** Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. **Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then puncture and dispose of in a sanitary landfill, incinerate or burn, if allowed by state and local authorities. Stay out of smoke from burning container.

**Refillable Container:** Refillable container. Refill this container with Diazinon only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Do not contaminate water, food or feed by storage or disposal.

**14 TRANSPORT INFORMATION****14.3 LAND TRANSPORT**

**DOT Shipping Description:** RQ UN3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIAZINON), 9, III MARINE POLLUTANT ERG GUIDE 171

**U.S. Surface Freight Classification:** INSECTICIDES, INSECT REPELLENTS, NOI, OTHER THAN POISON (NMFC 102120, CLASS: 60)

**15 REGULATORY INFORMATION****15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS****NFPA & HMIS Hazard Ratings:**

NFPA		HMIS			
2	Health	0	Least	1	Health
1	Flammability	1	Slight	1	Flammability
0	Instability	2	Moderate	0	Reactivity
		3	High	H	PPE
		4	Severe		

**SARA Hazard Notification/Reporting**

**SARA Title III Hazard Category:** Immediate Y Fire N Sudden Release of Pressure N  
 Delayed Y Reactive N

**Reportable Quantity (RQ) under U.S. CERCLA:** Diazinon (CAS: 333-41-5): 1 pound.

**SARA, Title III, Section 313:** Diazinon (CAS: 333-41-5) 56.0%

**RCRA Waste Code:** Not listed.

**CA Proposition 65:** Not listed.

# SAFETY DATA SHEET

SDS NUMBER: 66222103-15-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 01/12/15

**DIAZINON AG600 WBC**

SUPERSEDES: 06/10/14

---

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

## CAUTION

Harmful if swallowed, inhaled, or absorbed through skin.

Causes moderate eye irritation.

Avoid contact with eyes, skin or clothing.

Avoid breathing vapor or spray mist.

Do not contaminate food or feed.

Food utensils, such as teaspoons or measuring cups, must not be used for food purposes after use in measuring pesticides.

Keep out of reach of domestic animals.

Do not use on humans, household pets, or livestock.

Do not permit children or pets to contact treated areas until spray has dried.

Do not contaminate ornamental fishponds.

---

## 16 OTHER INFORMATION

**SDS STATUS:** Format revised.

**PREPARED BY:** Registrations and Regulatory Affairs

**REVIEWED BY:** Environmental Health and Safety

**EPA REG. NO.:** 66222-103-34704

*This product is a Restricted Use Pesticide due to Avian and Aquatic Toxicity*

**Disclaimer and Limitation of Liability:** This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.