

# Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 28-Feb-2020

# **1. PRODUCT AND COMPANY IDENTIFICATION**

Product Identifier Product Name: Product Number: Recommended Use: Uses Advised Against:	FOAMY Q&A 3200 , 3202 Disinfectant For Industrial and Institutional Use Only
Manufacturer/Supplier:	Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com
24 Hour Emergency Phone Numbe Medical Emergency/Information: Transportation/Spill/Leak:	rs: 888-314-6171 CHEMTREC 800-424-9300
	2. HAZARDS IDENTIFICATION
GHS Classification Skin Corrosion/Irritation: Serious Eye Damage/Eye Irritation: Corrosive to Metals:	Category 1 Sub-category C Category 1 Category 1
<u>GHS Label Elements</u> Signal Word:	Denger
Symbols:	Danger
Hazard Statements:	Causes severe skin burns and serious eye damage. May be corrosive to metals.
Precautionary Statements: Prevention:	Do not breathe mist, vapors or spray. Wash hands and any exposed skin thoroughly after handling. Wear protective gloves. Wear eye / face protection. Wear protective clothing. Keep in original or other corrosion resistant container.
Response: -Eyes	IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
-Skin	present and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse.
-Inhalation:	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
-Ingestion: -Specific Treatment:	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.
Spill:	Absorb spillage to prevent material damage.

Storage: Disposal:	Store locked up. Store in corrosion resistant container. Dispose of contents and container in accordance with local, state and federal regulations.
Hazards Not Otherwise Classified:	Not Applicable
Other Information:	Corrosive.     Harmful if swallowed     Independent may cause respiratory irritation

• Inhalation of vapors or mist may cause respiratory irritation.

• Keep out of reach of children.

• NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

## **3. COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Phosphoric Acid	7664-38-2	7-13
Butoxydiglycol	112-34-5	1-5
Glycolic Acid	79-14-1	1-5
C9-11 Pareth-6	68439-46-3	1-5
Cocamidopropyl Hydroxysultaine	68139-30-0	1-5
Alkyl C12-16 Dimethylbenzyl Ammonium Chloride	68424-85-1	0.1-1
Xanthan Gum	11138-66-2	0.1-1
Fragrance	PROPRIETARY	<0.1
Benzyl Salicylate	118-58-1	<0.1
2,6-Dimethyl-7-Octen-2-ol	18479-58-8	<0.1
Limonene	5989-27-5	<0.1
C.I. Acid Violet 54	11097-74-8	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

#### **4. FIRST AID MEASURES**

-Eye Contact:	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present an easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN	
-Skin Contact:	Take off immediately all contaminated clothing and shoes. Rinse with water or shower fo at least 15 minutes. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Wash contaminated clothing before reuse.	
-Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.	
-Ingestion:	Rinse mouth. Do NOT induce vomiting. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Never give anything by mouth to an unconscious person.	
Note to Physicians:	NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.	
5. FIRE-FIGHTING MEASURES		
	Developed allow and example of the static mainting a sector with the factor of	

Suitable Extinguishing Media: Specific Hazards Arising from the	Product does not support combustion, Use extinguishing agent suitable for type of surrounding fire Contact with metals may evolve flammable hydrogen gas. Dried product is capable of
Chemical: Hazardous Combustion Products:	burning. May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
Protective Equipment and Precautions for Firefighters:	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

# 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Environmental Precautions: Methods for Clean-Up:	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Do not rinse spill onto the ground, into storm sewers or bodies of water. Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

# 7. HANDLING AND STORAGE

Advice on Safe Handling:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.
Storage Conditions:	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.
Incompatible Materials:	Sodium hypochlorite (or other hypochlorites). Strong bases. Reactive metals such as aluminum, zinc and tin.

Suggested Shelf Life: 1 year from date of manufacture.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Occupational Exposure Limits:**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Phosphoric Acid 7664-38-2	STEL: 3 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup> (vacated) STEL: 3 mg/m <sup>3</sup>	IDLH: 1000 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>
Butoxydiglycol 112-34-5	TWA: 10 ppm inhalable fraction and vapor	-	-
Engineering Controls:	Provide good general ventilation. If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered. Eye wash stations and shower facilities should be readily accessible in areas where the product is handled.		
Personal Protective Equipment Eye/Face Protection: Skin and Body Protection: Respiratory Protection:	Wear splash goggles. Wear rubber or other chemical Not required with expected use If occupational exposure limits NIOSH/MSHA approved respir	e. are exceeded or respiratory irr	
General Hygiene Considerations:	<ul> <li>3 should be considered.</li> <li>Wash hands and any exposed skin thoroughly after handling.</li> <li>See 29 CFR 1910.132-138 for further guidance.</li> </ul>		

# 9. PHYSICAL AND CHEMICAL PROPERTIES

	li taustat
Appearance/Physical State:	Liquid
Color:	Purple
Odor:	Pleasant
pH:	< 2
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	100 °C / 212 °F
Flash Point:	> 100 °C / > 212 °F ASTM D56
Evaporation Rate:	< 1 (BuAc = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	1.09
Solubility(ies):	Soluble in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

# **10. STABILITY AND REACTIVITY**

Reactivity: Chemical Stability: Possibility of Hazardous Reactions: Conditions to Avoid: Incompatible Materials: Hazardous Decomposition Products:	<ul> <li>This material is considered to be non-reactive under normal conditions of use.</li> <li>Stable under normal conditions.</li> <li>Not expected to occur with normal handling and storage.</li> <li>Extremes of temperature and direct sunlight.</li> <li>Sodium hypochlorite (or other hypochlorites). Strong bases. Reactive metals such as aluminum, zinc and tin.</li> <li>May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.</li> </ul>
	11. TOXICOLOGICAL INFORMATION
Likely Routes of Exposure: Symptoms of Exposure:	Eyes, Skin, Ingestion, Inhalation.
-Eye Contact:	Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause permanent damage.
-Skin Contact:	Pain, redness, blistering and possible chemical burn.
-Inhalation:	Irritation or damage to the mucus membranes of the respiratory tract. Nasal discomfort and coughing.
-Ingestion:	Damage or chemical burns to mouth, throat and stomach. Pain, nausea, vomiting and diarrhea.
Immediate, Delayed, Chronic Effect	S
Product Information:	Data not available or insufficient for classification.
Target Organ Effects: <b>Numerical Measures of Toxicity</b> The following acute toxicity estimates	-Eyes. Respiratory SystemSkin. (ATE) are calculated based on the GHS document.
ATEmix (oral): ATEmix (dermal):	5729 mg/kg 11716 mg/kg

ATEmix (derma): 11716 mg/kg ATEmix (inhalation-dust/mist): 203.3 mg/l

#### **Component Acute Toxicity Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
Phosphoric Acid 7664-38-2	= 1530 mg/kg (Rat)	= 2740 mg/kg(Rabbit)	> 850 mg/m³(Rat)1 h

Butoxydiglycol 112-34-5	= 5660 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	Not Available
Glycolic Acid 79-14-1	= 1950 mg/kg (Rat)	Not Available	> 5.2 mg/L (Rat)4 h = 3.6 mg/L ( Rat)4 h
C9-11 Pareth-6 68439-46-3	= 1400 mg/kg(Rat)	Not Available	Not Available
Alkyl C12-16 Dimethylbenzyl Ammonium Chloride 68424-85-1	= 426 mg/kg (Rat)	Not Available	Not Available
Benzyl Salicylate 118-58-1	= 2227 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	Not Available
2,6-Dimethyl-7-Octen-2-ol 18479-58-8	= 3600 mg/kg (Rat)	> 5 g/kg (Rabbit)	Not Available
Limonene 5989-27-5	= 5200 mg/kg (Rat)= 4400 mg/kg (Rat)	> 5 g/kg (Rabbit)	Not Available

**Carcinogenicity:** No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

# **12. ECOLOGICAL INFORMATION**

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Butoxydiglycol 112-34-5	100: 96 h Desmodesmus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50 static	Not Available	100: 48 h Daphnia magna mg/L EC50
Glycolic Acid 79-14-1	Not Available	5000: 96 h Brachydanio rerio mg/L LC50 static	Not Available	Not Available
Limonene 5989-27-5	Not Available	0.619 - 0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50	Not Available	Not Available

#### Persistence and Degradability: Bioaccumulation:

No information available. No information available.

Other Adverse Effects:

No information available.

#### **13. DISPOSAL CONSIDERATIONS**

Disposal of Wastes: Contaminated Packaging: US EPA Waste Number: Dispose of in accordance with federal, state and local regulations. Dispose of in accordance with federal, state and local regulations. D002

#### **14. TRANSPORT INFORMATION**

<u>DOT:</u> UN/ID No: Proper Shipping Name: Hazard Class: Packing Group: Special Provisions:	UN1760 Corrosive liquids, n.o.s., (contains phosphoric acid and glycolic acid) 8 III Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.
<u>IMDG:</u> UN/ID No: Proper Shipping Name: Hazard Class: Packing Group:	UN1760 Corrosive liquids, n.o.s., (contains phosphoric acid and glycolic acid) 8 III

#### **15. REGULATORY INFORMATION**

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

#### <u>SARA 313</u>

This product contains the following listed substances:

#### Butoxydiglycol

CAS No 112-34-5 applies to R-(OCH2CH2)n-OR', where n = 1, 2, or 3, R=Alkyl C7 or less, or R = Phenyl or Alkyl substituted phenyl, R' = H or Alkyl C7 or less, or OR' consisting of Carboxylic acid ester, Sulfate, Phosphate, Nitrate, or SulfonateChemical Category N230

#### SARA 311/312 Hazard Categories

Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

#### California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

#### EPA Pesticide Registration Number: 5741-23

#### **EPA Statement:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### EPA Pesticide Label:

Danger. Corrosive. Causes irreversible eye damage or skin burns. May be fatal if swallowed. Harmful if absorbed through the skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing spray mist. Wear goggles or face shield. Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove contaminated clothing and wash clothing before reuse.

## **16. OTHER INFORMATION**

NFPA	Health Hazards: 3	Flammability: 0	Instability: 0	Special: N/A
HMIS	Health Hazards: 3	Flammability: 0	Physical Hazards: 0	
Revision Date: Reasons for Revision:	28-Feb-2020 Section, 3, and, 7			

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet