



Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 04/01/2020 Supersedes: 07/14/2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : FREMONT 9917 Closed System Treatment

Product form : Mixture
Other means of identification : Oxidizer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Closed System Treatment

1.3. Details of the supplier of the safety data sheet

FREMONT INDUSTRIES, LLC

a Kurita company

4400 Valley Industrial Blvd. N.

P.O. Box 67

Shakopee, MN 55379-0067

1.4. Emergency telephone number

Emergency number : (952) 445-4121

CHEMTEL: (800) 255-3924

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin Irrit. 2 H315 Eye Irrit. 2A H319 Repr. 1B H360

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)



GHS08

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H315 - Causes skin irritation

H319 - Causes serious eye irritation

H360 - May damage fertility or the unborn child

Precautionary statements (GHS-US) : P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood P264 - Wash hands, forearms and face, clothing thoroughly after handling P280 - Wear eye protection, face protection, protective clothing, protective gloves

P302+P352 - If on skin: Wash with plenty of water spray

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P308+P313 - If exposed or concerned: Get medical advice/attention

P321 - Specific treatment (see first aid on this label)

P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse

P405 - Store locked up

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

SDS – Form Revision 19/11/05-G Page 1/7

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixture

Name	Product identifier	%
Sodium nitrite	(CAS No) 7632-00-0	5 - 10
Potassium Carbonate	(CAS No) 584-08-7	1 - 5
Boric acid (HBO2), sodium salt, tetrahydrate	(CAS No) 10555-76-7	1 - 5
Potassium hydroxide	(CAS No) 1310-58-3	0.5 - 1.5
1,2,3-Benzotriazole	(CAS No) 95-14-7	0.1 - 1
Tetrasodium EDTA	(CAS No) 64-02-8	0.1 - 1

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If exposed or concerned, get medical attention/advice. Show this safety data sheet to the

doctor in attendance. Wash contaminated clothing before re-use. Never give anything to an

unconscious person.

First-aid measures after inhalation : IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if breathing is affected. If breathing is difficult, supply oxygen.

First-aid measures after skin contact : IF ON SKIN (or clothing): Remove affected clothing and wash all exposed skin with water for at least 15 minutes. If irritation develops or persists, get medical attention.

First-aid measures after eye contact : IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Remove contact

lenses if present and easy to do so. If pain, blinking, or irritation develops or persists, get

medical attention. Continue rinsing.

First-aid measures after ingestion : IF SWALLOWED: rinse mouth thoroughly. Do not induce vomiting without advice from poison

control center or medical professional. Get medical attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes skin irritation. Causes serious eye irritation. May damage fertility. May damage the

unborn child.

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : May cause gastrointestinal irritation.

Chronic symptoms : May damage fertility. May damage the unborn child.

4.3. Indication of any immediate medical attention and special treatment needed

If conscious, give large amounts of water, citrus juice, or 1:1 vinegar water solution.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire. Water spray. Foam. Dry powder. Dry

chemical. Alcohol-resistant foam.

Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not flammable.

Explosion hazard : Product is not explosive.

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Advice for firefighters

Firefighting instructions : Use cold water spray to cool fire-exposed containers to minimize risk of rupture. Exercise

caution when fighting any chemical fire. Do not dispose of fire-fighting water in the environment.

Prevent human exposure to fire, fumes, smoke and products of combustion.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area. Ventilate area. Keep upwind. Spill should be handled by trained clean-up crews

properly equipped with respiratory equipment and full chemical protective gear (see Section 8).

6.1.1. For non-emergency personnel

Protective equipment : Wear Protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing, gloves and eye or face protection. Approved supplied-air

respirator, in case of emergency.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Notify authorities if product enters sewers or public waters.

SDS – Form Revision 19/11/05-G Page 2/7

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containment and cleaning up

For containment

: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Sweep or shovel spills into appropriate container for disposal.

Methods for cleaning up

: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Neutralize residue with weak acid and flush to drain with plenty of water. Product may create slip hazard. Wash spill area thoroughly with plenty of soap and water. If slipperiness remains, apply additional dry-sweeping compound. Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Do not handle until all safety precautions have been read and understood. Provide good ventilation in process area to prevent formation of vapour. Do not breathe vapours, mist. Avoid spilling the product, as this might cause danger of slippage and falls. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a well-ventilated place. Keep container tightly closed.

Storage temperature

: Room Temperature

7.3. Specific end use(s)No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Potassium hydroxide (1310-58-3)				
ACGIH Ceiling (mg/m³)	2 mg/m³			
OSHA PEL (Ceiling) (mg/m³)	2 mg/m³ vacated			
Sodium nitrite (7632-00-0)				
Remark (ACGIH)	OELs not established			
Remark (OSHA)	OELs not established			
Boric acid (HBO2), sodium salt, tetrahydrate (10555-76-7)				
Remark (ACGIH)	OELs not established			
Remark (OSHA)	OELs not established			
1,2,3-Benzotriazole (95-14-7)				
Remark (ACGIH)	OELs not established			
Remark (OSHA)	OELs not established			
Tetrasodium EDTA (64-02-8)				
Remark (ACGIH)	OELs not established			
Remark (OSHA)	OELs not established			

8.2. Exposure controls

Appropriate engineering controls

: Provide adequate general and local exhaust ventilation. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment with flammable materials. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

: Protective clothing. Safety glasses. Gloves.







Hand protection

: Use gloves chemically resistant to this material when prolonged or repeated contact could occur. Change contaminated gloves immediately. Gloves should be classified under Standard EN 374 or ASTM F1296. Suitable gloves for this specific application can be recommended by the glove supplier. Suggested glove materials are: Neoprene, Nitrile/butadiene rubber, Polyethylene, Ethyl vinyl alcohol laminate, PVC or vinyl.

Eye protection

: Wear eye protection, including chemical splash goggles and a face shield when possibility exists for eye contact due to spraying liquid or airborne particles.

Skin and body protection Respiratory protection : Wear long sleeves, and chemically impervious PPE/coveralls to minimize bodily exposure.

 Use NIOSH-approved dust/particulate respirator. Where vapor, mist, or dust exceed PELs or other applicable OELs, use NIOSH-approved respiratory protective equipment.

SDS – Form Revision 19/11/05-G Page 3 / 7

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Yellow/amber liquid
Color : Yellow/amber

Odor : None

: No data available Odor Threshold : 11.2-12.2 (10%) pН Relative evaporation rate (butylacetate=1) : Not Established : Not Established Melting point Freezing point : No data available : ≈ 100 °C (212°F) Boiling point Flash point : Nonflammable (T.C.C.) Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure : Not Established : Not Established Relative vapour density at 20 °C

Solubility : Complete solubility in water

: 1.11 (H20=1)

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other informationNo additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Relative density

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Contact with certain metals.

10.5. Incompatible materials

Chlorates. Hyposulfites. Permanganate. Reducing agents. Ammonium compounds.

10.6. Hazardous decomposition products

Nitrogen oxides. Carbon oxides (CO, CO2). Sulfur oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Not classified.

Potassium hydroxide (1310-58-3)		
ATE CLP (oral)	500.000 mg/kg bodyweight	
Sodium nitrite (7632-00-0)		
LD50 oral rat	85 mg/kg (Source: IUCLID)	
LC50 inhalation rat (mg/l)	5.5 mg/l/4h (Source: IUCLID)	
ATE CLP (oral)	85.000 mg/kg bodyweight	
ATE CLP (vapours)	5.500 mg/l/4h	
ATE CLP (dust,mist)	5.500 mg/l/4h	

SDS – Form Revision 19/11/05-G Page 4/7

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Potassium Carbonate (584-08-7)			
LD50 oral rat	1870 mg/kg		
1,2,3-Benzotriazole (95-14-7)	1,2,3-Benzotriazole (95-14-7)		
LD50 oral rat	500 - 965 mg/kg		
LC50 inhalation rat (mg/l)	1910 mg/m³ 3 h		
Tetrasodium EDTA (64-02-8)			
LD50 oral rat	1658 mg/kg		
Sodium hydroxide (1310-73-2)			
LD50 dermal rabbit	1350 mg/kg		
Sodium tetraborate decahydrate (1303-96-4)			
LD50 oral rat	5.66 g/kg		
LD50 dermal rabbit	> 2000 mg/kg		
LC50 inhalation rat (mg/l)	> 2 g/m³ 4h		
Chin as masical finalitation	. Causas alija imitatian		

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : May damage fertility or the unborn child.

Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : May cause gastrointestinal irritation.

Chronic symptoms : May damage fertility. May damage the unborn child.

SECTION 12: Ecological information

12.1. Toxicity

Sodium nitrite (7632-00-0)	
LC50 fishes 1	0.19 mg/l 96 Hr Oncorhynchus mykiss [flow-through] (juvenile)
LC50 fish 2	0.092 - 0.13 mg/l 96 Hr Oncorhynchus mykiss [flow-through]

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Do not discharge to public wastewater systems without permit of pollution control authorities.

No discharge to surface waters is allowed without an NPDES permit.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Do not allow the

product to be released into the environment.

SECTION 14: Transport information

In accordance with DOT

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

SDS – Form Revision 19/11/05-G Page 5 / 7

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.3. Additional information

Other information

: No supplementary information available.

Overland transport

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

FREMONT 9917 Closed System Treatment			
All components of this product are listed on the TSCA Inventory or are exempt			
SARA Section 311/312 Hazard Classes		Immediate (acute) health hazard Delayed (chronic) health hazard	
Potassium hydroxide (1310-	58-3)		
Section 302 (EHS) TPQ			
Section 304 EHS RQ			
CERCLA RQ	1000		
Section 313	Not Listed on US SARA Section 313		
Sodium nitrite (7632-00-0)			
Section 302 (EHS) TPQ			
Section 304 EHS RQ			
CERCLA RQ		100	lbs.
Section 313	Listed on US SARA Section 313		
Sodium hydroxide (1310-73-2)			
Section 302 (EHS) TPQ			
Section 304 EHS RQ			
CERCLA RQ		1000	lbs.
Section 313	Not Listed on US SARA Section 313		

15.2. International regulations

No additional information available

15.2.2. National regulations

15.3. US State regulations

Potassium hydroxide (1310-58-3)

State or local regulations

- RTK U.S. Massachusetts Right To Know List
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- RTK U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List

Sodium nitrite (7632-00-0)

State or local regulations

- RTK U.S. Massachusetts Right To Know List
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- RTK U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List

1,2,3-Benzotriazole (95-14-7)

State or local regulations

RTK - U.S. - Massachusetts - Right To Know List

Sodium hydroxide (1310-73-2)

State or local regulations

- RTK U.S. Massachusetts Right To Know List
- RTK U.S. New Jersey Right to Know Hazardous Substance List
- RTK U.S. Pennsylvania RTK (Right to Know) List

Sodium tetraborate decahydrate (1303-96-4)

State or local regulations

RTK - U.S. - Massachusetts - Right To Know List

SDS – Form Revision 19/11/05-G Page 6 / 7

Safety Data Sheet

Prepared according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium tetraborate decahydrate (1303-96-4)

RTK - U.S. - New Jersey - Right to Know Hazardous Substance List

RTK - U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Indication of changes : Revision 2.0: Updated supplier name, emergency contact and phone number, pH, & logo.

Revision date : 04/01/2020 Other information : Author: BB


NFPA health hazard : 3 - Short exposure could cause serious temporary or residual

injury even though prompt medical attention was given.

NFPA fire hazard : 0 - Materials that will not burn.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are

not reactive with water.



HMIS III Rating

Health : 3
Flammability : 0
Physical : 0

Personal Protection : Splash goggles, Gloves, Synthetic apron, Dust & vapor respirator

FREMONT'S PRODUCTS ARE SOLD "AS IS." FREMONT MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WITH RESPECT TO ITS PRODUCTS OR RELATED SERVICES. ALL SUCH EXPRESS AND IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE SPECIFICALLY DISCLAIMED.

SDS – Form Revision 19/11/05-G Page 7/7