3-19-2021: Reviewed file; more current MSDS/SDS lnot available. JMC

23864- XXXX

Material Safety Data Sheet

1. Product Identification Glitter Glue

2. Composition / Information on Ingredients

Contains: Water, Polyethylene Terephthalate, Acrylates Copolymer, PVP, Polyvinyl Alcohol, Polysorbate 20, Propylene Glycol, Phenonip, Tirethanolamine, Lauramidopropyl Betaine 30%, Carbomer and Parfum. Does not contain any substance presenting a health hazard.

3. Physical and Chemical Properties

Pure Material or Mixture:

Physical Form:

Appearance / Physical Description:

Odor Threshold:

:Ha

Boiling Point:

Melting / Freezing Point:

Partition Coefficient (n-octanol/water):

Specific Gravity (Water = 1):

Bulk Density:

Volatiles:

Evaporation Rate (Water = 1):

Vapor Pressure:

Vapor Density (Air = 1):

Volatile Organic Compounds:

Autoignition Temperature:

Flash Point:

Oxidizing Properties:

Solubility in Water.

Mixture

Viscous liquid

Colored viscous liquid

Not available (slightly perfumed)

7.5 - 8.5

>212° F

<32° F

Not applicable

1.04

8.6 lb. / gal

75% / wt.

17.5 mm Hg @ 20° C (68° F)

0.62

202 g / 1

Unknown

Not applicable

Not applicable

Dispersible

4. Hazards Identification

HMIS Hazard Ratings for Product

0 = Minimal

Health: 1 1 = Slight
Flammability: 0 2 = Moderate
Reactivity: 0 3 = Serious
Personal Protection: See Section 9 4 = Severe

ξ = Chronic Effects

5. First Aid Measures

Eye Contact: Flush eyes with large amounts of water until irritation

subsides. Consult a physician if irritation persists.

Skin Contact: Wash affected skin areas thoroughly with soap and water.

Consult a physician if irritation persists.

Inhalation: Move subject to fresh air.

Ingestion: If swallowed, give two glasses of water to drink. Immediately

Contact poison control center, hospital emergency room or physician for any other treatment directions. Never give

anything by mouth to an unconscious person.

6.. Fire Fighting Measures

Autoignition Temperature: Unknown

Flash Point:
Upper Explosive Limit (%):
Not applicable
Not applicable

Lower Explosive Limit (%): Not applicable

Extinguisher Media: CO², Dry Chemical Foam – Use extinguishing media appropriate for

surrounding fire

Special Firefighting Procedures: Not applicable

Fire & Explosion Hazards: Not applicable NFPA Flammability Hazard Class: 0 = insignificant

7. Accidental Release Measures

Spill or Leak Procedures: Spills should be taken up with suitable absorbent material and placed in containers. Spill areas can be washed with water; collect wash water for approved disposal. Do not flush in storm sewer or waterway.

8. Handling and Storage

Storage Temperature: 40° - 100° F

Handling / Storage: Protect from freezing. Keep container sealed

when not in use.

Ventilation Requirements:

General

9. Exposure Control and Personal Protection

Normal work conditions, maintenance / Conditions under which Personal repair. Recommended that working

Protective Equipment Required: Area be covered with cloth or old newspaper.

None required. **Eye Protection Requirements:** None required

Glove Requirements: Protective clothing is normally unnecessary **Clothing Requirements:**

for foreseeable conditions of use.

Recommended that children wear old clothes

or overalls.

Stains may be removed by soaking overnight Wash Requirements:

then washing with soap and warm water. Scrubbing can help. Do not use bleach, chemical cleaners or biological washing

None required under normal handling Respirator Requirements:

conditions.

General Ventilation Requirements:

10. Stability and Reactivity

Normally stable as defined in NFPA 704-12 Stability:

(4-3.1)..

Materials that react with water. Incompatibilities:

0 = insignificant NFPA Reactivity Hazard Class:

Hazardous Decomposition Products: Carbon Monoxide, Carbon Dioxide

Will not occur Hazardous Polymerization:

11. Toxicological Information

Short Term Effects of Exposure Route of Entry

Slight, transient Acute Effects - Eye:

No hazard in normal commercial use Acute Effects - Skin Contact: No hazard in normal commercial use Acute Effects - Inhalation: No hazard in normal commercial use Acute Effects - Ingestion:

Long Term Effects of Exposure

Effect of Chronic Exposure:

This product should be considered non-

hazardous and has no known chronic effects.

Not applicable.

None

Target Organs: Carcinogenicity:

12. Ecological Information

No applicable data.

13. <u>Disposal Considerations</u>

Waste Disposal Methods:

Waste disposal should be in accordance with

existing Federal, State and Local environmental

regulations. **Empty Container Warnings:**

Empty containers may contain product residue, follow MSDS and label warnings even after they

have been emptied.

14. Transport Information

U.S. Department of Transportation Information

DOT Shipping Name:

Paints or Stains 149980 Sub. 3

DOT Hazard Class:

Non-hazardous

DOT Reportable Quantity:

None

Canadian Transportation of Dangerous Goods

(TDG)

Non-Regulated.

United Nations Transportation Information

U.N. Number: U.N. Class:

None None

15. Regulatory Information

TSCA:

All components are on the TSCA Inventory

EEC: Not considered a dangerous substance or

preparation within the meaning of European

Directives 67/548/EEC and 88/379/EEC.

FDA: 21CFS175.105. Not considered to be toxic, or an

eye / skin irritant as defined in the Federal

Hazardous Substances Act (16 CFR 1500.3 (b) (5)

and 16 CFR 1500.3 (b) (8).

SARA/Title III: This product contains no substances at or above

the reported threshold under Section 313 of Title III of the Superfund Amendment 48 and Reauthorization Act of 1986 and subpart C – Supplier

Notification Requirement of 40 CFR Part 372 based

on available data.

ASTM D-4236: Products bearing the Non-Toxic Product Seal are

Certified in a program of toxicological evaluation by a nationally certified toxicologist to contain no Materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. These products are certified to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236. In addition, there is no physical hazard as defined

within 29 CFR Part 1910.1200 (c) .

16. Other Information

Creation Date:

September 1, 2004

User's Responsibility:

The OSHA Hazard Communication Standard 29 CFR 1910.1200 and the Workplace Hazardous Materials Information System (WHMIS) require that the information contained on these sheets be made available to your workers. Education and train your workers regarding OSHA and WHMIS precautions. Instruct your workers to handle this product properly. Consult with appropriate experts to guard against hazards associated with use of this product and its ingredients.

Disclaimer:

The information given and the recommendations made herein apply to our product (s) alone and not combined with any other product (s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee or accuracy is made. It is the purchaser's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.