# SAFETY DATA SHEET

#### 3/4/2024: File reviewed, more current MSDS/SDS not available. CAS

## 1. Identification

Product identifier	United Arctic Blue Hydraulic			
Other means of identification	None.			
Recommended use	Hydraulic oil			
<b>Recommended restrictions</b>	None known.			
Manufacturer/Importer/Supplier/	Manufacturer/Importer/Supplier/Distributor			
information Manufacturer				
Company name	GROWMARK INC.			
Address	2200 South Avenue Council Bluffs, IA 51503 United States			
Telephone	General Assistance	800-798-6457		
E-mail	Not available.			
Emergency phone number CHEMTREC 800-424-930		800-424-9300		

#### 2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The mixture does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Wash hands after handling.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

## 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Distillates (petroleum), Hydrotreated Light Napthenic		64742-53-6	91.45
Lubricating Oils (petroleum), Hydrotreated Spent		64742-58-1	6.38
ALKYL PHENOL		Proprietary	< 0.2
SOLVENT NAPHTHA (PETROLEUM), HEAVY AROM.		64742-94-5	< 0.1
Other components below reportable level	s		1 - < 3

Other components below reportable levels

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## 4. First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment	Self-contained breathing apparatus and full protective clothing must be worn in case of

and precautions for firefightersFire fightingequipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Specific methods

General fire hazards

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handlingAvoid prolonged exposure. Observe good industrial hygiene practices.Conditions for safe storage,Store in original tightly closed container. Store away from incompatible materials (see Section 10

including any incompatibilities of the SDS).

#### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

Components	Туре	Value	Form
Distillates (petroleum), Hydrotreated Light Napthenic (CAS 64742- 53-6)	PEL	5 mg/m3	Mist.
,		2000 mg/m3	
		500 ppm	
SOLVENT NAPHTHA (PETROLEUM), HEAVY AROM. (CAS 64742-94-5)	PEL	400 mg/m3	
		100 ppm	

## US. ACGIH Threshold Limit Values

	Туре	Value	Form
Distillates (petroleum), Hydrotreated Light Napthenic (CAS 64742-53-6)	TWA	5 mg/m3	Inhalable fraction.
Lubricating Oils (petroleum), Hydrotreated Spent (CAS 64742-58-1)	TWA	5 mg/m3	Inhalable fraction.
SOLVENT NAPHTHA (PETROLEUM), HEAVY AROM. (CAS 64742-94-5)	TWA	200 mg/m3	Non-aerosol.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
Distillates (petroleum), Hydrotreated Light Napthenic (CAS 64742-53-6)	Ceiling	1800 mg/m3	
	STEL	10 mg/m3	Mist.
ological limit values	No biological exposure limits noted for	r the ingredient(s).	
posure guidelines			
US ACGIH Threshold Limit	: Values: Skin designation		
SOLVENT NAPHTHA (I (CAS 64742-94-5)	PETROLEUM), HEAVY AROM. Can be a	bsorbed through the skin.	
	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
propriate engineering ntrols	should be matched to conditions. If ap or other engineering controls to mainta	ain airborne levels below recor	nmended exposure limits. I
ntrols	should be matched to conditions. If ap or other engineering controls to mainta	ain airborne levels below recor shed, maintain airborne levels	nmended exposure limits. I
ntrols	should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis	ain airborne levels below recor shed, maintain airborne levels ent	nmended exposure limits. I to an acceptable level.
ntrols dividual protection measures	should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis s, such as personal protective equipme	ain airborne levels below recor shed, maintain airborne levels ent	nmended exposure limits. I to an acceptable level.
dividual protection measures Eye/face protection	should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis s, such as personal protective equipme	ain airborne levels below recor shed, maintain airborne levels ent side shields are recommended	nmended exposure limits. I to an acceptable level. d.
dividual protection measure Eye/face protection Skin protection	should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis <b>s, such as personal protective equipme</b> If contact is likely, safety glasses with	ain airborne levels below recor shed, maintain airborne levels ent side shields are recommended	nmended exposure limits. I to an acceptable level. d.
dividual protection measures Eye/face protection Skin protection Hand protection	should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis <b>s, such as personal protective equipme</b> If contact is likely, safety glasses with For prolonged or repeated skin contact	ain airborne levels below recor shed, maintain airborne levels ent side shields are recommended of use suitable protective glove	nmended exposure limits. I to an acceptable level. d. s.
dividual protection measures Eye/face protection Skin protection Hand protection Other	should be matched to conditions. If ap or other engineering controls to mainta exposure limits have not been establis <b>s, such as personal protective equipme</b> If contact is likely, safety glasses with For prolonged or repeated skin contact Wear suitable protective clothing.	ain airborne levels below recor shed, maintain airborne levels ent side shields are recommended of use suitable protective glove	nmended exposure limits. I to an acceptable level. d. s.

## 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling 6 range	80 °F (360 °C) estimated
Flash point	275.0 °F (135.0 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.

Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%) N	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	500 °F (260 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	7.31 lbs/gal estimated
Flammability class	Combustible IIIB estimated
Percent volatile	0.00002 % estimated
Specific gravity	0.88 estimated
VOC (Weight %)	0.00002 % estimated
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

## 11. Toxicological information

## Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

#### Information on toxicological effects

## Acute toxicity

Components	Species	Test Results
SOLVENT NAPHTHA (PET	ROLEUM), HEAVY AROM. (CAS 64742-94	I-5)
Acute		
Inhalation		
LC50	Rat	61 mg/l, 4 Hours
Oral		
LD50	Rat	> 25 ml/kg

\* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.			
Respiratory or skin sensitizatio	n			
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.			
Skin sensitization	This product is not expected to cause skin sensitization.			
Germ cell mutagenicity	No data avail mutagenic or	1 2	ponents present at greater than 0.1% are	
Carcinogenicity				
OSHA Specifically Regulate Not listed.	ed Substances	(29 CFR 1910.1001-1050)		
Reproductive toxicity	This product i	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.			
Specific target organ toxicity - repeated exposure	Not classified.			
Aspiration hazard	Not an aspiration hazard.			
Chronic effects	Prolonged inf	Prolonged inhalation may be harmful.		
Further information	This product has no known adverse effect on human health.			
12. Ecological information	า			
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.			
Components		Species	Test Results	
SOLVENT NAPHTHA (PETR	ROLEUM), HEAV	Y AROM. (CAS 64742-94-5)		
Aquatic				
Crustacea	EC50	Water flea (Daphnia pulex)	2.7 - 5.1 mg/l, 48 hours	

Rainbow trout, donaldson trout

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

(Oncorhynchus mykiss)

No data is available on the degradability of this product.

8.8 mg/l, 96 hours

8.8 mg/l, 96 hours

#### 13. Disposal considerations

Persistence and degradability

**Bioaccumulative potential** 

Other adverse effects

Mobility in soil

Fish

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.		
Local disposal regulations	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		

#### 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

LC50

\* Estimates for product may be based on additional component data not shown.

No data available.

#### IMDG

Not regulated as dangerous goods.

#### Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

## 15. Regulatory information

JS federal regulations	One or more components are not listed on TSCA. This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
	Notification (40 CFR 707, Subpt. D)	
Not regulated. CERCLA Hazardous Subst	ance List (40 CFR 302.4)	
Not listed. SARA 304 Emergency relea	ase notification	
	ed Substances (29 CFR 1910.1001-1050)	
Not listed.		
Superfund Amendments and R	eauthorization Act of 1986 (SARA)	
Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	
SARA 302 Extremely hazar	dous substance	
Not listed.		
SARA 311/312 Hazardous I chemical	No	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Sectio	n 112 Hazardous Air Pollutants (HAPs) List	
Not regulated.		
Clean Air Act (CAA) Sectio	n 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
JS state regulations		
US. California Controlled S	Substances. CA Department of Justice (California Health and Safety Code Section 11100)	
Not listed. US. California. Candidate C	Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, s	
(a))		
Lubricating Oils (petroleur SOLVENT NAPHTHA (PE	Hydrotreated Light Napthenic (CAS 64742-53-6) n), Hydrotreated Spent (CAS 64742-58-1) TROLEUM), HEAVY AROM. (CAS 64742-94-5)	
	lydrotreated Light Napthenic (CAS 64742-53-6)	
-	<b>d Community Right-to-Know Act</b> PETROLEUM), HEAVY AROM. (CAS 64742-94-5)	
	and Community Right-to-Know Law	
US. Rhode Island RTK		
Not regulated.		
	65 Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to conta listed as carcinogens or reproductive toxins.	in
· · · · · · · · · · · · · · · · · · ·		

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Ric	No	

\*A 'Yes' indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A 'No' indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date	04-24-2015
Revision date	08-26-2015
Version #	02
Disclaimer	GROWMARK Lubricants cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
<b>Revision Information</b>	GHS: Classification