

# **SAFETY DATA SHEET**

Creation Date 09-Jun-2009 Revision Date 13-Oct-2023 Revision Number 8

1. Identification

Product Name Hydrogen Peroxide 3%

Cat No.: H312-4; H312-500; H312P-4; H312SAM-1; H312SAM-2; H312SAM-3;

H324-500; XX32455GAL; XXH31212OGAL; XXH31255GA;

XXH312200LI; NC1552940; NC2191795

Synonyms Hydrogen dioxide; Hyperoxide (USP/Certified)

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

#### Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

### **Emergency Telephone Number**

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®. Outside the USA: 001-703-527-3887

# 2. Hazard(s) identification

### Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

### Label Elements

None required

### Hazards not otherwise classified (HNOC)

None identified

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %		
Water	7732-18-5	96 - 97		
Hydrogen peroxide	7722-84-1	3		
Acetic acid	64-19-7	<1		

### 4. First-aid measures

**General Advice** If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eye irritation persists: Get medical advice/attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

**Inhalation** Remove to fresh air. Get medical attention immediately if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms and

effects

None reasonably foreseeable.

No information available

Notes to Physician Treat symptomatically

# 5. Fire-fighting measures

Unsuitable Extinguishing Media No information available

Flash Point No information available Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

Upper

No data available No data available

Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

### Specific Hazards Arising from the Chemical

Non-combustible. Containers may explode when heated.

### **Hazardous Combustion Products**

Oxygen.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

HealthFlammabilityInstabilityPhysical hazards101N/A

## 6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Avoid contact with skin and eyes.

**Environmental Precautions** Should not be released into the environment.

**Methods for Containment and Clean** Soak up with inert absorbent material. Sweep up and shovel into suitable containers for **Up** disposal.

7. Handling and storage

Handling Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid

ingestion and inhalation. Avoid contact with skin, eyes or clothing.

Storage. Keep container tightly closed in a dry and well-ventilated place. Keep cool and protect from

sunlight. Contents may develop pressure upon prolonged storage. Containers should be vented periodically in order to overcome pressure buildup. Do not store in metal containers.

Incompatible Materials. Metals.

### 8. Exposure controls / personal protection

### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Hydrogen peroxide	TWA: 1 ppm	(Vacated) TWA: 1 ppm	IDLH: 75 ppm	TWA: 1 ppm
		(Vacated) TWA: 1.4 mg/m <sup>3</sup>	TWA: 1 ppm	
		TWA: 1 ppm	TWA: 1.4 mg/m <sup>3</sup>	
		TWA: 1.4 mg/m <sup>3</sup>	-	
Acetic acid	TWA: 10 ppm	(Vacated) TWA: 10 ppm	IDLH: 50 ppm	TWA: 10 ppm
	STEL: 15 ppm	(Vacated) TWA: 25 mg/m <sup>3</sup>	TWA: 10 ppm	STEL: 15 ppm
		TWA: 10 ppm	TWA: 25 mg/m <sup>3</sup>	
		TWA: 25 mg/m <sup>3</sup>	STEL: 15 ppm	
			STEL: 37 mg/m <sup>3</sup>	

### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures None under normal use conditions.

Personal Protective Equipment

**Eve/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

**Recommended Filter type:** Particle filter.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and chemical properties

Physical StateLiquidAppearanceClearOdorSlight

Odor Threshold

pH

No information available
No information available

Melting Point/Range 0 °C / 32 °F

Boiling Point/Range 100 °C / 212 °F @ 760mmHg

Flash Point No information available Evaporation Rate No information available

**Hydrogen Peroxide 3%** 

Not applicable

Flammability (solid,gas)

Flammability or explosive limits

 Upper
 No data available

 Lower
 No data available

 Vapor Pressure
 23.3 mmHg @ 30°C

 Vapor Density
 > 1.00 (Air = 1.0)

 Specific Gravity
 1.00

Solubility niscible

Partition coefficient; n-octanol/waterNo data availableAutoignition TemperatureNo information availableDecomposition TemperatureNo information availableViscosityNo information available

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Light sensitive. Decomposes on exposure to light.

**Conditions to Avoid** Exposure to light. Heat. Incompatible products.

Incompatible Materials Metals

Hazardous Decomposition Products Oxygen

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

Oral LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Dermal LD50

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg.

Vapor LC50

Based on ATE data, the classification criteria are not met. ATE > 20 mg/l.

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Hydrogen peroxide	376 mg/kg ( Rat ) (90%) 910 mg/kg ( Rat ) (20-60%) 1518 mg/kg (Rat ) (8-20% sol)	>2000 mg/kg(Rabbit)	LC50 = 2000 mg/m³ (Rat) 4 h
Acetic acid	3310 mg/kg (Rat)	-	> 40 mg/L (Rat) 4 h

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

**Sensitization** No information available

Carcinogenicity There are no known carcinogenic chemicals in this product.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Water	7732-18-5	Not listed				
Hydrogen peroxide	7722-84-1	Not listed	Not listed	A3	Not listed	A3
Acetic acid	64-19-7	Not listed				

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

**Hydrogen Peroxide 3%** 

ACGIH: (American Conference of Governmental Industrial

Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

Group 2B - Possibly Carcinogenic to Humans

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

Mexico - Occupational Exposure Limits - Carcinogens

A1 - Confirmed Human Carcinogen A2 - Suspected Human Carcinogen A3 - Confirmed Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen A5 - Not Suspected as a Human Carcinogen

No information available **Mutagenic Effects** 

**Reproductive Effects** No information available. **Developmental Effects** No information available. **Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

**Aspiration hazard** No information available

Symptoms / effects, both acute and No information available

delayed

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

#### **Ecotoxicity**

Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Hydrogen peroxide	EC50 2.5 mg/L/72h	LC50: 16.4 mg/L/96h	Not listed	EC50 7.7 mg/L/24h
		(P.promelas)		
Acetic acid	-	Pimephales promelas: LC50	Photobacterium	EC50 = 95 mg/L/24h
		= 88 mg/L/96h	phosphoreum: EC50 = 8.8	
		Lepomis macrochirus: LC50	mg/L/15 min	
		= 75 mg/L/96h	Photobacterium	
			phosphoreum: EC50 = 8.8	
			mg/L/25 min	
			Photobacterium	
			phosphoreum: EC50 = 8.8	
			mg/L/5 min	

Persistence and Degradability Persistence is unlikely based on information available. Miscible with water

**Bioaccumulation/ Accumulation** No information available.

Will likely be mobile in the environment due to its water solubility. **Mobility** 

Component	log Pow		
Hydrogen peroxide	-1.1		
Acetic acid	-0.2		

### 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDG/IMONot regulated

15. Regulatory information

### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Water	7732-18-5	X	ACTIVE	-
Hydrogen peroxide	7722-84-1	X	ACTIVE	-
Acetic acid	64-19-7	Χ	ACTIVE	-

### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

### **International Inventories**

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS), Japan (ISHL), Japan (ISHL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Water	7732-18-5	Х	-	231-791-2	Х	Х		Х	Х	KE-35400
Hydrogen peroxide	7722-84-1	Χ	-	231-765-0	Χ	Χ	Χ	Χ	Χ	KE-20204
Acetic acid	64-19-7	Х	-	200-580-7	Х	Х	Х	Х	Х	Х

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

**CWA (Clean Water Act)** 

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Acetic acid	X	5000 lb	-	-

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Not applicable

Health Administration

Component			Specifically Regulated Chemicals	Highly Hazardous Chemicals			
	Hydrogen peroxide		-	TQ: 7500 lb			
CERCLA	Th	This material, as supplied, contains one or more substances regulated as a hazardous					

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability

Act (CERCLA) (40 CFR 302)

Component Hazardous Substances RQs CERCLA EHS RQs
---

Hydrogen peroxide	-	1000 lb
Acetic acid	5000 lb	-

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	-	-	X	-	-
Hydrogen peroxide	X	X	X	-	X
Acetic acid	Х	Х	X	=	X

### **U.S. Department of Transportation**

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

### U.S. Department of Homeland

This product contains the following DHS chemicals:

Security

Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

Component	DHS Chemical Facility Anti-Terrorism Standard			
Hydrogen peroxide	Theft STQs - 400lb (concentration >=35%)			

### Other International Regulations

Mexico - Grade No information available

### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Hydrogen peroxide	7722-84-1	-	Use restricted. See item 75. (see link for restriction details)	-
Acetic acid	64-19-7	-	Use restricted. See item 75. (see link for restriction details)	-

### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Hydrogen peroxide	7722-84-1	Listed	Not applicable	Not applicable	Not applicable
Acetic acid	64-19-7	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

### Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Water	7732-18-5	Not applicable	Not applicable	Not applicable	Not applicable
Hydrogen peroxide	7722-84-1	Not applicable	Not applicable	Not applicable	Not applicable
Acetic acid	64-19-7	Not applicable	Not applicable	Not applicable	Annex I - Y34

1.	4	<b>O</b> +	hor	info	rma	tion
- 16		( ) I	nei	1111()	1111	11()[1

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 09-Jun-2009

 Revision Date
 13-Oct-2023

 Print Date
 13-Oct-2023

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**