Conforms to USDOL OSHA 29CFR 1910.1200 HAZCOM

## SAFETY DATA SHEET

Lime-A-Way Lime, Calcium & Rust Cleaner



## 1. Product and company identification

Product name	: Lime-A-Way Lime, Calcium & Rust Cleaner
Distributed by	: Reckitt Benckiser LLC. Morris Corporate Center IV 399 Interpace Parkway (P.O. Box 225) Parsippany, New Jersey 07054-0225 +1 973 404 2600
Emergency telephone number (Medical)	: 1-800-338-6167
Emergency telephone number (Transport)	: 1-800-424-9300 (U.S. & Canada) CHEMTREC Outside U.S. and Canada (North America), call Chemtrec:703-527-3887
Website:	: http://www.rbnainfo.com

#### Product use : Lime deposit (calcium) remover & Rust removers

This SDS is designed for workplace employees, emergency personnel and for other conditions and situations where there is greater potential for large-scale or prolonged exposure, in accordance with the requirements of USDOL Occupational Safety and Health Administration.

This SDS is not applicable for consumer use of our products. For consumer use, all precautionary and first aid language is provided on the product label in accordance with the applicable government regulations, and shown in Section 15 of this SDS.

SDS #	: D8199319 v2.0
Formulation #:	: 8167376v1.0
UPC Code / Sizes	: 16 fl. oz. Trigger Spray 1 gallon Plastic Containers

## 2. Hazards identification

Classification of the substance or mixture	: CORROSIVE TO METALS - Category 1 ACUTE TOXICITY (oral) - Category 4 SKIN CORROSION - Category 1B SERIOUS EYE DAMAGE - Category 1	
GHS label elements Hazard pictograms		
Signal word	: Danger	
Code # : FF8167376 (D8199319)	<b>SDS #</b> : D8199319 v2.0 <b>Date of issue</b> : 14/03/2017	1/13

#### 2. Hazards identification Hazard statements : May be corrosive to metals. Harmful if swallowed. Causes severe skin burns and eye damage. **Precautionary statements** General : Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. **Prevention** : Wear protective gloves. Wear eye or face protection. Wear protective clothing. Keep only in original container. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Response : Absorb spillage to prevent material damage. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician. Storage : Store locked up. Store in a corrosion resistant container with a resistant inner liner. Disposal : Dispose of contents and container in accordance with all local, regional, national and international regulations. **Supplemental label** : None known. elements Hazards not otherwise : None known. classified

## 3. Composition/information on ingredients

Substance/mixture : M	Mixture		
Ingredient name		%	CAS number
sulphamidic acid		5 - 10	5329-14-6

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

## 4. First aid measures

(D8199319)

Description of necessary	<u>y first aid measures</u>
Eye contact	: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
Inhalation	: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Code # : FF8167376	<b>SDS #</b> : D8199319 v2.0 <b>Date of issue</b> : 14/03/2017 <b>2/13</b>

D81	99319	v2.0
-----	-------	------

### 4. First aid measures

Skin contact	: Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Most important sympt	oms/effects, acute and delayed

#### Potential acute health effects Eye contact : Causes serious eye damage. : No known significant effects or critical hazards. Inhalation Skin contact : Causes severe burns. : Harmful if swallowed. Ingestion Over-exposure signs/symptoms Eye contact : Adverse symptoms may include the following: pain watering redness Inhalation : No specific data. Skin contact : Adverse symptoms may include the following: pain or irritation redness blistering may occur Ingestion : Adverse symptoms may include the following: stomach pains Indication of immediate medical attention and special treatment needed, if necessary Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Specific treatments : No specific treatment. Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to

See toxicological information (Section 11)

SDS #

before removing it, or wear gloves.

give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water

## 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: nitrogen oxides sulfur oxides
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## 6. Accidental release measures

Personal precautions, protect	ive equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for cor	ntainment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Absorb spillage to prevent material damage. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Absorb spillage to prevent material damage. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## 7. Handling and storage

#### Precautions for safe handling

Protective measures	Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Absorb spillage to prevent material damage.
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a corrosion resistant container with a resistant inner liner. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## 8. Exposure controls/personal protection

<u>Control</u>		
Occupational exposure lim	<u>its</u>	
Not applicable.		
Appropriate engineering controls	: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.	
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	
Individual protection measu	<u>res</u>	
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.	
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/ or face shield. If inhalation hazards exist, a full-face respirator may be required instead.	
Skin protection		
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.	
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.	
Code # : FF8167376 (D8199319)	<b>SDS #</b> : D8199319 v2.0 <b>Date of issue</b> : 14/03/2017 <b>5/13</b>	

D8199319 v2.0	28199319 v2.0		
8. Exposure controls/personal protection			
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.		
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.		

## 9. Physical and chemical properties

#### **Appearance**

Physical state	Liquid.	
Color	Clear.	
Odor	Characteristic.	
Odor threshold	Not available.	
pН	2 to 2.2 @ 25°C	
Melting point	Not available.	
Boiling point	Not available.	
Flash point	Closed cup: >93.3°C (>199.9°F)	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Lower and upper explosive (flammable) limits	Not available.	
Vapor pressure	Not available.	
Vapor density	Not available.	
Relative density	1.039 to 1.045 @ 25°C	
Solubility	Easily soluble in the following materials: cold water and hot water.	
Partition coefficient: n- octanol/water	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Flow time (ISO 2431)	Not available.	

## 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Reactive or incompatible with the following materials: metals
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SDS #

## 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
sulphamidic acid	LD50 Oral	Rat	3160 mg/kg	-

**Conclusion/Summary** : Harmful if swallowed.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
sulphamidic acid	Eyes - Moderate irritant	Rabbit	-	20 milligrams	-
	Eyes - Severe irritant	Rabbit	-	24 hours 250	-
				Micrograms	
	Skin - Mild irritant	Human	-	120 hours 4	-
				Percent	
				Intermittent	
	Skin - Severe irritant	Rabbit	-	24 hours 500	-
				milligrams	

#### **Conclusion/Summary**

Skin	: Severely irritating to the skin.
Eyes	: Severely irritating to eyes.

#### **Sensitization**

Not available.

#### **Mutagenicity**

Not available.

#### **Carcinogenicity**

Not available.

#### **Reproductive toxicity**

Not available.

#### **Teratogenicity**

Not available.

#### Specific target organ toxicity (single exposure)

Not available.

## Specific target organ toxicity (repeated exposure)

Not available.

#### **Aspiration hazard**

Not available.

Information on the likely routes of exposure	: Not available.
Potential acute health effects	
Eye contact	: Causes serious eye damage.
Inhalation	: No known significant effects or

- : No known significant effects or critical hazards.
- **Skin contact** : Causes severe burns.

Code # : FF8167376 (D8199319) SDS #

: D8199319 v2.0

## 11. Toxicological information

Ingestion

: Harmful if swallowed.

## Symptoms related to the physical, chemical and toxicological characteristics Eye contact : Adverse symptoms may include the following: pain watering

	redness
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains

#### Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	<u>ects</u>
Not available.	
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

#### **Numerical measures of toxicity**

Acute toxicity estimates Not available.

Code # : FF8167376 (D8199319)

## **12. Ecological information**

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
sulphamidic acid	Acute LC50 14200 μg/l Fresh water	Fish - Pimephales promelas	96 hours

#### Persistence and degradability

Not available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
sulphamidic acid	0.101	-	low

#### Mobility in soil

Soil/water partition : Not available. coefficient (Koc)

#### **Other adverse effects** : No known significant effects or critical hazards.

## 13. Disposal considerations

#### **Disposal methods**

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## 14. Transport information

(D8199319)

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	UN3264	Corrosive liquid, acidic, inorganic, n.o. s. (sulphamidic acid)	8	II	$\diamond$	<u>Limited quantity</u> <u>16 oz size only.</u>
					CORROSIN	<u>1 Gallon size, see 49</u> CFR Haz Table

D0199319 V2.0						
14. Transport information						
TDG Classification	UN3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphamidic acid)	8		$\diamond$	Limited quantity 16 oz size only.
						<u>1 Gallon size, see</u> TDG DG List
Mexico Classification	UN3264	LIQUIDO CORROSIVO, ACIDO, INORGANICO, N.E.P. (sulphamidic acid, mixture)	8	11	$\diamond$	Limited quantity 16 oz size only.
						<u>1 Gallon size, see</u> <u>MX NOMS</u>
IMDG Class	UN3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphamidic acid)	8	II	$\diamondsuit$	<u>Limited quantity</u> <u>16 oz size only.</u>
						<u>1 Gallon size, see</u> IMDG DG List
IATA-DGR Class	UN3264	Corrosive liquid, acidic, inorganic, n.o. s. (sulphamidic acid)	8	II	8	See DG List.

# Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

PG\* : Packing group

.S. Federal regulations		TSCA 8	(a) PAIR:	1,1'-oxydipro	pan-2-ol			
		TSCA 8(a) CDR Exempt/Partial exemption: Not determined						
				-	-		listed or exemp	ted.
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	:	Not liste	d					
Clean Air Act Section 602 Class I Substances	:	Not liste	d					
Clean Air Act Section 602 Class II Substances	:	Not liste	d					
DEA List I Chemicals (Precursor Chemicals)	:	Not liste	d					
DEA List II Chemicals (Essential Chemicals)	:	Not liste	d					
SARA 302/304								
Composition/information	on	ingredie	<u>nts</u>					
No products were found.								
SARA 304 RQ	: Not applicable.							
<u>SARA 311/312</u>								
Classification	: Reactive Immediate (acute) health hazard							
Composition/information	on	ingredie	<u>nts</u>					
Name			%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
sulphamidic acid			5 - 10	No.	No.	No.	Yes.	No.

Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: The following components are listed: SULPHAMIC ACID; SULFAMIC ACID
Pennsylvania	: None of the components are listed.

#### **Canada**

WHMIS (Canada)	: Class E: Corrosive material
<u>Canadian lists</u>	
Canadian NPRI	: None of the components are listed.
CEPA Toxic substances	: None of the components are listed.
Canada inventory	: At least one component is not listed in DSL but all such components are listed in NDSL.

#### Label elements

Signal word	: DANGER


: FF8167376 Code # (D8199319)

## **15. Regulatory information**

•	
Hazard statements	: Corrosive to eyes and skin. Harmful if swallowed.
Precautionary measures	: Keep out of the reach of children. Do not get in eyes or on skin or clothing. Do not ingest. Do not breathe vapor or mist. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling.

## 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

•

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
Date of issue Date of previous issue Version	: 14/03/2017 : 23/12/2014. : 2
Code # : FF8167376 (D8199319)	<b>SDS #</b> : D8199319 v2.0 <b>Date of issue</b> : 14/03/2017 <b>12/13</b>

## **16. Other information**

_		
Dro	pared	by
<b>FIG</b>	uai eu	<b>UV</b>

: Reckitt Benckiser LLC. Product Safety Department 1 Philips Parkway Montvale, New Jersey 07646-1810 USA. FAX: 201-476-7770

#### **Revision comments**

: Addition of metal corrosion classification on section 2.

✓ Indicates information that has changed from previously issued version.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



RB is a member of the CSPA Product Care Product Stewardship Program.