SAFETY DATA SHEET

AMACO EST. 1919 brent

Revision Number 1

Revision date 13-Sep-2022

1. Identification	
Product identifier	
Product Name	LG-1 True Black
Other means of identification	
Product Code(s)	FG00223
Synonyms	39141P, 39171W
Recommended use of the chemical	and restrictions on use
Recommended use	
Restrictions on use	
Details of the supplier of the safety	data sheet
Manufacturer Address American Art Clay Co Inc 6060 Guion Road Indianapolis, IN 46254-1222 USA Toll Free: 1-800-999-5456 CustomerCare@Amaco.com	
Emergency telephone number	
Emergency Telephone	U.S. Poison Control 1-800-222-1222

2. Hazard(s) identification


Classification

Acute toxicity - Oral	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

Label elements



Physical state Liquid

Precautionary Statements - Prevention Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Contaminated work clothing must not be allowed out of the workplace Wear protective gloves/clothing and eye/face protection Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Specific treatment (see .? on this label) Get medical advice/attention if you feel unwell IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Unknown acute toxicity

8.527 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
8.527 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
48.537 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
48.537 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
13.517 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Other information

Toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

3. Composition/information on ingredients

Not applicable.

<u>Mixture</u>

Chemical name	CAS No	Weight-%
Frits, chemicals	65997-18-4	20 - 40
C.I. Pigment Brown 35	68187-09-7	5 - <10
Kaolin	1332-58-7	3 - <5
Quartz	14808-60-7	1 - <3

	1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol	4719-04-4	0.1 - 1
--	---	-----------	---------

4. First-aid measures Description of first aid measures General advice Show this safety data sheet to the doctor in attendance. Inhalation Remove to fresh air. If symptoms persist, call a physician. If breathing has stopped, give

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.
-	Consult a physician.

artificial respiration. Get medical attention immediately.

- **Skin contact** Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
- Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get medical attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid breathing vapors or mists. Use personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. Coughing and/ or wheezing. Difficulty in breath			
Indication of any immediate medical attention and special treatment needed			
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.		

5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.
Explosion data Sensitivity to mechanical impac	t None.
Sensitivity to static discharge	None.
Special protective equipment and	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

6. Accidental release measures

precautions for fire-fighters

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid breathing vapors or mists.
Other information	Refer to protective measures listed in Sections 7 and 8.

Use personal protection equipment.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid breathing vapors or mists.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Frits, chemicals	STEL: 10 mg/m ³ Zr	TWA: 10 µg/m³ As	IDLH: 5 mg/m ³ As
65997-18-4	TWA: 0.01 mg/m ³ As	TWA: 50 µg/m ³ Pb	IDLH: 9 mg/m ³ Cd dust and
	TWA: 0.05 mg/m ³ Pb	TWA: 0.5 mg/m ³ Sb	fume
	TWA: 0.01 mg/m ³ Cd	TWA: 5 mg/m ³ Zr	IDLH: 50 mg/m ³ Sb
	TWA: 0.002 mg/m ³ Cd	(vacated) TWA: 0.5 mg/m ³ Sb	IDLH: 100 mg/m ³ Cu dust and
	respirable particulate matter	(vacated) TWA: 5 mg/m ³ Zr	mist
	TWA: 0.5 mg/m ³ Sb	(vacated) STEL: 10 mg/m ³ Zr	IDLH: 500 mg/m ³ Mn
	TWA: 1 mg/m ³ Cu dust and mist	(vacated) Ceiling: 5 mg/m ³	IDLH: 25 mg/m ³ Zr
	TWA: 3 mg/m ³ W respirable	Ceiling: 5 mg/m ³ Mn	IDLH: 100 mg/m ³ Pb
	particulate matter in the absence		IDLH: 10 mg/m ³ Ni
	of cobalt		Ceiling: 0.002 mg/m ³ As 15 min
	TWA: 5 mg/m ³ Zr		Ceiling: 0.05 mg/m ³ V dust and
	TWA: 0.02 mg/m ³ Mn respirable		fume 15 min
	particulate matter		TWA: 0.5 mg/m ³ Sb
	TWA: 0.1 mg/m ³ Mn inhalable		TWA: 1 mg/m ³ Cu dust and
	particulate matter		mist
			TWA: 1 mg/m ³ Mn
			TWA: 5 mg/m ³ except Zirconium
			tetrachloride Zr
			TWA: 0.050 mg/m ³ Pb
			TWA: 0.015 mg/m ³ except
			Nickel carbonyl Ni
			STEL: 3 mg/m ³ Mn
			STEL: 10 mg/m ³ Zr
C.I. Pigment Brown 35	-	TWA: 0.5 mg/m ³ Cr	IDLH: 25 mg/m ³ Cr(III)
68187-09-7		(vacated) TWA: 0.5 mg/m ³ Cr	TWA: 0.5 mg/m ³ Cr
Kaolin	TWA: 2 mg/m ³ particulate	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust

Revision date 13-Sep-2022

1332-58-7	matter containing no asbestos	TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ ro	espirable dust
	and <1% crystalline silica,	fraction		
	respirable particulate matter	(vacated) TWA: 10 mg/m ³ total		
		dust		
		(vacated) TWA: 5 mg/m ³		
		respirable fraction		
Quartz	TWA: 0.025 mg/m ³ respirable	TWA: 50 μg/m³	IDLH: 50 mg/m ³ r	espirable dust
14808-60-7	particulate matter	(vacated) TWA: 0.1 mg/m ³	TWA: 0.05 mg/m ³	respirable
		respirable dust	dust	
		: (250)/(%SiO2 + 5) mppcf		
		TWA respirable fraction		
		: (10)/(%SiO2 + 2) mg/m ³		
		TWA respirable fraction		

Biological occupational exposure limits

Chemical name	ACGIH
Frits, chemicals	200 μg/L - blood (Lead) - not critical
65997-18-4	5 µg/g creatinine - urine (Cadmium) - not critical
	5 µg/L - blood (Cadmium) - not critical

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, suc	ch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product.

9. Physical and chemical properties

Information on basic physical and c Physical state Appearance Color Odor Odor threshold	hemical properties
Property	Values
pH	No data available
Melting point / freezing point	No data available
Initial boiling point and boiling rang	eNo data available
Flash point	No data available
Evaporation rate	No data available
Flammability	No data available
Flammability Limit in Air	
Upper flammability or explosive	No data available
limits	
Lower flammability or explosive limits	No data available

Remarks • Method None known None known None known

None known None known None known None known

known known known known known known known known

Vapor pressure	No data available	None
Relative vapor density	No data available	None
Relative density	No data available	None
Water solubility	No data available	None
Solubility(ies)	No data available	None
Partition coefficient	No data available	None
Autoignition temperature	410	None
Decomposition temperature		None
Kinematic viscosity	No data available	None
Dynamic viscosity	No data available	None
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
VOC Content (%)	No information available	

10. Stability and reactivity

11. Toxicological information

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Excessive heat.
Incompatible materials	None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

Information on likely routes of exposure		
Product Information		
Inhalation	Specific test data for the substance or mixture is not available. Harmful by inhalation. (based on components).	
Eye contact	Specific test data for the substance or mixture is not available.	
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).	
Ingestion	Specific test data for the substance or mixture is not available. Toxic if swallowed. (based on components).	
Symptoms related to the physical,	chemical and toxicological characteristics	
Symptoms	Itching. Rashes. Hives. Coughing and/ or wheezing.	
Acute toxicity		
Numerical measures of toxicity No information available		
The following values are calculated ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-dust/mist)	a based on chapter 3.1 of the GHS document 284.70 mg/kg 5,403.10 mg/kg 3.70 mg/l	

Unknown acute toxicity

8.527 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

8.527 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

48.537 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) 48.537 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

46.537 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

13.517 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Frits, chemicals 65997-18-4	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
1,3,5-Triazine-1,3,5(2H,4H,6H)-t riethanol 4719-04-4	= 763 mg/kg (Rat)	> 4000 mg/kg (Rat)	= 0.4 mg/L (Rat)4 h = 0.338 mg/L (Rat)4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	No information available.

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
		-		
Frits, chemicals	A1	Group 1	Known	X
65997-18-4	A3	Group 2B	Reasonably Anticipated	
	A2	Group 2A		
C.I. Pigment Brown 35	-	Group 3	-	-
68187-09-7		-		
Quartz	A2	Group 1	Known	Х
14808-60-7		•		

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	Re	prod	uctive	toxicity
-----------------------	----	------	--------	----------

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Target organ effects	Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate, Gastrointestinal tract (GI).
Aspiration hazard	No information available.
Other adverse effects	
Interactive effects	

12. Ecological information

Ecotoxicity

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1,3,5-Triazine-1,3,5(2H,4 H,6H)-triethanol 4719-04-4	-	LC50: =16.07mg/L (96h, Danio rerio)	-	-

Persistence and degradability

Bioaccumulation	There is no data for this product.
Other adverse effects	No information available.

13. Disposal c	onsiderations
----------------	---------------

Disposal methods	
Waste from residues/unused products	Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.
Contaminated packaging	Do not reuse empty containers.
California Hazardous Waste Status	This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport information

DOT

Not regulated

UN number or ID number	UN3082
Packing group	

15. Regulatory information

International Inventories

TSCA

Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Water	7732-18-5	Present	Active
Frits, chemicals	65997-18-4	Present	Active
C.I. Pigment Brown 35	68187-09-7	Present	Active
Kaolin	1332-58-7	Present	Active
Quartz	14808-60-7	Present	Active
Sodium carboxymethyl cellulose	9004-32-4	Present	Active
Smectite-group minerals	12199-37-0	Present	Active
1,3,5-Triazine-1,3,5(2H,4H,6H)-trietha	4719-04-4	Present	Active
nol			
Ethanolamine	141-43-5	Present	Active

DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS AIIC NZIoC	Contact supplier for inventory compliance status. Contact supplier for inventory compliance status.
NZIOC	Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Frits, chemicals - 65997-18-4	0.1
	1.0
C.I. Pigment Brown 35 - 68187-09-7	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Frits, chemicals	-	Х	-	-

65997-18-4				
C.I. Pigment Brown 35 68187-09-7	-	Х	-	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	Х
Frits, chemicals 65997-18-4	Х	-	Х
C.I. Pigment Brown 35 68187-09-7	Х	-	Х
Kaolin 1332-58-7	Х	X	Х
Quartz 14808-60-7	Х	X	Х
Ethanolamine 141-43-5	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information					
NFPA HMIS	Health hazards 2 Health hazards 2 *	Flammability 0 Flammability 0	Instability 0 Physical hazards 0	Special hazards - Personal protection X	
	abbreviations and acronyms u 8: Exposure controls/personal		neet		
TWA Ceiling	TWA (time-weighted average) Maximum limit value	STEL *	STEL (Short Term Skin designation	n Exposure Limit)	
Agency for Toxic S U.S. Environmenta European Food Sa EPA (Environment Acute Exposure G U.S. Environmenta U.S. Environmenta Food Research Jo Hazardous Substa International Unifo National Institute of Australia National NIOSH (National I National Library of National Library of National Toxicolog	ance Database frm Chemical Information Databa of Technology and Evaluation (N Industrial Chemicals Notification nstitute for Occupational Safety a Medicine's ChemID Plus (NLM Medicine's PubMed database (I	y (ATSDR) Database ecticide, Fungicide, and Rection Volume Chemicals ase (IUCLID) ITE) and Assessment Scheme and Health) CIP) NLM PUBMED)	odenticide Act		

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date Revision Note Disclaimer

13-Sep-2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet