

SAFETY DATA SHEET

Issuing Date 05-Dec-2016 Revision Date 06-Mar-2019 Revision Number 3

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Kingsford Odorless Charcoal Lighter

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Lighter fluid

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier NameThe Clorox CompanySupplier Address1221 Broadway

Oakland CA 94612 US

Supplier Phone Number Phone: 1-510-271-7000

Emergency telephone number

Company Emergency Phone For Medical Emergencies call: (800) 446-1014

Number Transportation Emergencies, call Chemtrec: (800) 424-9300

Emergency Telephone Number 1-800-446-1014

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Aspiration toxicity	C	Category 1
Flammable Liquids	C	Category 3

GHS Label elements, including precautionary statements

Emergency Overview

Signal word Danger

Hazard Statements

May be fatal if swallowed and enters airways

Flammable liquid and vapor



Appearance Clear Physical state Liquid Odor Petroleum distillates

Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ ventilating/ lighting/ equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear eye/face protection

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention In case of fire: Use CO2, dry chemical, or foam for extinction

Skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Unknown Toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity

Other information

PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION

Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Concentration	Trade Secret
Petroleum distillates, hydrotreated light	64742-47-8	100	

4. FIRST AID MEASURES

First aid measures

General Advice Show this safety data sheet to the doctor in attendance.

Eye contact If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get

medical attention if irritation develops and persists.

Skin contactWash skin with soap and water. Get medical attention if irritation develops and persists.

Inhalation Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical

attention immediately. If symptoms persist, call a physician.

Ingestion Do NOT induce vomiting. Call a physician or Poison Control Center immediately. Aspiration

hazard if swallowed - can enter lungs and cause damage. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth immediately and drink plenty of

water.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

Effects

tiredness, nausea and vomiting.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry chemical, CO2, water spray or regular foam. Use water spray or fog; do not use straight streams.

Unsuitable extinguishing media

CAUTION: All these products have a very low flash point: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Flammable.

Uniform Fire Code Combustible Liquid: II

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge Yes.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static

discharges.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Absorb or cover with dry earth, sand or

other non-combustible material and transfer to containers. Keep out of drains, sewers,

ditches and waterways.

Methods for cleaning upPick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not eat, drink or smoke when using this product. Use grounding and bonding connection when transferring this material to prevent static

discharge, fire or explosion.

Conditions for safe storage, including any incompatibilities

Storage Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place.

Store away from other materials. Do not store near combustible materials. Store in accordance with the particular national regulations. Store in accordance with local

regulations.

Incompatible products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum distillates, hydrotreated light	TWA - 100 ppmb Based on TWA	TWA - 500 ppmd Based on TWA	IDLHe - 20000 mg/m ³ Ceilinge -
64742-47-8	for Stoddard solvent	for Stoddard solvent	1800 mg/m ³ (15 min)TWAe - 350
			mg/m³Based on limits for
			Stoddard solvent

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Skin and body protection Wear safety glasses with side shields (or goggles). None required for consumer use.

Rubber gloves. Neoprene gloves. If there is a risk of contact:.

Respiratory protection

Hygiene Measures

No protective equipment is needed under normal use conditions. If exposure limits are

None known

exceeded or irritation is experienced, ventilation and evacuation may be required.

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Decomposition temperature

Physical stateLiquidAppearanceClearOdorPetroleum distillatesColorNo information availableOdor ThresholdNo information available

Property Values Remarks Method рH No data available None known Melting / freezing point No data available None known Boiling point / boiling range No data available °C None known Flash Point ~40°C C / 104 F None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air **Upper flammability limit** ~5.6% Lower flammability limit ~0.8% Vapor pressure ~2mm Hg)at20°C None known Vapor density \sim 4.9 at101 kPa Air = 1) None known **Specific Gravity** ~0.78 @ 15°C None known **Water Solubility** Insoluble in water None known Solubility in other solvents No data available None known Partition coefficient: n-octanol/water No data available None known No data available **Autoignition temperature** None known

No data available

Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known **Explosive properties** No data available Oxidizing properties

No data available

Other Information

Softening Point No data available Particle Size No data available **Particle Size Distribution** No data available

10. STABILITY AND REACTIVITY

Reactivity

None under normal processing.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks. Strong oxidizing agents.

Incompatible materials

Combustible materials.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Vapors may be irritating to eyes, nose, throat, and lungs. Inhalation of vapors in high

concentration may cause irritation of respiratory system.

Eve contact May cause irritation.

Repeated exposure may cause skin dryness or cracking. Skin contact

Ingestion Ingestion may cause chemical pneumonitisis.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated	>5 g/kg (Rat)	>2 g/kg (Rabbit)	>5.2 mg/L (Rat, 4 h)
light			
64742-47-8			

Information on toxicological effects

Symptoms Vapors may cause drowsiness and dizziness. Inhalation of high vapor concentrations may

cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available. **Mutagenic Effects** No information available.

Carcinogenicity Contains no ingredient listed as a carcinogen.

Reproductive toxicity No information available. STOT - single exposure No information available. STOT - repeated exposure No information available. **Chronic Toxicity** No information available.

Target Organ Effects Respiratory system. Central nervous system (CNS). Eyes.

Aspiration Hazard Risk of serious damage to the lungs (by aspiration). May be fatal if swallowed and enters

airways.

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

mg/kg (ATE)

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Persistence and Degradability

No information available.

Bioaccumulation

No information available

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methodsContaminated Packaging
Dispose of contents/containers in accordance with local regulations.
Dispose of contents/containers in accordance with local regulations.

US EPA Waste Number D001

California Hazardous Waste Codes 213

14. TRANSPORT INFORMATION

DOT Not regulated

TDG Not regulated

MEX

UN-No. UN1268

Proper Shipping Name PETROLEUM DISTILLATES, N.O.S.

Hazard Class 3
Packing Group III

Description UN1268 PETROLEUM DISTILLATES, N.O.S.,3,III

ICAO

UN-No. UN1268

Proper Shipping Name PETROLEUM DISTILLATES, N.O.S.

Hazard Class 3
Packing Group III

Description 1268,PETROLEUM DISTILLATES, N.O.S.,3,PG III

<u>IATA</u>

UN-No. UN1268

Proper Shipping Name PETROLEUM DISTILLATES, N.O.S.

Hazard Class 3

Packing Group III

Description UN1268, PETROLEUM DISTILLATES, N.O.S., 3, PG III

IMDG

UN-No. UN1268

Proper Shipping Name PETROLEUM DISTILLATES, N.O.S.

Hazard Class 3
Packing Group III
EmS-No. F-E, S-E

Description 1268, PETROLEUM DISTILLATES, N.O.S., 3, PG III

15. REGULATORY INFORMATION

International Inventories

TSCA All components are listed on the TSCA Inventory
DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardYesFire HazardYesSudden release of pressure hazardNoReactive HazardNo

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances above threshold limits that are regulated by state right-to-know.

International Regulations

Canada

WHMIS Hazard Class

D2A - Very toxic materials

B2 - Flammable liquid

B3 - Combustible liquid D2A - Very toxic materials





16. OTHER INFORMATION

NFPA Health Hazards 1 Flammability 2 Instability 0 Physical and

Chemical Hazards - HMIS Health Hazards 1 Flammability 2 Physical Hazard 0 Personal Protection

Х

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110

1-800-572-6501 05-Dec-2016

Issuing Date 05-Dec-2016 **Revision Date** 06-Mar-2019

Revision Note No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet