

# MAXX FLOOR FINISH REMOVER

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name MAXX FLOOR FINISH REMOVER

Other means of identification: Not applicable

Recommended use Floor Cleaner

Restrictions on use Reserved for industrial and professional use.

Product dilution information 0.0 % - 12.5 %

Ecolab Inc. Company

370 N. Wabasha Street

St. Paul, Minnesota USA 55102

1-800-352-5326

Emergency health

information

1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)

Issuing date 02/29/2016

### **SECTION 2. HAZARDS IDENTIFICATION**

### **GHS Classification**

Product AS SOLD

Acute toxicity (Oral) : Category 4 Skin corrosion : Category 1A Serious eve damage : Category 1

Specific target organ

systemic toxicity - single

exposure

: Category 3 (Respiratory system)

**Product AT USE DILUTION** 

Skin corrosion : Category 1A Serious eye damage Category 1

### **GHS** label elements

**Product AS SOLD** 

Hazard pictograms



Signal Word : Danger

**Hazard Statements** : Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause respiratory irritation.

: Prevention: **Precautionary Statements** 

> Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear

> protective gloves/ protective clothing/ eye protection/ face protection.

Response:

912544-05 1/12

### MAXX FLOOR FINISH REMOVER

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Wash contaminated clothing before reuse.

### Storage:

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

# Disposal:

Dispose of contents/ container to an approved waste disposal plant.

### **Product AT USE DILUTION**

Hazard pictograms



Signal Word : Danger

Hazard Statements : Causes severe skin burns and eye damage.

Precautionary Statements : Prevention:

Wash skin thoroughly after handling. Wear protective gloves/

protective clothing/ eye protection/ face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep

comfortable for breathing. Immediately call a POISON

CENTER/doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/doctor. Wash

contaminated clothing before reuse.

**Storage:** Store locked up.

Disposal:

Dispose of contents/ container to an approved waste disposal plant.

**Product AS SOLD** 

Other hazards : None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Product AS SOLD** 

Pure substance/mixture : Mixture

Chemical name	CAS-No.	Concentration (%)	
Benzyl alcohol	100-51-6	10 - 30	
monoethanolamine	141-43-5	10 - 30	
2-hexyloxyethanol	112-25-4	10 - 30	
oleic acid	112-80-1	5 - 10	
Propylene glycol	57-55-6	1 - 5	
potassium hydroxide	1310-58-3	1 - 5	

912544-05 2 / 12

### MAXX FLOOR FINISH REMOVER

Product AT USE DILUTION		
Chemical name	CAS-No.	Concentration (%)
Benzyl alcohol	100-51-6	1 - 5
monoethanolamine	141-43-5	1 - 5
2-hexyloxyethanol	112-25-4	1 - 5
potassium hydroxide	1310-58-3	0.1 - 1

### **SECTION 4. FIRST AID MEASURES**

**Product AS SOLD** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific personal

protective equipment.

Notes to physician : Treat symptomatically.

Most important symptoms and effects, both acute and

delayed

: See Section 11 for more detailed information on health effects and

symptoms.

**Product AT USE DILUTION** 

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention immediately.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes. Use

a mild soap if available. Wash clothing before reuse. Thoroughly clean

shoes before reuse. Get medical attention immediately.

If swallowed : Rinse mouth with water. Do NOT induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention

immediately.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention if

symptoms occur.

# **SECTION 5. FIRE-FIGHTING MEASURES**

**Product AS SOLD** 

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

912544-05 3 / 12

### MAXX FLOOR FINISH REMOVER

Specific hazards during fire

fighting

: Not flammable or combustible.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

Special protective equipment

for fire-fighters

: Use personal protective equipment.

Specific extinguishing

methods

: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire

and/or explosion do not breathe fumes.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

### **Product AS SOLD**

Personal precautions, protective equipment and emergency procedures : Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** 

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

### **Product AT USE DILUTION**

Personal precautions, protective equipment and emergency procedures

: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Do not allow contact with soil, surface or ground water.

Methods and materials for containment and cleaning up

: Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

# SECTION 7. HANDLING AND STORAGE

# **Product AS SOLD**

Advice on safe handling

: Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate ventilation. Wash hands thoroughly after handling.

912544-05 4 / 12

### MAXX FLOOR FINISH REMOVER

Conditions for safe storage : Do not store near acids. Keep out of reach of children. Store in

suitable labeled containers.

Storage temperature : 0 °C to 50 °C

**Product AT USE DILUTION** 

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not

breathe dust/ fume/ gas/ mist/ vapors/ spray. Use only with adequate

ventilation. Wash hands thoroughly after handling.

Conditions for safe storage : Do not store near acids. Keep out of reach of children. Store in

suitable labeled containers.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Product AS SOLD Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
Benzyl alcohol	100-51-6	TWA	10 ppm	AIHA WEEL
monoethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm	NIOSH REL
			8 mg/m3	
		STEL	6 ppm	NIOSH REL
			15 mg/m3	
		TWA	3 ppm	OSHA Z1
			6 mg/m3	
Propylene glycol	57-55-6	TWA	10 mg/m3	AIHA WEEL
potassium hydroxide	1310-58-3	Ceiling	2 mg/m3	ACGIH
		Ceiling	2 mg/m3	NIOSH REL

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

### Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes

and body in case of contact or splash hazard.

912544-05 5 / 12

### MAXX FLOOR FINISH REMOVER

**Product AT USE DILUTION** 

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Personal protective equipment

Eye protection : Wear eye protection/ face protection.

Hand protection : Wear the following personal protective equipment:

Standard glove type.

Gloves should be discarded and replaced if there is any indication of

degradation or chemical breakthrough.

Skin protection : Personal protective equipment comprising: suitable protective gloves,

safety goggles and protective clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they

must use appropriate certified respirators.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Product AS SOLD Product AT USE DILUTION

Appearance : liquid liquid

Color : amber amber

Odor : amine-like amine-like

pH : 14.0, 100 % 12.0 - 13.0

Flash point : Not applicable

Odor Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and

boiling range

: > 100 °C

Evaporation rate : No data available
Flammability (solid, gas) : No data available
Upper explosion limit : No data available
Lower explosion limit : No data available
Vapor pressure : No data available
Relative vapor density : No data available

Relative density : 1.046
Water solubility : soluble

Solubility in other solvents : No data available Partition coefficient: n- : No data available

octanol/water

Autoignition temperature : No data available

Thermal decomposition : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

912544-05 6 / 12

### MAXX FLOOR FINISH REMOVER

Oxidizing properties : No data available Molecular weight : No data available VOC : No data available

### **SECTION 10. STABILITY AND REACTIVITY**

**Product AS SOLD** 

: Stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

: No dangerous reaction known under conditions of normal use.

Conditions to avoid : None known.

Incompatible materials : Acids

Metals

Hazardous decomposition

products

: Decomposition products may include the following materials:

Carbon oxides

Nitrogen oxides (NOx)

Sulfur oxides

Oxides of phosphorus

# **SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

### **Potential Health Effects**

**Product AS SOLD** 

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

: Harmful if swallowed. Causes digestive tract burns. Ingestion

Inhalation : May cause respiratory tract irritation. May cause nose, throat, and

lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Product AT USE DILUTION** 

Eyes : Causes serious eye damage.

Skin : Causes severe skin burns.

: Causes digestive tract burns. Ingestion

Inhalation : May cause nose, throat, and lung irritation.

Chronic Exposure : Health injuries are not known or expected under normal use.

### **Experience with human exposure**

**Product AS SOLD** 

Eye contact : Redness, Pain, Corrosion

912544-05 7/12

### MAXX FLOOR FINISH REMOVER

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

**Product AT USE DILUTION** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Redness, Pain, Corrosion

Ingestion : Corrosion, Abdominal pain

Inhalation : Respiratory irritation, Cough

### **Toxicity**

### **Product AS SOLD**

**Product** 

: Acute toxicity estimate : 1,752 mg/kg Acute oral toxicity : Acute toxicity estimate : 2,068 mg/kg Acute dermal toxicity

Skin corrosion/irritation : No data available Serious eye damage/eye

irritation

: No data available

Respiratory or skin

sensitization

: No data available

Carcinogenicity : No data available Reproductive effects : No data available Germ cell mutagenicity : No data available Teratogenicity : No data available STOT-single exposure : No data available STOT-repeated exposure : No data available Aspiration toxicity : No data available

# **SECTION 12. ECOLOGICAL INFORMATION**

# **Product AS SOLD**

**Ecotoxicity** 

**Environmental Effects** : This product has no known ecotoxicological effects.

**Product** 

Toxicity to fish : 96 h LC50: > 120 mg/l

Toxicity to daphnia and other

aquatic invertebrates

: No data available

Toxicity to algae : No data available

Ingredients

Toxicity to daphnia and other

aquatic invertebrates

: monoethanolamine

48 h EC50 Daphnia: 65 mg/l

2-hexyloxyethanol

912544-05 8/12

### MAXX FLOOR FINISH REMOVER

48 h EC50 Daphnia: 145 mg/l

Propylene glycol

48 h EC50: 18,340 mg/l

Ingredients

Toxicity to algae : Propylene glycol

96 h EC50: 19,000 mg/l

### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

No data available

# **SECTION 13. DISPOSAL CONSIDERATIONS**

**Product AS SOLD** 

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

RCRA - Resource

Conservation and Recovery Authorization Act Hazardous

waste

: D002 (Corrosive)

### **Product AT USE DILUTION**

Disposal methods : Where possible recycling is preferred to disposal or incineration. If

recycling is not practicable, dispose of in compliance with local regulations. Dispose of wastes in an approved waste disposal facility.

Disposal considerations : Dispose of as unused product. Empty containers should be taken to

an approved waste handling site for recycling or disposal. Do not reuse empty containers. Dispose of in accordance with local, state, and

federal regulations.

# **SECTION 14. TRANSPORT INFORMATION**

### **Product AS SOLD**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

### Land transport (DOT)

912544-05 9 / 12

### MAXX FLOOR FINISH REMOVER

UN number : 1719

Description of the goods : Caustic alkali liquids, n.o.s.

(Potassium hydroxide, monoethanolamine)

Class : 8
Packing group : II
Environmentally hazardous : no

Sea transport (IMDG/IMO)

UN number : 1719

Description of the goods : CAUSTIC ALKALI LIQUID, N.O.S.

(Potassium hydroxide, monoethanolamine)

Class : 8
Packing group : II
Marine pollutant : no

### **SECTION 15. REGULATORY INFORMATION**

### **Product AS SOLD**

# **EPCRA - Emergency Planning and Community Right-to-Know**

### **CERCLA Reportable Quantity**

Ingredients	CAS-No.	Component RQ (lbs)	Calculated product RQ
			(lbs)
potassium hydroxide	1310-58-3	1000	24488

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements

of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels established

by SARA Title III, Section 313:

2-hexyloxyethanol 112-25-4 11.0682 %

### California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

# The ingredients of this product are reported in the following inventories:

# **United States TSCA Inventory:**

On TSCA Inventory

### Canadian Domestic Substances List (DSL):

This product contains one or several components listed in the Canadian NDSL.

# Australia Inventory of Chemical Substances (AICS) :

not determined

### **New Zealand. Inventory of Chemical Substances:**

not determined

### Japan. ENCS - Existing and New Chemical Substances Inventory :

912544-05 10 / 12

### MAXX FLOOR FINISH REMOVER

not determined

On the inventory, or in compliance with the inventory

Japan. ISHL - Inventory of Chemical Substances (METI) :

not determined

Korea. Korean Existing Chemicals Inventory (KECI):

not determined

Philippines Inventory of Chemicals and Chemical Substances (PICCS):


not determined

China. Inventory of Existing Chemical Substances in China (IECSC):

not determined

### **SECTION 16. OTHER INFORMATION**

# Product AS SOLD NFPA:




# HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

- 0 = not significant, 1 = Slight,
- 2 = Moderate, 3 = High
- 4 = Extreme, \* = Chronic

# Product AT USE DILUTION NFPA:



### HMIS III:

HEALTH	3
FLAMMABILITY	0
PHYSICAL HAZARD	0

- 0 = not significant, 1 =Slight,
- 2 = Moderate, 3 = High
- 4 = Extreme, \* = Chronic

Issuing date : 02/29/2016 Version : 2.0

Prepared by : Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

912544-05 11 / 12

# MAXX FLOOR FINISH REMOVER

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

912544-05 12 / 12