4-25-2023: File reviewed, more current MSDS/SDS not available. JMC

	1. PRODUCT AND COMPANY	IDENTIFICATION		
Product Name:	Klean Strip Odorless Mineral Spirits			
Reference #:	1631.1			
Company Name:	W. M. Barr	Phone Number:		
	2105 Channel Avenue Memphis, TN 38113	(901)775-0100		
Web site address:	www.wmbarr.com			
Emergency Contact:	3E 24 Hour Emergency Contact	(800)451-8346		
Information:	W.M. Barr Customer Service	(800)398-3892		
Intended Use:	Paint, stain, and varnish thinning.			
Synonyms:	GKSP94006P, QKSP94005, QKSP94205, GKSP94006, GKSP94214			
Additional Information	This product is regulated by the United States Consumer Product Safety Commission and is subject to certain labeling requirements under the Federal Hazardous Substances Act. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS). The product label also includes other important information, including directions for use, and should always be read in its entirety prior to using the product.			

2. HAZARDS IDENTIFICATION

Aspiration Toxicity, Category 1 Flammable Liquids, Category 3



GHS Signal Word: GHS Hazard Phrases:	Danger H304: May be fatal if swallowed and enters airways. H226: Flammable liquid and vapor.
GHS Precaution Phrases:	 P233: Keep container tightly closed. P210: Keep away from heat/sparks/open flames/hot surfaces No smoking. P280: Wear protective gloves/protective clothing/eye protection/face protection. P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical/ventilating/lighting equipment. P243: Take precautionary measures against static discharge. P242: Use only non-sparking tools.
GHS Response Phrases:	 P301+310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. P331: Do NOT induce vomiting. P370+378: In case of fire, use dry chemical to extinguish. P303+361+353: IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
GHS Storage and Disposal Phrases:	P405: Store locked up. P501: Dispose of contents/container according to local, state and federal regulations. P403+235: Store in cool/well-ventilated place.

					15	
Hazard Rating Sys		HEALTH*1FLAMMABILITY2PHYSICAL0PPEX	Flammability Health	Instability 0		
	HMIS:		NFPA:	✓ Special Hazard		
OSHA Regulatory	Status:	This material is classified as hazardous under OSHA regulations.				
Potential Health Ef (Acute and Chronic		Inhalation Acute Exposure Effects: Vapor concentration may cause headache, dizziness, irritation of the respiratory tract, eye irritation, stupor, depression of the central nervous system, watering of the eyes, weakness, nausea, muscle twitches, and kidney effects. Aspiration into lungs may cause pneumonia or death. Severe overexposure may cause convulsions, unconsciousness, and death.				
		Skin Contact Acute Expose May cause irritation.	sure Effects:			
		Eye Contact Acute Expos Liquid contact may cause				
		Ingestion Acute Exposure Effects: Harmful or fatal if swallowed. May cause nausea, weakness, muscle twitches, gastrointestinal irritation, diarrhea, unconsciousness, and death.				
		Chronic Exposure Effects	:			
Medical Conditions	-	neurological and other ph cause redness, irritation, a marrow damage, liver dar	repeated and prolor ysiological damage and scaling of the s	nged overexposure to solvents with . Repeated or prolonged skin contact ma .kin. May cause skin irritation, anemia, b	-	
	posure:	neurological and other ph cause redness, irritation, a marrow damage, liver dar	repeated and prolor ysiological damage and scaling of the s nage, and jaundice.	kin. May cause skin irritation, anemia, b	•	
Aggravated By Exp	posure: 3. COI	neurological and other ph cause redness, irritation, a marrow damage, liver dar None known.	repeated and prolor ysiological damage and scaling of the s nage, and jaundice.	Repeated or prolonged skin contact ma kin. May cause skin irritation, anemia, b	•	
Aggravated By Exp CAS # Hazar	posure: 3. CO ardous Comp	neurological and other ph cause redness, irritation, a marrow damage, liver dar None known. MPOSITION/INFOR onents (Chemical Name)	repeated and prolor ysiological damage and scaling of the s nage, and jaundice. RMATION ON Concentration	Repeated or prolonged skin contact ma kin. May cause skin irritation, anemia, b INGREDIENTS RTECS #	•	
Aggravated By Exp CAS # Hazar	posure: 3. CO ardous Comp	neurological and other ph cause redness, irritation, a marrow damage, liver dar None known. MPOSITION/INFOR onents (Chemical Name) distillate (petroleum)	repeated and prolor ysiological damage and scaling of the s nage, and jaundice. RMATION ON Concentration 100.0 %	 Repeated or prolonged skin contact makin. May cause skin irritation, anemia, b INGREDIENTS RTECS # OA5504000 	-	
Aggravated By Exp CAS # Hazar	posure: 3. COI ardous Comp otreated light	neurological and other ph cause redness, irritation, a marrow damage, liver dar None known. MPOSITION/INFOR onents (Chemical Name) distillate (petroleum) 4. FIRST A Inhalation:	repeated and prolor ysiological damage and scaling of the s nage, and jaundice. RMATION ON Concentration 100.0 % ID MEASURE ing difficulty, move	 Repeated or prolonged skin contact makin. May cause skin irritation, anemia, b INGREDIENTS RTECS # OA5504000 S to air free of vapors. Administer oxygen 	one	
Aggravated By Exp CAS # Hazar 64742-47-8 Hydro Emergency and Fir	posure: 3. CO ardous Comp otreated light	neurological and other ph cause redness, irritation, a marrow damage, liver dar None known. MPOSITION/INFOR onents (Chemical Name) distillate (petroleum) <u>4. FIRST A</u> Inhalation: If user experiences breath artificial respiration until m Skin contact:	repeated and prolor ysiological damage and scaling of the s mage, and jaundice. RMATION ON Concentration 100.0 % ID MEASURE ing difficulty, move edical assistance ca quantities of water	 Repeated or prolonged skin contact makin. May cause skin irritation, anemia, b INGREDIENTS RTECS # OA5504000 S to air free of vapors. Administer oxygen 	one	
Aggravated By Exp CAS # Hazar 64742-47-8 Hydro Emergency and Fir	posure: 3. CO ardous Comp otreated light	neurological and other ph cause redness, irritation, a marrow damage, liver dar None known. MPOSITION/INFOR onents (Chemical Name) distillate (petroleum) A. FIRST A Inhalation: If user experiences breath artificial respiration until m Skin contact: Wash with soap and large attention if irritation from c Eye contact:	repeated and prolor ysiological damage and scaling of the s nage, and jaundice. RMATION ON Concentration 100.0 % ID MEASURE ing difficulty, move edical assistance ca quantities of water ontact persists.	 Repeated or prolonged skin contact makin. May cause skin irritation, anemia, b INGREDIENTS RTECS # OA5504000 CS to air free of vapors. Administer oxygen an be rendered. for at least 15 minutes. Seek medical ay contact lens, continue flushing with water 	one	
Aggravated By Exp CAS # Hazar 64742-47-8 Hydro Emergency and Fir	posure: 3. CO ardous Comp otreated light	neurological and other ph cause redness, irritation, a marrow damage, liver dar None known. MPOSITION/INFOR onents (Chemical Name) distillate (petroleum) 4. FIRST A Inhalation: If user experiences breath artificial respiration until m Skin contact: Wash with soap and large attention if irritation from c Eye contact: Immediately flush eyes wit for at least 15 minutes. Ge	repeated and prolor ysiological damage and scaling of the s nage, and jaundice. RMATION ON Concentration 100.0 % ID MEASURE ing difficulty, move edical assistance ca quantities of water ontact persists.	 Repeated or prolonged skin contact makin. May cause skin irritation, anemia, b INGREDIENTS RTECS # OA5504000 CS to air free of vapors. Administer oxygen an be rendered. for at least 15 minutes. Seek medical ay contact lens, continue flushing with water 	one or	

			Superseue	s Revision: 03/26/2015
Signs and Symptoms Of	Primary routes of	•		
Exposure:	Inhalation, ingesti		r further instructions	
Note to Physician:			r further instructions.	
	5. FIRE	FIGHTING ME	ASURES	
	NFPA Class II			
Flash Pt:	> 105.00 F			
Explosive Limits:	LEL: 0.8	UEL: 6		
Autoignition Pt:	No data.			
Suitable Extinguishing Media				
Fire Fighting Instructions:	Self-contained respiratory protection should be provided for fire fighters fighting fires in buildings or confined areas. Storage containers exposed to fire should be kept cool with water spray to prevent pressure build-up. Stay away from heads of containers that have been exposed to intense heat or flame.			
Flammable Properties and Hazards:	No data available			
	6. ACCIDEN	TAL RELEAS	E MEASURES	
Steps To Be Taken In Case	Clean-up:			
Material Is Released Or Spilled:	Keep unnecessa of low areas, and		ate hazard area and deny entry aces before entering. Shut off hazard area.	
		ed liquid with sand, e astic container where	earth, or other noncombustible e applicable.	absorbent material
	Large spills: Dike far ahead of	spill for later dispos	al.	
	7. HAN	DLING AND S	TORAGE	
Precautions To Be Taken in Handling:	container retains	residue, follow all lat	ons on product label before us bel warnings even after contair to all regulations. Do not reus	ner is empty.
Precautions To Be Taken in Storing:		ghtly closed when no elevated temperatur	t in use. Store in a cool, dry p es.	lace. Do not store
8. EXP	OSURE CON	ITROLS/PERS	ONAL PROTECTION	I
CAS # Partial Chemical	l Name	OSHA TWA	ACGIH TWA	Other Limits
64742-47-8 Hydrotreated ligh	t distillate (petroleum)	No data.	TLV: 200 mg/m3	No data.
Respiratory Equipment (Specify Type):	For OSHA contro ventilation under appropriate TLV.	lled work place and engineered air contre For occasional use,	other regular users. Use only ol systems designed to preven where engineered air control i d NIOSH approved respirator f	t exceeding is not feasible, use
Eye Protection:	Safety glasses, cl	nemical goggles or fatact, irritation, or inju	e protection against vapors. ace shields are recommended ry. Contact lenses should not	
Protective Gloves:	Wear impermeab	le gloves. Gloves co	ontaminated with product shou	d be discarded.
Licensed to W.M. Barr and Company:	MIRS MSDS, (c) A V S	Systems, Inc.		GHS format

	Supersedes Revision: 03/26/2015			
	Promptly remove clothing that becomes soiled with product.			
Other Protective Clothing:	Various application methods can dictate use of additional protective safety equipment, such as impermeable aprons, etc., to minimize exposure. Before reuse, thoroughly clean any clothing or protective equipment that has been contaminated by prior use. Discard any clothing or other protective equipment that cannot be decontaminated, such as gloves or shoes.			
Engineering Controls (Ventilation etc.):	Use only with adequate ventilation to prevent build-up of vapors. Open all windows and doors. Use only with a cross ventilation of moving fresh air across the work area. If strong odor is noticed or you experience slight dizziness, headache, nausea, or eye-watering Stop ventilation is inadequate. Leave area immediately.			
Work/Hygienic/Maintenance Practices:	A source of clean water should be available in the work area for flushing eyes and skin. Do not eat, drink, or smoke in the work area. Wash hands thoroughly after use.			
9.	PHYSICAL AND CHEMICAL PROPERTIES			
Physical States:	[]Gas [X]Liquid []Solid			
Appearance and Odor:	Colorless to light yellow Solvent odor			
Melting Point:	No data.			
Boiling Point:	318.00 F - 354.00 F			
Autoignition Pt:	No data.			
Flash Pt:	> 105.00 F			
Explosive Limits:	LEL: 0.8 UEL: 6			
Specific Gravity (Water = 1):	0.78			
Vapor Pressure (vs. Air or mm Hg):	No data.			
Vapor Density (vs. Air = 1):	5 Air = 1			
Evaporation Rate:	No data.			
Solubility in Water:	No data.			
Solubility Notes:	Very slightly soluble in cold water (<0.1% w/w)			
Percent Volatile:	100.0 % by weight.			
VOC / Volume:	780.0000 G/L			
Additional Physical Information	Conductivity = <5 picosiemens/meter			
	10. STABILITY AND REACTIVITY			
Stability:	Unstable [] Stable [X]			
Conditions To Avoid - Instability:	No data available.			
Incompatibility - Materials To Avoid:	Incompatible with strong oxidizing agents.			
Hazardous Decomposition O Byproducts:	r Thermal decomposition may produce carbon monoxide and carbon dioxide.			
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]			
Conditions To Avoid - Hazardous Reactions:	No data available.			

Page: 5 Printed: 04/16/2015 Revision: 04/16/2015 Supersedes Revision: 03/26/2015

		11. TOXIC	OLOGIC	AL INFORM	IATION		
Toxicologica	I Information:	Refer to section	2 for acute a	nd chronic effect	S.		
CAS #	Hazardous Com	ponents (Chemica	al Name)	NTP	IARC	ACGIH	OSHA
64742-47-8	Hydrotreated ligh	nt distillate (petroleu	ım)	n.a.	n.a.	A4	n.a.
		12. ECO	LOGICAI	_ INFORMA	TION		
		No data availab	le.				
		13. DISP	OSAL CO	ONSIDERAT	IONS		
Waste Dispos	sal Method:	Dispose in acco	rdance with a	applicable local, s	state, and feder	al regulations	3.
		14. TRA	NSPORT		TION		
	SPORT (US DOT	r).					
DOT Prop	per Shipping Na ard Class:	me: Paint Relate	ed Material, N	ot Regulated			
	ANSPORT (IMD	G/IMO):					
IMDG/IM	O Shipping Nam	ne: Paint Relate	ed Material				
UN Numl Hazard C		EMS: F-E, UN1	S-E	Packing (Group:		
	1035.			IMDG MF	AG Number:		
IMDG EN	-	I					
	ORT (ICAO/IAT	-	d Motorial				
	A Shipping Nan		u malenai				
UN Numb Hazard C		Packaging I 1263	nstructions: S	See IATA Dange Packing G		gulations III	
Additional Tr Information:	ransport	Commodity, Lin as allowed unde	nited Quantity er 49CFR Ha	of the following ex v, Viscous Liquid zmat Regulations ments comply wi	, Does Not Sust s. Please const	tain Combust ult 49CFR Su	tion, or others,
		15. REG	ULATOR	Y INFORMA	TION		
-	-	nents and Reautho		-			
CAS #		nponents (Chemica	-	S. 302 (EHS)	S. 304 RQ		3 (TRI)
64742-47-8		nt distillate (petroleu		No No	No	No	
'Hazard Cate	meets the EPA gories' defined e III Sections dicated:	[X] Yes [] No [X] Yes [] No [X] Yes [] No [] Yes [X] No [] Yes [X] No	Chronic (de Fire Hazard	ease of Pressure	zard		
Licensed to W.M.	Barr and Company:	MIRS MSDS, (c) A \	/ Systems, Inc.				GHS format

Page: 6 Printed: 04/16/2015 Revision: 04/16/2015 Supersedes Revision: 03/26/2015

CAS #	Hazardous Components (Chemical Name)
64742-47-8	Hydrotreated light distillate (petroleum)

Other US EPA or State Lists

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No

Regulatory Information Statement:	All components of this material are listed on the TSCA Inventory or are exempt.			
	16. OTHER INFORMATION			
Revision Date:	04/16/2015			
Preparer Name:	W.M. Barr EHS Department (901)775-0100			
Additional Information Abo	out No data available.			
Company Policy or Disclaimer:	The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other			

as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, state and local laws and regulations.