



MATHESON

ask. . .The Gas Professionals™

Safety Data Sheet

Material Name: OXYGEN, COMPRESSED GAS

SDS ID: MAT12831

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

OXYGEN, COMPRESSED GAS

Synonyms

MTG MSDS 71; OXYGEN; DIOXYGEN; MOLECULAR OXYGEN; OXYGEN MOLECULE; PURE OXYGEN; UN 1072; LOX; HYPEROXIA; O2

Chemical Family

inorganic, Gas

Product Description

Classification determined in accordance with Compressed Gas Association standards.

Product Use

Industrial and Specialty Gas Applications

Restrictions on Use

None known.

Details of the supplier of the safety data sheet

MATHESON TRI-GAS, INC.

150 Allen Road, Suite 302

Basking Ridge, NJ 07920

General Information: 1-800-416-2505

Emergency #: 1-800-424-9300 (CHEMTREC)

Outside the US: 703-527-3887 (Call collect)

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Oxidizing Gases - Category 1

Gases Under Pressure - Compressed gas

GHS Label Elements

Symbol(s)



Signal Word

Danger

Hazard Statement(s)

May cause or intensify fire; oxidizer.

Contains gas under pressure; may explode if heated.

Precautionary Statement(s)

Prevention

Keep valves and fittings free from oil and grease.

Keep/Store away from clothing/combustible materials.

Response

In case of fire: stop leak if safe to do so.

Storage

Protect from sunlight. Store in a well-ventilated place.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

001370205G0000PPLD11V00100137



Safety Data Sheet

Material Name: OXYGEN, COMPRESSED GAS

SDS ID: MAT12831

Other Hazards

Rapid release of compressed gas may cause frostbite.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
7782-44-7	OXYGEN, COMPRESSED GAS	100

Section 4 - FIRST AID MEASURES

Inhalation

If adverse effects occur, remove to uncontaminated area. Get medical attention.

Skin

If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115°F; 41-46°C). DO NOT USE HOT WATER. If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention.

Eyes

Flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

Ingestion

If swallowed, get medical attention.

Most Important Symptoms/Effects

Acute

frostbite

Delayed

No information on significant adverse effects.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

Note to Physicians

Treat symptomatically and supportively.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

carbon dioxide, regular dry chemical, Large fires: Use water spray, fog or regular foam.

Unsuitable Extinguishing Media

None known.

Special Hazards Arising from the Chemical

Oxidizer. May ignite or explode on contact with combustible materials. Containers may rupture or explode if exposed to heat.

Hazardous Combustion Products

miscellaneous decomposition products

Fire Fighting Measures

Move container from fire area if it can be done without risk. Do not direct water at source of leak or safety devices; icing may occur. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks.

For fires in cargo or storage area: Cool containers with water from unmanned hose holder or monitor nozzles until well after fire is out. If this is impossible then take the following precautions: Keep unnecessary people away, isolate hazard area and deny entry. Let the fire burn. Use extinguishing agents appropriate for surrounding fire. Cool containers with water. Apply water from a protected location or from a safe distance.

Special Protective Equipment and Precautions for Firefighters



Safety Data Sheet

Material Name: OXYGEN, COMPRESSED GAS

SDS ID: MAT12831

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Avoid contact with combustible materials. Do not touch or walk through spilled material. Stop leak if possible without personal risk. Do not direct water at spill or source of leak. Keep unnecessary people away, isolate hazard area and deny entry. Isolate area until gas has dispersed. Ventilate closed spaces before entering. Use only non-sparking tools.

Environmental Precautions

Avoid release to the environment.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Keep away from clothing and other combustible materials. Keep reduction valves free from grease and oil. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Damaged cylinders should be handled only by specialists. Open valve slowly. Use only with equipment cleaned for oxygen service. To avoid fire or explosion, ground and bond container and receiving equipment (and ground personnel) before transferring material.

Conditions for Safe Storage, Including any Incompatibilities

Protect from sunlight. Store in a well-ventilated place.

Store in accordance with all current regulations and standards. Protect from physical damage. Avoid heat, flames, sparks and other sources of ignition. Store in a clean, cool, dry place. Store below 52 C. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. Keep separated from incompatible substances.

Incompatible Materials

combustible materials, halo carbons, metals, bases, reducing agents, amines, metal salts, oxidizing materials

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction. Use only with equipment rated for cylinder pressure. Store in receptacles with relief valves, grounding and bonding, and secondary containment.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Wear splash resistant safety goggles. Contact lenses should not be worn. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Skin Protection

For the gas: Protective clothing is not required. For the liquid: Wear appropriate protective, cold insulating clothing.

Respiratory Protection

Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

001370305V0000P1D1T00100137

**Safety Data Sheet****Material Name: OXYGEN, COMPRESSED GAS****SDS ID: MAT12831****Glove Recommendations**

Wear insulated gloves.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	colorless gas	Physical State	gas
Odor	odorless	Color	colorless
Odor Threshold	Not available	pH	Not available
Melting Point	-218.4 °C (-361 °F)	Boiling Point	-182.96 °C (-297 °F)
Boiling Point Range	Not available	Freezing point	Not available
Evaporation Rate	Not available	Flammability (solid, gas)	Not flammable
Autoignition Temperature	Not available	Flash Point	Not available
Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	760 mmHg @ -183 °C
Vapor Density (air=1)	1.43	Specific Gravity (water=1)	1.14 at -183 °C
Water Solubility	3.2 % (@ 25 °C)	Partition coefficient: n-octanol/water	Not available
Viscosity	0.02075 cp	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	1.309 g/L at 25 °C
Physical Form	Compressed gas	Taste	tasteless
Molecular Formula	O ₂	Molecular Weight	31.9988
Oxidising properties	Oxidizer		

Solvent Solubility**Soluble**

alcohol

Section 10 - STABILITY AND REACTIVITY**Reactivity**

No reactivity hazard is expected.

Chemical Stability

Stable at normal temperatures and pressure.

Possibility of Hazardous Reactions

Will not polymerize. Oxidizer.



Safety Data Sheet

Material Name: OXYGEN, COMPRESSED GAS

SDS ID: MAT12831

Conditions to Avoid

Avoid contact with combustible materials. Protect from physical damage and heat. Containers may rupture or explode if exposed to heat.

Incompatible Materials

combustible materials, halo carbons, metals, bases, reducing agents, amines, metal salts, oxidizing materials

Hazardous decomposition products

miscellaneous decomposition products

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

irritation, changes in body temperature, nausea, difficulty breathing, irregular heartbeat, chest pain, lung damage, dizziness, Disorientation, hallucinations, mood swings, pain in extremities, tremors, lung congestion, convulsions, cough

Skin Contact

frostbite, blisters

Eye Contact

frostbite, irritation, blurred vision

Ingestion

Ingestion of gas is unlikely.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

Product Toxicity Data

Acute Toxicity Estimate

No data available.

Immediate Effects

frostbite

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

No data available.

Respiratory Sensitization

No data available.

Dermal Sensitization

No data available.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA.

Germ Cell Mutagenicity

No data available.

Tumorigenic Data

No data available

Reproductive Toxicity

No data available.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

001370405F0000PRLD17V00100137



Safety Data Sheet

Material Name: OXYGEN, COMPRESSED GAS

SDS ID: MAT12831

Aspiration hazard

Not expected to be an aspiration hazard.

Medical Conditions Aggravated by Exposure

No data available.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components.

Persistence and Degradability

No data available.

Bioaccumulative Potential

No data available.

Mobility

No data available.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents/container in accordance with local/regional/national/international regulations.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

Section 14 - TRANSPORT INFORMATION

US DOT Information:

Shipping Name: OXYGEN, COMPRESSED

Hazard Class: 2.2

UN/NA #: UN1072

Required Label(s): 2.2, 5.1

IMDG Information:

Shipping Name: OXYGEN, COMPRESSED

Hazard Class: 2.2

UN#: UN1072

Required Label(s): 2.2, 5.1

International Bulk Chemical Code

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

Gas Under Pressure; Oxidizer

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
OXYGEN, COMPRESSED GAS	7782-44-7	No	Yes	No	Yes	Yes

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)



Safety Data Sheet

Material Name: OXYGEN, COMPRESSED GAS

SDS ID: MAT12831

Not listed under California Proposition 65.

Component Analysis - Inventory

OXYGEN, COMPRESSED GAS (7782-44-7)

US	CA	AU	CN	EU	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2
Yes	DSL	Yes	Yes	EIN	Yes	No	Yes	No

KR - REACH CCA	MX	NZ	PH	TH-TECI	TW	VN (Draft)
No	Yes	Yes	Yes	Yes	Yes	Yes

Section 16 - OTHER INFORMATION

NFPA Ratings

Health: 0 Fire: 0 Instability: 0 Other: OX = Oxidizer

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Preparation Date

01/19/2016

Revision date

08/21/2018

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; KR REACH CCA - Korea Registration and Evaluation of Chemical Substances Chemical Control Act; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne- Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL - Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL - Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH - Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc - Semi-quantitative; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TH-TECI - Thailand -

001370505N0000PFLDT17000100137



MATHESON

ask...The Gas Professionals™

Safety Data Sheet

Material Name: OXYGEN, COMPRESSED GAS

SDS ID: MAT12831

FDA Existing Chemicals Inventory (TECI); TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

Matheson Tri-Gas, Inc. makes no express or implied warranties, guarantees or representations regarding the product or the information herein, including but not limited to any implied warranty or merchantability or fitness for use. Matheson Tri-Gas, Inc. shall not be liable for any personal injury, property or other damages of any nature, whether compensatory, consequential, exemplary, or otherwise, resulting from any publication, use or reliance upon the information herein.