according to Hazard Communication Standard; 29 CFR 1910.1200



6/24/2024: File reviewed, more current MSDS/SDS not available. CAS As per SC Johnson, this product was discontinued in 2022

SC JOHNSON® PASTE WAX

Version 1.1 Print Date 10/01/2015

Revision Date 09/02/2015 SDS Number 350000003598

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : SC JOHNSON® PASTE WAX

Recommended use : Furniture Polish/Cleaner

Manufacturer, importer,

supplier

: S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

Telephone : +18005585252

Emergency telephone

number

24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887

24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

Labelling

Precautionary statements

Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Stoddard solvent	8052-41-3	60.00 - 100.00
Paraffin waxes and Hydrocarbon	8002-74-2	10.00 - 30.00
waxes		10.00 30.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

according to Hazard Communication Standard; 29 CFR 1910.1200



SC JOHNSON® PASTE WAX

Version 1.1 Print Date 10/01/2015

Revision Date 09/02/2015 SDS Number 350000003598

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Eye contact : No special requirements

Skin contact : No special requirements

Inhalation : No special requirements.

Ingestion : No special requirements

5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Further information : Fight fire with normal precautions from a reasonable distance.

Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing

apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Obtain special instructions before use.

Wear personal protective equipment. Wash thoroughly after handling.

Environmental precautions

Outside of normal use, avoid release to the environment.

Methods and materials for containment and

cleaning up

: Sweep up and shovel into suitable containers for disposal.

Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

according to Hazard Communication Standard; 29 CFR 1910.1200



SC JOHNSON® PASTE WAX

Version 1.1 Print Date 10/01/2015

Revision Date 09/02/2015 SDS Number 350000003598

Precautions for safe

handling

: Avoid contact with skin, eyes and clothing.

For personal protection see section 8.

Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Do not handle until all safety precautions have been read and

understood

Do not eat, drink or smoke when using this product.

Wash thoroughly after handling.

Advice on protection against fire and explosion

: Normal measures for preventive fire protection.

according to Hazard Communication Standard; 29 CFR 1910.1200



SC JOHNSON® PASTE WAX

Version 1.1 Print Date 10/01/2015

Revision Date 09/02/2015 SDS Number 350000003598

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Stoddard solvent	8052-41-3	2,900 mg/m3	500 ppm	-	OSHA TWA
Stoddard solvent	8052-41-3		100 ppm	-	ACGIH TWA
Paraffin waxes and Hydrocarbon waxes	8002-74-2	2 mg/m3	-	-	ACGIH TWA
Ethyl Benzene	100-41-4	-	20 ppm	-	ACGIH TWA
Ethyl Benzene	100-41-4	435 mg/m3	100 ppm	-	OSHA TWA
NAPHTHALENE	91-20-3	50 mg/m3	10 ppm	-	OSHA TWA
NAPHTHALENE	91-20-3	-	10 ppm	-	ACGIH TWA
CUMENE	98-82-8	245 mg/m3	50 ppm	-	OSHA TWA
CUMENE	98-82-8	-	50 ppm	-	ACGIH TWA

Personal protective equipment

Respiratory protection : No special requirements.

Hand protection : No special requirements.

Eye protection : No special requirements.

Skin and body protection : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

according to Hazard Communication Standard; 29 CFR 1910.1200



SC JOHNSON® PASTE WAX

Version 1.1 Print Date 10/01/2015

Revision Date 09/02/2015 SDS Number 350000003598

practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : solid

Color : opaque

Odor : solvent-like

Odour Threshold : No data available

pH : Not applicable

Melting point/freezing point : Not applicable

Initial boiling point and

boiling range

: No data available

Flash point : 31.1 °C

87.98 °F

Method: Tag Closed Cup (TCC)

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper/lower flammability or

explosive limits

: No data available

Vapour pressure : No data available

Vapour density : No data available

according to Hazard Communication Standard; 29 CFR 1910.1200



SC JOHNSON® PASTE WAX

Version 1.1 Print Date 10/01/2015

Revision Date 09/02/2015 SDS Number 350000003598

Relative density : 6.52 g/cm3 at 25 °C

Solubility(ies) : negligible

Partition coefficient: n-

octanol/water

: No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Oxidizing properties : No data available

Volatile Organic : 80 % - additional exemptions may apply

Compounds *as defined by US Federal and State Consumer Product

Total VOC (wt. %)* Regulations

Other information : None identified :

10. STABILITY AND REACTIVITY

Possibility of hazardous

reactions

: Stable under recommended storage conditions.

Conditions to avoid : Direct sources of heat.

Incompatible materials : None known.

according to Hazard Communication Standard; 29 CFR 1910.1200



SC JOHNSON® PASTE WAX

Version 1.1 Print Date 10/01/2015

Revision Date 09/02/2015 SDS Number 350000003598

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

11. TOXICOLOGICAL INFORMATION

Emergency Overview : This product does not meet the criteria for classification in any

hazard class according to regulation OSHA 29 CFR

1910.1200.

Acute oral toxicity : LD50

estimated > 5,000 mg/kg

Acute inhalation toxicity : No data available

Acute dermal toxicity : No data available

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	-
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical

Condition

: None known.

according to Hazard Communication Standard; 29 CFR 1910.1200



SC JOHNSON® PASTE WAX

Version 1.1 Print Date 10/01/2015

Revision Date 09/02/2015 SDS Number 350000003598

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Stoddard solvent	No data available			
Paraffin waxes and Hydrocarbon waxes	LC50	Fish	> 100 mg/l	

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Stoddard solvent	No data available			
Paraffin waxes and Hydrocarbon waxes	EC50 No data available	Daphnid	> 10,000 mg/l	
	NOEC	Daphnia	10 mg/l	

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Stoddard solvent	No data available			

according to Hazard Communication Standard; 29 CFR 1910.1200



SC JOHNSON® PASTE WAX

Version 1.1 Print Date 10/01/2015

Revision Date 09/02/2015 SDS Number 350000003598

Paraffin waxes and	NOEC	Algae	> 100	
Hydrocarbon waxes	No data		mg/l	
	available			

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Stoddard solvent	No data available		
Paraffin waxes and Hydrocarbon waxes	No data available		Not readily biodegradable.

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Stoddard solvent	No data available	No data available
Paraffin waxes and Hydrocarbon waxes	No data available	No data available

Mobility

Component	End point	Value
Cto deland ask sout	No data avallable	
Stoddard solvent	No data available	
Paraffin waxes and	No data available	
Hydrocarbon waxes		

PBT and vPvB assessment

Component	Results
Paraffin waxes and	Not fulfilling PBT and vPvB criteria
Hydrocarbon waxes	

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

9/11

according to Hazard Communication Standard; 29 CFR 1910.1200



SC JOHNSON® PASTE WAX

Version 1.1 Print Date 10/01/2015

Revision Date 09/02/2015 SDS Number 350000003598

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

	Land transport	Sea transport	Air transport
UN number	1325	1325	1325
UN proper	UN 1325 Flammable	UN 1325 Flammable	UN 1325 Flammable
shipping name	Solid, Organic, N.O.S.,	Solid, Organic,	Solid, Organic, N.O.S.,
	4.1, II	N.O.S., 4.1, II	4.1, II
Transport hazard	4.1	4.1	4.1
class(es)			
Packing group	II	II	II
Environmental	-	-	-
hazards			
Special	Limited quantities	Limited quantities	Limited quantities
precautions for	derogation may be	derogation may be	derogation may be
user	applicable to this	applicable to this	applicable to this
	product, please check	product, please	product, please check
	transport documents.	check transport	transport documents.
		documents.	

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

California Prop. 65 : This product is not subject to the reporting requirements under

California's Proposition 65.

according to Hazard Communication Standard; 29 CFR 1910.1200



SC JOHNSON® PASTE WAX

Version 1.1 Print Date 10/01/2015

Revision Date 09/02/2015 SDS Number 350000003598

16. OTHER INFORMATION

HIVIIS Ratings	
Health	1
Flammability	3
Reactivity	0

NFPA Ratings

iti i A italiliya		
Health	1	
Fire	3	
Reactivity	0	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &	
	Regulatory Affairs (GSARA)	