

# Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 22-Oct-2019

## **1. PRODUCT AND COMPANY IDENTIFICATION**

Product Identifier
Product Name:
Product Number:
Recommended Use:
<b>Uses Advised Against:</b>

## SHINELINE FLOOR PREP

3029 Neutralizer For Industrial and Institutional Use Only

Manufacturer/Supplier:

Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers: Medical Emergency/Information: 888-314-6171 Transportation/Spill/Leak: CHEMTREC 800-424-9300

## 2. HAZARDS IDENTIFICATION

## **GHS Classification**

Skin Corrosion/Irritation: Serious Eye Damage/Eye Irritation: Skin Sensitization: Corrosive to Metals:

## GHS Label Elements Signal Word:

Symbols:

ois:

Hazard Statements:

Precautionary Statements: Prevention:

Response: -Eyes

-Skin

-Inhalation:

-Ingestion:

Category 1 Sub-category C Category 1 Category 1 Category 1

### Danger



Causes severe skin burns and serious eye damage. May cause an allergic skin reaction May be corrosive to metals.

Do not breathe mist, vapors or spray.
Wash hands and any exposed skin thoroughly after handling.
Wear protective gloves. Wear eye / face protection. Wear protective clothing.
Contaminated work clothing should not be allowed out of the workplace
Keep in original or other corrosion resistant container.
IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

-Specific Treatment:	See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.		
Spill: Storage: Disposal:	Absorb spillage to prevent material damage. Store locked up. Store in corrosion resistant container. Dispose of contents and container in accordance with local, state and federal regulations.		
Hazards Not Otherwise Classified:	Not Applicable		
Other Information:	<ul> <li>Corrosive.</li> <li>Harmful if swallowed</li> <li>Inhalation of vapors or mist may cause respiratory irritation.</li> <li>NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.</li> </ul>		

• Keep out of reach of children.

## **3. COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Phosphoric Acid	7664-38-2	5-10
C9-11 Pareth-6	68439-46-3	1-5
Limonene	5989-27-5	0.1-1
Methyl Hydrogenated Rosinate	8050-15-5	<0.1
Acid Blue 9	3844-45-9	<0.1
CI 45350	6417-85-2	<0.1
Fragrance	PROPRIETARY	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

## **4. FIRST AID MEASURES**

-Eye Contact:	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.
-Skin Contact:	Take off immediately all contaminated clothing and shoes. Rinse with water or shower for at least 15 minutes. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Wash contaminated clothing before reuse. Discard or destroy contaminated shoes.
-Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.
-Ingestion:	Rinse mouth. Do NOT induce vomiting. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Never give anything by mouth to an unconscious person.
Note to Physicians:	NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

## **5. FIRE-FIGHTING MEASURES**

Suitable Extinguishing Media:	Product does not support combustion, Use extinguishing agent suitable for type of surrounding fire
Specific Hazards Arising from the Chemical: Hazardous Combustion Products:	Contact with metals may evolve flammable hydrogen gas. Dried product is capable of burning. May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
Protective Equipment and Precautions for Firefighters:	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions:** 

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Environmental Precautions:	Do not rinse spill onto the ground, into storm sewers or bodies of water.	
Methods for Clean-Up:	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with	
	non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite)	
	and place in container for disposal according to local / national regulations (see Section 13).	

7. HANDLING AND STORAGE				
Advice on Safe Handling:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.			
Storage Conditions:	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.			
Incompatible Materials:	Sodium hypochlorite (or other hypochlorites). Strong bases. Reactive metals such as aluminum, zinc and tin.			
Suggested Shelf Life:	Minimum of 2 years from date of manufacture.			

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Phosphoric Acid 7664-38-2	STEL: 3 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup> (vacated) TWA: 1 mg/m <sup>3</sup> (vacated) STEL: 3 mg/m <sup>3</sup>	IDLH: 1000 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup> STEL: 3 mg/m <sup>3</sup>
Engineering Controls:	chemicals above the occupa engineering controls should	ust, fumes, gas, vapors or mists wh itional exposure limits, local exhau	st ventilation or other
Personal Protective Equipment			
Eye/Face Protection:	Wear splash goggles. For severe use-conditions, wear a face shield over the goggle		shield over the goggles.
Skin and Body Protection:	Wear rubber or other chemical-resistant gloves. Use of impervious apron, boots and other protective equipment should be considered in order to prevent or minimize contact with this product.		
Respiratory Protection:	Not required with expected use. If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in S 3 should be considered.		
General Hygiene Considerations:	Wash hands and any expose See 29 CFR 1910.132-138 f	ed skin thoroughly after handling. for further guidance.	

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance/Physical State:	Liquid
Color:	Green
Odor:	Orange
pH:	< 1.0
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	100 °C / 212 °F
Flash Point:	> 100 °C / > 212 °F ASTM D56
Evaporation Rate:	< 1 (Butyl acetate = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	1.044
Solubility(ies):	Soluble in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

## **10. STABILITY AND REACTIVITY**

Reactivity: Chemical Stability: Possibility of Hazardous Reactions: Conditions to Avoid: Incompatible Materials: Hazardous Decomposition Products:	<ul> <li>This material is considered to be non-reactive under normal conditions of use.</li> <li>Stable under normal conditions.</li> <li>Not expected to occur with normal handling and storage.</li> <li>Extremes of temperature and direct sunlight.</li> <li>Sodium hypochlorite (or other hypochlorites). Strong bases. Reactive metals such as aluminum, zinc and tin.</li> <li>May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.</li> </ul>
	11. TOXICOLOGICAL INFORMATION
Likely Routes of Exposure: Symptoms of Exposure:	Eyes, Skin, Ingestion, Inhalation.
-Eye Contact:	Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause permanent damage.
-Skin Contact:	Pain, redness, blistering and possible chemical burn. May cause sensitization by skin contact
-Inhalation:	Nasal discomfort and coughing.
-Ingestion:	Damage or chemical burns to mouth, throat and stomach. Pain, nausea, vomiting and diarrhea.
Immediate, Delayed, Chronic Effect	S
Product Information:	Data not available or insufficient for classification.
Target Organ Effects: Numerical Measures of Toxicity	-Eyes. Respiratory SystemSkin.
The following acute toxicity estimates	(ATE) are calculated based on the GHS document.
ATEmix (oral): ATEmix (dermal):	17275 mg/kg 36462 mg/kg

## Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	Not Available	Not Available
7732-18-5			
Phosphoric Acid 7664-38-2	= 1530 mg/kg (Rat)	= 2740 mg/kg (Rabbit)	> 850 mg/m³(Rat)1 h

#### 3029 - SHINELINE FLOOR PREP

C9-11 Pareth-6	= 1400 mg/kg (Rat)	Not Available	Not Available
68439-46-3			
Limonene	= 5200 mg/kg (Rat) = 4400 mg/kg	> 5 g/kg (Rabbit)	Not Available
5989-27-5	(Rat)		
Methyl Hydrogenated Rosinate	> 2000 mg/kg (Rat)	Not Available	Not Available
8050-15-5			

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

## **12. ECOLOGICAL INFORMATION**

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea Not Available		
Limonene 5989-27-5	Not Available	0.619 - 0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50	Not Available			
ersistence and Degrada	<b>bility:</b> No information No informat					
ther Adverse Effects:	No information	No information available.				
	13. DIS	POSAL CONSIDERA	TIONS			
Disposal of Wastes:Dispose of in accordance with federal, state and local regulations.Contaminated Packaging:Dispose of in accordance with federal, state and local regulations.						

## **14. TRANSPORT INFORMATION**

<u>DOT:</u> UN/ID No: Proper Shipping Name: Hazard Class: Packing Group: Special Provisions:	UN1760 Corrosive liquids, n.o.s.,(contains phosphoric acid) 8 III Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation expert for information specific to your situation.		
<u>IMDG:</u> UN/ID No: Proper Shipping Name: Hazard Class: Packing Group:	UN1760 Corrosive liquids, n.o.s.,(contains phosphoric acid) 8 III		

## **15. REGULATORY INFORMATION**

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

<u>SARA 313</u> This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories	
Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

#### California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

## **16. OTHER INFORMATION**

NFPAHealth HazardsHMISHealth Hazards	-	Flammability: 0 Flammability: 0	Instability: 0 Physical Hazards: 0	Special: N/A
--------------------------------------	---	------------------------------------	---------------------------------------	--------------

Revision Date:22-Oct-2019Reasons for Revision:Section, 2, 3, 11, and, 12

**Disclaimer:** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**