

# SAFETY DATA SHEET

Revision Date 14-Feb-2020

**Revision Number** 2

1. Identification		
Product Name	Silver(I) fluoride	
Cat No. :	11609	
CAS-No	7775-41-9 No information available	
Synonyms		
Recommended Use	Laboratory chemicals.	
Uses advised against	Food, drug, pesticide or biocidal product use.	
Details of the supplier of the safety	data sheet	
Company Alfa Aesar Thermo Fisher Scientific Chemicals, II 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com	nc.	
<b>Emergency Telephone Number</b> During normal business hours (Monda After normal business hours, call Care	ay-Friday, 8am-7pm EST), call (800) 343-0660. echem 24 at (866) 928-0789.	
	2. Hazard(s) identification	

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Specific target organ toxicity (single exposure) Target Organs - Respiratory system. Category 1 B Category 1 Category 3

#### Label Elements

Signal Word Danger

#### **Hazard Statements**

Causes severe skin burns and eye damage May cause respiratory irritation



## Precautionary Statements

#### Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

#### Response

Immediately call a POISON CENTER or doctor/physician Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Ingestion IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Storage Store locked up Store in a well-ventilated place. Keep container tightly closed Disposal Dispose of contents/container to an approved waste disposal plant Hazards not otherwise classified (HNOC) Very toxic to aquatic life with long lasting effects

## 3. Composition/Information on Ingredients

Component		CAS-No	Weight %
Silver fluoride (AgF)		7775-41-9	> 99
	4.	First-aid measures	
General Advice	Show this sa required.	fety data sheet to the doctor in attendar	nce. Immediate medical attention is
Eye Contact	<b>Pe Contact</b> Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.		
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Call a physician immediately. Dermal burns may be treated with calcium gluconate gel or slurry in water or glycerine. This compound binds the active fluorides in ar insoluble form and limits burn extension and pain.		
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poise control center immediately. Do not use mouth-to-mouth method if victim ingested or in the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.		uth method if victim ingested or inhaled of a pocket mask equipped with a
Ingestion	Immediate m	nedical attention is required. Do NOT inc	duce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person.

Most important symptoms and<br/>effectsCauses burns by all exposure routes. Product is a corrosive material. Use of gastric<br/>lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should<br/>be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue<br/>and danger of perforation<br/>Treat symptomaticallyNotes to PhysicianTreat symptomatically

### 5. Fire-fighting measures

Suitable Extinguishing Media CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable Extinguishing Media	No information available	
Flash Point	No information available	
Method -	No information available	

#### Autoignition Temperature

Explosion Limits	
Upper	No data available
Lower	No data available
Sensitivity to Mechanical Impact	No information available
Sensitivity to Static Discharge	No information available

#### **Specific Hazards Arising from the Chemical**

The product causes burns of eyes, skin and mucous membranes. Do not allow run-off from fire-fighting to enter drains or water courses.

#### Hazardous Combustion Products

Gaseous hydrogen fluoride (HF).

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA
------

Health 3	Flammability 0	Instability 1	Physical hazards N/A
	6. Accidental rel	ease measures	
Personal Precautions	Use personal protective eq contact with skin, eyes or c		personnel to safe areas. Avoid
Environmental Precautions	contaminate ground water	ater or sanitary sewer system. system. Prevent product from e cant spillages cannot be contain	entering drains. Local authorities

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Up

	7. Handling and storage
Handling	Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance.
Storage	Keep in a dry, cool and well-ventilated place. Refer product specification and/or product label for specific storage temperature requirement. Keep container tightly closed. Protect from direct sunlight. Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

## 8. Exposure controls / personal protection

#### Exposure Guidelines

[	Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
	Silver fluoride (AgF)	TWA: 0.01 mg/m <sup>3</sup> TWA: 2.5	(Vacated) TWA: 0.01 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> IDLH: 250	TWA: 0.01 mg/m <sup>3</sup> TWA: 0.1
		mg/m <sup>3</sup>	(Vacated) TWA: 2.5 mg/m <sup>3</sup>	mg/m <sup>3</sup>	mg/m <sup>3</sup> TWA: 2.5 mg/m <sup>3</sup>
		-	· · · · ·	TWA: 0.01 mg/m <sup>3</sup>	

#### <u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

7. FILYSIC	ai and chemical properties
Physical State	Powder Solid
Appearance	Brown
Odor	Odorless
Odor Threshold	No information available
рН	No information available
Melting Point/Range	435 °C / 815 °F
Boiling Point/Range	1150 °C / 2102 °F @ 760 mmHg
Flash Point	No information available
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Specific Gravity	5.850
Solubility	Soluble
Partition coefficient; n-octanol/water	No data available
Autoignition Temperature	
Decomposition Temperature	No information available
Viscosity	Not applicable
Molecular Formula	Ag F
Molecular Weight	126.87
_	

# 10. Stability and reactivity

Reactive Hazard	None known, based on information available	
Stability	Stable under normal conditions. Hygroscopic. Light sensitive.	
Conditions to Avoid	Exposure to light. Incompatible products. Exposure to moist air or water.	
Incompatible Materials	Strong oxidizing agents, Strong acids	
Hazardous Decomposition Products Gaseous hydrogen fluoride (HF)		
Hazardous Polymerization	Hazardous polymerization does not occur.	
Hazardous Reactions	None under normal processing.	

11. Toxicological information

#### Acute Toxicity

Product Information Component Information Toxicologically Synergistic Products Delayed and immediate effects as y	mation		
Irritation	No information available		
Sensitization	No information available		

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

STOT - repeated exposure None known   Aspiration hazard No information available   Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.	Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico			
Reproductive EffectsNo information available.Developmental EffectsNo information available.TeratogenicityNo information available.STOT - single exposure STOT - repeated exposureRespiratory system None knownAspiration hazardNo information availableSymptoms / effects,both acute and delayedProduct is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation	Silver fluoride (AgF)	7775-41-9	Not listed	Not listed	Not listed	Not listed	Not listed			
Developmental EffectsNo information available.TeratogenicityNo information available.STOT - single exposure STOT - repeated exposureRespiratory system None knownAspiration hazardNo information availableSymptoms / effects,both acute and delayedProduct is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation	Mutagenic Effects		No information ava	ailable						
TeratogenicityNo information available.STOT - single exposure STOT - repeated exposureRespiratory system None knownAspiration hazardNo information availableSymptoms / effects,both acute and delayedProduct is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation	Reproductive Effects		No information available.							
STOT - single exposure STOT - repeated exposureRespiratory system None knownAspiration hazardNo information availableSymptoms / effects,both acute and delayedProduct is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation	Developmental Effe	cts	No information ava	ailable.						
STOT - repeated exposureNone knownAspiration hazardNo information availableSymptoms / effects,both acute and delayedProduct is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation	Teratogenicity		No information ava	ailable.						
Symptoms / effects,both acute and delayed Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.   Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation	<b>v</b> .									
<b>delayed</b> Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation	Aspiration hazard		No information available							
Endocrine Disruptor Information No information available			Possible perforation of stomach or esophagus should be investigated: Ingestion causes							
	Endocrine Disruptor Information		No information available							
Other Adverse Effects   The toxicological properties have not been fully investigated.	Other Adverse Effects		The toxicological properties have not been fully investigated.							

## 12. Ecological information

Ecotoxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

**Bioaccumulation/ Accumulation** No information available.

#### Mobility

Will likely be mobile in the environment due to its water solubility.

### 13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 14. Transport information

DOT	
UN-No	UN3260
Proper Shipping Name	Corrosive solid, acidic, inorganic, n.o.s.
Technical Name	Silver fluoride (AgF)
Hazard Class	8
Packing Group	II
TDG	
UN-No	UN3260
Proper Shipping Name	Corrosive solid, acidic, inorganic, n.o.s.
Hazard Class	8
Packing Group	II
IATA	
UN-No	UN3260
Proper Shipping Name	Corrosive solid, acidic, inorganic, n.o.s.
Hazard Class	8
Packing Group	II
IMDG/IMO	
UN-No	UN3260
Proper Shipping Name	Corrosive solid, acidic, inorganic, n.o.s.
Hazard Class	8
Packing Group	Ш
	15. Regulatory information

# United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Silver fluoride (AgF)	7775-41-9	Х	ACTIVE	-

#### Legend:

**TSCA** - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

#### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Silver fluoride (AgF)	7775-41-9	-	Х	231-895-8	-	Х	Х	-	KE-31274

#### U.S. Federal Regulations

#### SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Silver fluoride (AgF)	7775-41-9	> 99	1.0

#### SARA 311/312 Hazard Categories See section 2 for more information

#### CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Silver fluoride (AgF)	-	-	Х	-
Clean Air Act	Not applicable			
<b>OSHA</b> - Occupational Safety and Health Administration	Not applicable			
CERCLA	Not applicable			
California Proposition 65	This product does	not contain any Propos	ition 65 chemicals.	

# U.S. State Right-to-Know

Regulations					
Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Silver fluoride (AgF)	Х	Х	Х	-	Х

<b>U.S. Department of Transportation</b> Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Other International Regulations	
Mexico - Grade	No information available

	16. Other information
Prepared By	Health, Safety and Environmental Department Email: tech@alfa.com www.alfa.com
Revision Date Print Date Revision Summary	14-Feb-2020 14-Feb-2020 SDS authoring systems update, replaces ChemGes SDS No. 7775-41-9/2.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of SDS**