

Page: 1/8

Revision: May 25,2023

### 1 Identification

· Product identifier

· Trade name: Sterno Canned Heat

· Other means of identification: No other identifiers

· Recommended use and restriction on use

· Recommended use: Fuel

· Restrictions on use: No relevant information available.

· Details of the supplier of the Safety Data Sheet

· Manufacturer/Supplier:

SCL / Sterno 6900 N Dallas Pkwy #870

Plano, TX 75024

Phone: (951) 682-9600

· Emergency telephone number:

ChemTel Inc.

(800) 255-3924 (North America) (801) 1 (813)248-0585 (International)

## 2 Hazard(s) identification

· Classification of the substance or mixture

Acute Tox. 4 H302 Harmful if swallowed.

STOT RE 2 H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





**GHS07 GHS08** 

· Signal word: Warning

· Hazard statements:

H302 Harmful if swallowed.

H373 May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

· Precautionary statements:

P260 Do not breathe vapors.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P314 Get medical advice/attention if you feel unwell.

P330 Rinse mouth.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Other hazards There are no other hazards not otherwise classified that have been identified.



according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

\_\_\_\_

Trade name: Sterno Canned Heat

(Cont'd. of page 1)

Revision: May 25, 2023

Page: 2/8

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Components:						
107-21-1	Ethylene glycol	STOT RE 2, H373 Acute Tox. 4, H302	25-75%			
111-46-6	diethylene glycol	STOT RE 2, H373 Acute Tox. 4, H302	25-75%			

#### Additional information:

For the wording of the listed Hazard Statements, refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

### 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Generally the product does not irritate the skin.

Immediately rinse with water.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

· Most important symptoms and effects, both acute and delayed:

Nausea

Cramp

Thirst

· Danger:

Harmful if swallowed.

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

· Indication of any immediate medical attention and special treatment needed:

Contains ethanediol. Consult literature for specific antidotes.

If swallowed, gastric irrigation.

Medical supervision for at least 48 hours.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

- · For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture No relevant information available.
- · Advice for firefighters
- · Protective equipment:

(Cont'd. on page 3)





### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 25, 2023

**Trade name: Sterno Canned Heat** 

(Cont'd. of page 2)

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information: Cool endangered receptacles with water spray.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Particular danger of slipping on leaked/spilled product.

Ensure adequate ventilation.

Keep away from ignition sources.

Environmental precautions

Avoid release to the environment.

Prevent from spreading (e.g. by damming-in or oil barriers).

· Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling
- · Precautions for safe handling:

Use only in well ventilated areas.

Store in cool, dry place in tightly closed receptacles.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Do not store together with acids.

Do not store together with alkalis (caustic solutions).

· Specific end use(s) No relevant information available.

#### 8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

107-21-1 Ethylene glycol

TLV (USA) Short-term value: 10\*\* mg/m³, 50\* ppm

(Cont'd. on page 4)





### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 25, 2023

Trade name: Sterno Canned Heat

(Cont'd. of page 3) Long-term value: 25\* ppm \*vapor fraction: \*\*inh. fraction, aerosol only WEEL (USA) Long-term value: 10 mg/m<sup>3</sup> EL (Canada) Short-term value: 20\*\* mg/m³ Long-term value: 10\*\* mg/m<sup>3</sup> Ceiling limit value: 100\* mg/m³, 50\*\*\* ppm \*Aerosol; \*\*Particulate; \*\*\*Vapour Ceiling limit value: 100 mg/m<sup>3</sup> EV (Canada) Ceiling limit value: 100\* mg/m³ LMPE (Mexico) A4, \*solo aerosol 111-46-6 diethylene glycol Long-term value: 10 mg/m<sup>3</sup>

## WEEL (USA)

- · Exposure controls
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

- · Engineering controls: No relevant information available.
- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:

Gloves not required under normal conditions of use.

Protection may be required for spills.

Wear protective gloves to handle contents of damaged or leaking units.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Limitation and supervision of exposure into the environment No relevant information available.
- · Risk management measures See Section 7 for additional information.

#### 9 Physical and chemical properties · Information on basic physical and chemical properties · Appearance: Form: Liquid Color: Colorless · Odor: Odorless · Odor threshold: Not determined. · pH-value: Not determined. · Melting point/Melting range: Not determined. · Boiling point/Boiling range: 197 °C (386.6 °F) 111 °C (231.8 °F) · Flash point:

(Cont'd. on page 5)





### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 25, 2023

**Trade name: Sterno Canned Heat** 

		(Cont'd. of page		
· Flammability (solid, gaseous):	Not applicable.			
· Auto-ignition temperature:	Not determined.			
· Decomposition temperature:	Not determined.			
· Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits				
Lower:	0.7 Vol %			
Upper:	53.0 Vol %			
· Oxidizing properties:	Not determined.			
· Vapor pressure at 20 °C (68 °F):	0.1 hPa (0.1 mm Hg)			
· Density:				
Relative density:	1.12			
Vapor density:	Not determined.			
Evaporation rate:	Not determined.			
· Solubility in / Miscibility with				
Water:	Partly soluble.			
· Partition coefficient (n-octanol/water): Not determined.				
· Viscosity				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
· Other information	No relevant information available.			

## 10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Reacts with strong acids and oxidizing agents.
- · Conditions to avoid Excessive heat.
- · Incompatible materials Oxidizers, strong bases, strong acids
- · Hazardous decomposition products Carbon monoxide and carbon dioxide

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Harmful if swallowed.

· LD/LC50 values that are relevant for classification:				
ATE (Acute Toxicity Estimate)				
Oral	LD50 691 mg/kg			

### 107-21-1 Ethylene glycol

(Cont'd. on page 6)





### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 25, 2023

**Trade name: Sterno Canned Heat** 

- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- On the eye: Based on available data, the classification criteria are not met.
- · Sensitization: Based on available data, the classification criteria are not met.

#### · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Eye contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure:

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

· Aspiration hazard: Based on available data, the classification criteria are not met.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- · Ecotoxical effects:
- · Remark: Due to mechanical actions of the product (e.g. agglutinations), damages may occur.
- Additional ecological information
- · General notes: Avoid release to the environment.
- · Other adverse effects No relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

(Cont'd. on page 7)





according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 25, 2023

**Trade name: Sterno Canned Heat** 

(Cont'd. of page 6)

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- · Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information				
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.			
· UN proper shipping name · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.			
· Transport hazard class(es)				
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not regulated.			
· Packing group · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.			
· Environmental hazards · Marine pollutant:	No			
· Special precautions for user	Not applicable.			
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.				

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- · SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

107-21-1 Ethylene glycol

· TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

(Cont'd. on page 8)





### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: May 25, 2023

**Trade name: Sterno Canned Heat** 

(Cont'd. of page 7)

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

107-21-1 Ethylene glycol

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL): (Substances not listed.)

All ingredients are listed.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Acute Tox. 4: Acute toxicity - Category 4

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

#### · Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com