Stitch N Tear Stabilizer



MATERIAL SAFETY DATA SHEET

Hazardous Material Scale SECTION 1: PRODUCT INFORMATION Identification 4 = Extreme **PRODUCT:** 806 Health 0 3 = High MSDS DATE: 1/1/14 2 = Moderate Flammability 1 MANUFACTURER: Reactivity 0 1 = Slight 0 = Insignificant **PELLON CONSUMER PRODUCTS** 4801 ULMERTON ROAD CLEARWATER, FL 33762 (727)388-7171 SECTION 2: HAZARDOUS CONSTITUENTS CHEMICAL NAME PERCENT **OSHA TWA OSHA STEL ACTION LEVEL** NONE AS DEFINED BY 29 CFR 1910.1200 SECTION 3: PHYSICAL AND CHEMICAL CHARACTERISTICS **BOILING POINT:** N/A SPECIFIC GRAVITY (WATER = 1) N/A VAPOR PRESSURE (MM HG): N/A VAPOR DENSITY: N/A SOLUBILITY IN WATER N/A **MELTING POINT:** N/A **EVAPORATION RATE:** N/A APPEARANCE/ ODOR: LIGHT WEIGHT STABILIZER / ROLL GOODS SECTION 4: FIRE AND EXPLOSION DATA FLASH POINT: N/A FLAMMABLE LIMITS: IFL: N/A UEL: N/A Standard firefighting procedures for any class A material such as water, CO₂, dry **EXTINGUISHING MEDIA:** chemical (multi-purpose), halon. SPECIAL FIRE FIGHTING Self-contained breathing apparatus is recommended to protect against possible products of combustion. **PROCEDURES:** SECTION 5: REACTIVITY DATA Stable: X Unstable: STABILITY: CONDITIONS TO AVOID: None Known INCOMPATIBILITY (MATERIALS TO AVOID): None Known HAZARDOUS DECOMPOSITION: Typical products of decomposition would include carbon dioxide, carbon monoxide, and oxides of nitrogen.



MATERIAL SAFETY

DATA SHEET (Product 806, Continued) SECTION 6: HEALTH HAZARD DATA ACUTE: No physical effects from exposure to the product is expected. It is possible that in rare cases, certain sensitive individuals may develop slight and temporary skin irritation from handling the material. CHRONIC: None known Skin ROUTES OF ENTRY: Irritation to the skin may develop SIGNS AND SYMPTOMS: MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: People with sensitive skin may develop an irritation while handling or processing the product. **EMERGENCY FIRST AID PROCEDURES:** Inhalation: No known effects Eye contact: Flush with large amounts of water for 15 minutes minimum and consult a physician. Skin contact: Wash the affected area with soap and water, wash clothing before re-use and if irritation persists, consult a physician. SECTION 7: CONTROL MEASURES If workplace exposures exceed the PEL, then refer to OSHA 29 CFR **RESPIRATORY PROTECTION:** 1910.134 and ANSI Z88.2 for respiratory protection requirements. Local Exhaust: Recommended VENTILATION: Mechanical (General): Yes **PROTECTIVE GLOVES:** If found necessary EYE PROTECTION: If found necessary

OTHER PROTECTIVE CLOTHING:

None under normal use

MATERIAL SAFETY



DATA SHEET (Product 806, Continued)

SECTION 8: PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED:

	If not contaminated, collect for reuse. If contaminated, dispose of material according to proper procedures.
WASTE DISPOSAL METHOD:	Recycling of material and scrap is recommended. Material is non- hazardous and may be disposed of by incineration or landfill. As in al cases of industrial wastes, follow applicable federal, state, and local regulation.
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:	
	Store the material in a cool well ventilated location and protect from contamination. It is recommended that warehouses be sprinkler equipped for fire protection.
OTHER PRECAUTIONS:	None under normal use.
SECTION 9: REGULATORY INFORMATION	
TSCA:	All components of this product are listed on the Toxic Substance Control Act chemical inventory.
Canada:	This product does not meet the requirements of <i>Hazardous</i> <i>Products Act</i> and is not controlled under the <i>Workplace Hazardous</i>
	Materials Identification System (WHMIS).