PD#1803725

2/1/2021: File reviewed. More current MSDS/SDS not available. JMC

1130 MATERIAL SAFETY DATA SHEET

Manufacturer's Name:	O White Art Self Hardening American Art Clay Co. It		RIARCO White Self	
	6060 Guion Road			
	Indianapolis, IN 26254			
Information Number: (800) 374-1600		Emergency Number: (800) 374-1600		
	Section 1 - Pro	oduct Information		
Product Name: Triarco V	White Art Self Hardening Cl	ay Product Class: Craft	Product Size: 5 lbs, 25 lb	
TRIARCO White Art Se	elf Hardening Clay			
	Section II – Haz	ardous Ingredients		
Reportable Components	CAS#	Vapor pressure Mm Hg @ Temp	Weight Percent	
No reportable ingredient	is.			
This product carries the	"AP" Seal. Labeling confor	ms to ASTM D4236.		
	Section III Physical	Chemical Characteristics		
Boiling Range: NA Vapor Density: Heavier than air.		Specific Gravity (H20=1): Less than 2 Evaporation Rate: NA		
Appearance and Odor:				
	Section IV - Fire and	Explosion Hazard Data		
Flash Point: NA		Method Used: NA		
Flammable Limits in Air by Volume: NA - Lower		NA – Upper		
Extinguishing Media: N Special Fire Fighting Pro-	ocedures: No fire hazard.			
	ion Hazards: No fire hazard			
Section V – Reactivity Data				
Stability: Stable		Conditions to Avoid: Not	nc	
Incompatibility (Materials to Avoid): None				
Hazardous decomposition Hazardous Polymerization	on or Byproducts: Will not o on: Will not occur.	occur.		
	Section VI – H	ealth Hazard Data		
Inhalation Health Risks and Symptoms of Exposure: None.				
Skin and Eye Contact Health Risks and Symptoms of Exposure: Eye – Rinse eyes thoroughly with water for 15 minutes. Skin – wash hands with soap and water after use.				
Skin Absorption Health	Risk and Symptoms of Exp	osure: None, Wash hands w	vith soap and water after us	
Page 2				

TRIARCO White Art Self Hardening Clay

Ingestion Health Risks and Symptoms of Exposure: None. Carries the "AP" seal.

Health Hazards (Acute / Chronic): No health hazard.

Carcinogenicity: No - NTP Carcinogen No - IARC Monographs No - OSHA Regulated

Medical Conditions Generally Aggravated by Exposure: Unknown.

Emergency and First Aide Procedures: Contact your local poison control for further health information.

VII - Precautions for Safe Handling and Use

Steps to be taken in Case Material spilled or released: Clean with paper towel and wet sponge.

Waste Disposal Method: Dispose of paper towel in trash and rinse sponge. Dispose of product in trash. In manufacturing, dispose of in accordance to Local, State or federal regulations.

Precautions to be taken in handling and storing: Keep bags or boxes of clay properly scaled. If left open clay will dry out.

Other Precautions: Do not create dust,

VIII - Control Measures

Respiratory Protection: Not needed. Ventilation: Not needed. Protective Gloves: Not needed. Eye Protection: Not needed. Other Protective Clothing or Equipment: Not needed. Work / Hygienic Practices: General housekeeping (wash hands, etc).

Section IX - Disclaimer

Information presented herein has been compiled from sources considered to be dependable and is accurate to the best of our knowledge and belief but is not guaranteed to be so. Since conditions of use are beyond our control we make no warranties, expressed or implied, except those that may be contained in or written acknowledgement.

Prepared by: L. Jenkins - 09/2012

MATERIAL SAFETY DATA SHEET

Product: AMACO CLAY	-	Product Code: (Product Code: Clays (Moist)		
Manufacturer's Name:	American Art Clay Co., 6060 Guion Road Indianapolis, IN 46254	Inc.			
Information Number: (80	0) 374 -1600	Emergency Nu	mber: (800) 374 –1600		
	Section I – P	roduct Identification			
Product Name: AMACO	Ceramic Clay	Product Class: Clay	Product Size: 50 lbs., 25 lbs and 10 lbs.		
Pottery Clay, Magic Muc X15, TRIARCO X-11, X Cream White Earthenwar Triarco White Earthenwar Stoneware Clay, SAX Br	d, Creative Clay CC01 W -12, Classroom Select Re e, OTC White Art, NASC re, Dick Blick Stoneware, own Stoneware Clay, Tria	hite Clay, NASCO X-11, 2 cd, Classroom Select Gray, O White Earthenware, Blic NASCO Buff Clay, Triarco	k White Talc Free Clay, 9 Buff Clay, SAX Buff CO Red Earthenware, OTC		
Section II- Hazardous Ingredients					
Reportable Components	CAS#	Vapor Pressure Mm Hg @ Ten	v		

• No reportable quantities of hazardous ingredients are present.

** No toxic chemical (s) subject to the reporting requirements of Sect 313 of Title III and of 40 CFR 372 is present***

This product carries the "AP" Seal. Labeling conforms to ASTM D4236/LHAMA. Contains crystalline silica. See Section VI.

Section III - Physical / Chemical Characteristics

Boiling Range: NA	Specific Gravity (H20=1) = Less than 2
Vapor Density: NA	Evaporation Rate: NA
Coating V.O.C.: NA	Material V.O.C.: NA
Appearance and Odor: 50 lbs. Moist (2 Blocks)	

Section IV - Fire and Explosion Hazard Data

Flash Point: NA Flammable Limits in Air by Volume: NA – Lower Extinguishing Media: NA Special Firefighting Procedures: No fire hazard. Unusual Fire and Explosion Hazards: No fire hazard Method Used: NA NA – Upper Page 2 Clay Moist

Section V - Reactivity Data

Conditions to Avoid: None

Stability: Stable Incompatibility (Materials to Avoid): None Hazardous Decomposition or Byproducts; Will not occur. Hazardous Polymerization: Will not occur.

Section VI - Health Hazards Data

Inhalation Health Risks and Symptoms of Exposure: May cause damage to the lungs by inhalation of dust or mist. Possible cancer agent by inhalation based on laboratory test. Contains crystalline silica.

Skin and Eye Contact Health Risks and Symptoms of Exposure: Eye – rinse eyes thoroughly with water for 15 minutes. Skin – wash hands with soap and water after use.

Skin Absorption Health Risks and Symptoms of Exposure: None. Wash hands with soap and water after use.

Ingestion Health Risks and Symptoms of Exposure: None.

Health Hazards (Acute / Chronic): May cause damage to the lungs by inhalation of dust or mist. Cancer agent based on laboratory tests. In moist form non-hazardous. Warning: Detectable amounts of chemical(s) known to the State of California to cause cancer, birth defects, or other reproductive harm may be found in this product, (Prop. 65 California Health & Safety code section 25249.6 ET. SEQ. – Dry clays)

Carcinogenicity: Yes NTP Carcinogen Yes - IARC Monographs Yes - OSHA Regulated

Medical Conditions Generally Aggravated by Exposure: Unknown.

Emergency and First Aid Procedures: Contact your local poison control for further health information.

Section VII - Precautions for Safe Handling and Use.

Steps to be taken in Case Material is Released or Spilled: Clean with paper towel and wet sponge.

Waste Disposal Method: Dispose of paper towel in trash and rinse sponge. In manufacturing, dispose of in accordance to Local, State or Federal regulations

Precautions to be taken in Handling and Storing: Keep bags or boxes of clay properly sealed. If left open clay will dry out.

Other Precautions: Do not create dust.

Section VIII - Control Measures

Respiratory Protection: Not needed in moist form. Ventilation: Not needed. Protective Glove: Not needed. Eye Protection: Not needed. Other Protective Clothing or Equipment: Not needed. Work / Hygienic Practices: Refer to AMACO Product Encyclopedia & Safety Manual.

Page 3 Clay Moist

IX – Disclaimer

Information presented here in has been compiled from sources considered to be dependable and is accurate to the best of our knowledge and belief but is not guaranteed to be so. Since conditions of use are beyond our control we make no warranties, expressed or implied, except those that may be contained in our written acknowledgement.

Prepared by: L. Jenkins 2009