Trewax Clear Paste Wax Safety Data Sheet Beaumont Products, Inc.

SAFETY DATA SHEET

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT IDENTIFIER

Trewax Clear Paste Wax

Beaumont Products, Inc.

1560 Big Shanty Drive

Kennesaw, GA 30144

1-800-451-7096

OTHER MEANS OF IDENTIFICATION Synonyms

None known.

RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS OF USE

Recommended Use Uses advised against Floor Wax - Wood See product label for usage restrictions.

DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

COMPANY IDENTITY COMPANY ADDRESS COMPANY CITY, STATE, ZIP **COMPANY PHONE**

CHEMTEL: 1-800-255-3924, Int'l: 1-813-248-0585

SECTION 2: HAZARDS IDENTIFICATION

CLASSIFICATION

EMERGENCY PHONE

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Aspiration toxicity	Category 1
Flammable Solids	Category 1

GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS

Emergency Overview		
Signal Word	Danger	
Hazard Statements		
May be fatal if swallowe	d and enters airways	
Flammable solids		
Appearance Light Tan	Physical State Solid containing liqui	id Odor Solvent

If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Keep away from flames and hot surfaces. - No smoking. Ground/bond container and receiving equipment

Printed on 5/11/2015 10:10 AM



Trewax Clear Paste Wax Safety Data Sheet

Use explosion-proof electrical/ventilating/lighting/equipment Wear protective gloves/protective clothing/eye protection/face protection.

PRECAUTIONARY STATEMENTS – RESPONSE

Ingestion

IF SWALLOWED: Immediately call a POISION CENTER or doctor/physician Do NOT induce vomiting

Fire

In case of fire: Use CO2, dry chemical, foam for extinction

PRECAUTIONARY STATEMENTS – STORAGE

Store locked up

PRECAUTIONARY STATEMENTS – DISPOSAL

Dispose of contents/container to an approved waste disposal plant

HAZARDS NOT OTHERWISE CLASSIFIED

Not applicable

UNKNOWN TOXICITY

No information available

OTHER INFORMATION

Prolonged or repeated contact may dry skin and cause irritation

INTERACTIONS WITH OTHER CHEMICALS

No information available.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS#	WT%
Petroleum distillates	64742-47-8	60 - 100

The exact percentages (concentrations) of ingredients in this product have been withheld as a trade secret. Any hazards associated with the finished product are listed in Section 2 of this SDS.

SECTION 4: FIRST AID MEASURES	
FIRST AID MEASURES	
GENERAL ADVICE	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.
SKIN CONTACT	Removal of solidified molten material from skin requires medical attention.
Printed on 5/11/2015 10:10 AM	Page 2 of 11 Distributed By Freeman Manufacturing & Supply Co. www.freemansupply.com 800-321-8511

Trewax Clear Paste Wax Safety Data Sh EYE CONTACT	Revision Number: 5.0 Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, get medical advice/attention.	
INGESTION	Aspiration hazard if swallowed – can enter lungs and cause damage. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician or POISON CONTROL center immediately.	
INHALATION	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.	
SELF-PROTECTION OF THE FIRST AIDER	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.	
MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED		
Most Important Symptoms and Effects	Difficulty in breathing. Coughing and/ or wheezing. Dizziness.	
INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED		
Notes to Physician	Treat symptomatically.	
SECTION 5: FIRE-FIGHTING MEASURES		
SUITABLE EXTINGUISHING MEDIA This product is combustible. Use dry chemical, foam, or carbon dioxide to extinguish. Water fog may be used to cool containers to prevent rupturing.		

UNSUITABLE EXTINGUISHING MEDIA

No information available.

SPECIFIC HAZARDS ARISING FROM THE CHEMICAL

This product has a flashpoint of 150°F/66°C. **Uniform Fire Code** Combustible liquid: II

HAZARDOUS COMBUSTION PRODUCTS

Carbon Oxides

EXPLOSION DATA Sensitivity to Mechanical Impact No. Sensitivity to Static Discharge Yes.

PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Use protective equipment appropriate for firefighting surrounding materials. Move containers from the fire area if you can do it without risk.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Printed on 5/11/2015 10:10 AM



Page 3 of 11

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions	Safety Data Sheets are intended for occupational-use products; this is a consumer-use product. Wear protective clothing as required. Evacuate personnel to safe areas. See section 8 for more information. Avoid contact with skin, eyes or clothing. Eliminate all ignition sources. Use product in accordance with label instructions.
ENVIRONMENTAL PRECAUTIONS	
Environmental Precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
METHODS AND MATERIAL FOR CONTAI	NMENT AND CLEAN-UP
Methods for Containment	Prevent further leakage or spillage if safe to do so. Do not touch or walk through spilled material. Dike ahead of the spill and collect runoff water. Keep out of drains, sewers, ditches and waterways.
Methods for cleaning up	Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges. Dam up. Soak up with Inert absorbent material.
SECTION 7: HANDLING AND STORAGE	
PRECAUTIONS FOR SAFE HANDLING	
Handling	Handle in accordance with good industrial hygiene and safety practice. Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat/sparks/open flames/hot surfaces. – No Smoking. Keep out of reach of children and pets. Wash hands thoroughly after handling. Use according to package label instructions.
CONDITIONS FOR SAFE STORAGE, INCLU	JDING AND INCOMPATIBILITIES
Storage	Keep container closed and upright when not in use. Store in a cool and well- ventilated place. Store locked up. Keep out of reach of children. Keep away from heat, sparks, flame and other sources of ignition. Store in a controlled area or only where trained personnel have access.
Incompatible Products	None known
SECTION 8: EXPOSURE CONTROLS/PER	SONAL PROTECTION
CONTROL PARAMETERS	
Exposure Guidelines	



APPROPRIATE ENGINEERING CONTOLS

Engineering Measures

Showers Eyewash stations Ventilation systems

INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL EQUIPMENT

Protective Equipment

When using this product as directed on the product label, no protective equipment is necessary. Take normal precautions necessary when using a floor petroleum distillate-based wax product.

Respiratory Protection	None required during normal consumer use. <i>Industrial use</i> : Use in a well-ventilated area. If adequate ventilation is unavailable, use a NIOSH-approved respirator.
Skin and Body Protection	None required during normal consumer use.
	Industrial use: Wear impervious gloves and suitable protective clothing.
Eye/Face Protection	None required during normal consumer use.
	Industrial use: Wear safety glasses or chemical goggles.
Hygiene Measures	Handel in accordance with good industrial hygiene and safety practice. Do not eat, drink of smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Paste.
APPEARANCE	Tan, opaque.
рН	No data available.
ODOR	Solvent
ODOR THRESHOLD	No data available.
MELTING/FREEZING POINT	150-192°F/66-89°C.
INITIAL BOILING POINT	No data available.
BOILING POINT RANGE	No data available.
FLASH POINT	150°F/66°C.
EVAPORATION RATE	No data available.
PERCENTAGE VOLATILE BY VOLUME	No data available.
FLAMMABILITY	Combustible.
UPPER FLAMMABILITY LIMIT	No data available.
LOWER FLAMMABILITY LIMIT	No data available.
VAPOR PRESSURE	No data available.
VAPOR DENSITY	No data available.
Printed on 5/11/2015 10:10 AM	



Trewax Clear Paste Wax Safety Data SheetSPECIFIC GRAVITYNo datSOLUBILITYImmisoPARTITION COEFFICIENTNo datAUTO IGNITION TEMPERATURENo datDECOMPOSITION TEMPERATURENo datVISCOSITYNo datMOLECULAR WEIGHTNo dat%VOC BY WEIGHT66.80.

No data available. Immiscible in water. No data available. 66.80.

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY

No data available.

CHEMICAL STABILITY

This product is stable under normal conditions (77°F/25°C and 100kPa/1bar).

POSSIBILITY OF HAZARDOUS REACTIONS

None under normal conditions of use according to label instructions.

HAZARDOUS POLYMERIZATION

Hazardous Polymerization does not occur.

CONDITIONS TO AVOID

Avoid excessive heat; store in a cool, dry, well-ventilated area. Keep away from heat, flame, and other potential ignition sources.

INCOMPATIBLE MATERIALS

Incompatible with strong acids, alkalis, and oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS

Carbon Oxides

SECTION 11: TOXICOLOGICAL INFORMATION

INFORMATION ON LIKELY ROUTES OF EXPOSURE

PRODUCT INFORMATION INGESTION	Specific test data for the substance or mixture is not available.
SKIN CONTACT	Specific test data for the substance or mixture is not available.
EYE CONTACT	Specific test data for the substance or mixture is not available.
INHALATION	Specific test data for the substance or mixture is not available.

COMPONENT INFORMATION

Printed on 5/11/2015 10:10 AM



Symptoms	No information available.	
DELAYED AND IMMEDIATE EFFECTS AS WELL AS CH	RONIC EFFECTS FROM SHORT AND LONG-TERM EXPOSURE	
Sensitization	No information available.	
Mutagenic Effects	No information available.	
Carcinogenicity IARC (International Agency for Res		
Group 3 – Not classifiable as to Carcinogenicity in Humans.		
Reproductive Toxicity	No information available.	
STOT – Single Exposure	No information available.	
STOT – Repeated Exposure	No information available.	
Chronic Toxicity	No known effect.	
Target Organ Effects	Respiratory system. Eyes. Skin	
Aspiration Hazard	No information available.	

NUMERICAL MEASURES OF TOXICITY - PRODUCT INFORMATION

The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral) 57,290.00 mg/kg ATEmix (inhalation-dust/mist) 50.46 mg/l

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY

The environmental impact of this product has not been fully investigated.

PERSISTENCE AND DEGRADABILITY

No data available.

BIOACCUMULATION

No information available.

OTHER ADVERSE EFFECTS

No information available.



SECTION 13: DISPOSAL CONSIDERATIONS

WASTE TREATMENT METHODS

When disposing of this product, please refer to Section 8 of this Safety Data Sheet for appropriate personal protection instruction.

Disposal Methods	Dispose of in accordance with federal, state, local, and regional regulations.
Contaminated Packaging	Dispose of in accordance with federal, state, local, and regional regulations.
US EPA Waste Number	D001 D005
California Hazardous Waste Codes	331

SECTION 14: TRANSPORT INFORMATION

DOT

Proper Shipping Name	CONSUMER COMMODITY
Hazard Class	ORM-D
Description	CONSUMER COMMODITY, ORM-D
Emergency Response Guide	133
Number	

<u>TDG</u>

UN-No.	UN3175
Proper Shipping Name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Hazard Class	4.1
Packing Group	II
Description	UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID N.O.S (PETROLEUM DISTILLATES, HYDROTREATED
	LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II

MEX

1		
	UN-No.	UN3175
	Proper Shipping Name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
	Hazard Class	4.1
	Packing Group	I
	Description	UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID N.O.S (PETROLEUM DISTILLATES, HYDROTREATED
		LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II

ICAO

UN-No.	UN3175
Proper Shipping Name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Hazard Class	4.1
Packing Group	II
Description	UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID N.O.S (PETROLEUM DISTILLATES, HYDROTREATED
	LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II

<u>IATA</u>

UN-No.

UN3175

Printed on 5/11/2015 10:10 AM



Trewax Clear Paste	Trewax Clear Paste Wax Safety Data SheetRevision Number: 5.0	
Proper Shipping Name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.	
Hazard Class	4.1	
Packing Group	II	
Description	UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID N.O.S (PETROLEUM I	DISTILLATES, HYDROTREATED
	LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II	
Special precautions for users	This material is shipped as consumer commodity per 49 CFR 173.167.	

IMDG/IMO

UN-No.	UN3175
Proper Shipping Name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Hazard Class	4.1
Packing Group	ll
EmS-No	F-A, S-I
Description	UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID N.O.S (PETROLEUM DISTILLATES, HYDROTREATED
	LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II

<u>RID</u>

UN-No.	UN3175
Proper Shipping Name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Hazard Class	4.1
Packing Group	II
Classification code	F1
Description	UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID N.O.S (PETROLEUM DISTILLATES, HYDROTREATED
	LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II

<u>ADR</u>

UN-No.	UN3175
Proper Shipping Name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Hazard Class	4.1
Packing Group	II
Classification code	F1
Tunnel restriction code	(E)
Description	UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID N.O.S (PETROLEUM DISTILLATES, HYDROTREATED
	LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II

<u>ADN</u>

UN-No.	UN3175
Proper Shipping Name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Hazard Class	4.1
Packing Group	II
Classification code	F1
Special Provisions	216, 274, 601, 800
Description	UN3175, SOLIDS CONTAINING FLAMMABLE LIQUID N.O.S (PETROLEUM DISTILLATES, HYDROTREATED
	LIGHT, PETROLEUM DISTILLATES, HYDROTREATED MIDDLE), 4.1, II
Limited Quantity	1 KG
Ventilation	VE01, VE03



SECTION 15: REGULATORY INFORMATION

OSHA HAZARD COMMUNICATION RULE, 29 CFR 1910.1200:

The Occupational Safety and Health Administration requires Safety Data Sheets to provide any hazards that may be associated with the product and make this information available in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this SDS may contain additional health hazard information not pertinent to consumer use.

US TSCA INVENTORY STATUS

CANADA DSL STATUS

SARA 302 COMPONENTS

SARA 311/312 HAZARDOUS CHEMICALS

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	Yes
Sudden release of pressure	No
Reactive Hazard	No
	NO

All chemicals used in this product are either listed on or exempt from the TSCA Inventory.

All chemicals used in this product are either listed or exempt. No chemicals used in this product are reportable under SARA Title III, Section 302.

This product is not known to contain any SARA 313 components.

CALIFORNIA PROPOSITION 65

SARA 313 COMPONENTS

This product is known to contain chemicals known to the state of California to cause cancer, birth defects, or other reproductive harm.

U.S. STATE RIGHT-TO-KNOW REGULATIONS

Chemical Name	New Jersey	Massachusetts	Pennsylvania	California	Rhode Island	Illinois
Microcrystalline Wax (CAS # 63231-60-7)	x	x	x			
Petroleum distillates (CAS # 64742-47-8)	x	X	x			

WHMIS CLASSIFICATION

Non-controlled

SECTION 16: ADDITIONAL INFORMATION

NFPA HMIS SDS REVISION NUMBER SDS PREPARATION DATE SUPERCEDES REVISION NOTES Health:1Flammability:2Health:2Flammability:05.027/Apr/2015Revision 4.0; 22/SEP/2014None available.

Instab

Instability: 0 Physical: 0

This information is supplied under the OSHA Hazard Communication Standard, 29 CFR 1910.1200, and is offered in good faith based on data available that is believed to be true and accurate.

Printed on 5/11/2015 10:10 AM



Page 10 of 11

Trewax Clear Paste Wax Safety Data Sheet

Revision Number: 5.0

This product has been classified in accordance with the hazard criteria of the *Controlled Products Regulations* and the SDS contains all information required by the *Controlled Products Regulations*.

The recommended hygiene and safe handling procedures are believed to be generally applicable to this product. However, each user should review these recommendations in a specific context of the intended use and determine whether they are appropriate for that use. No warranty, express or implied, is made regarding the accuracy of this data, the hazards connected with the use of the product, or the results to be obtained from the use thereof. We assume no responsibility for damage or injury from the use of the product described herein.

