

SAFETY DATA SHEET

LUG 1 BLACK

6-14-2021: File reviewed, more current MSDS/SDS not available. JMC

1. Identification

Product identifier

Product name LUG 1 BLACK

Product number LUG 1 BLACK

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

LUG 1 BLACK

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

Special hazards arising from the substance or mixture

Specific hazards	The product is not believed to present a hazard due to its physical nature.
-------------------------	---

Advice for firefighters

Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials.
--	---

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	For personal protection, see Section 8.
-----------------------------	---

Environmental precautions

Environmental precautions	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
----------------------------------	--

Methods and material for containment and cleaning up

Methods for cleaning up	Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material
--------------------------------	---

Reference to other sections	For waste disposal, see Section 13. For personal protection, see Section 8.
------------------------------------	---

7. Handling and storage

Precautions for safe handling

Usage precautions	Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.
--------------------------	--

Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly-closed, original container in a dry and cool place.
----------------------------	--

Specific end uses(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

LUG 1 BLACK

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilations requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none

LUG 1 BLACK

Oxidizing properties none

Other information Not applicable.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous reactions None known.

Conditions to avoid None known.

Materials to avoid None known.

Hazardous decomposition products None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

LUG 1 BLACK

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

Other adverse effects**Other adverse effects**

None known.

13. Disposal considerations**Waste treatment methods****General information**

Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information**General**

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards**Environmentally Hazardous Substance**

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information**International Regulations****US State Regulations****California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

asp 400

1-5%

2-aminoethanol

<1%

LUG 1 BLACK

silica

1-5%

Rhode Island "Right To Know" List

asp 400

1-5%

2-aminoethanol

<1%

silica

1-5%

Minnesota "Right To Know" List

asp 400

1-5%

2-aminoethanol

<1%

silica

1-5%

New Jersey "Right To Know" List

asp 400

1-5%

2-aminoethanol

<1%

silica

1-5%

Pennsylvania "Right To Know" List

asp 400

1-5%

2-aminoethanol

<1%

silica

1-5%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

LUG 1 BLACK

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/1/2016
Revision	4
Supersedes date	7/27/2016
SDS No.	5320

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 10 WHITE

1. Identification

Product identifier

Product name LUG 10 WHITE

Product number LUG 10 WHITE

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

LUG 10 WHITE

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

Special hazards arising from the substance or mixture

Specific hazards	The product is not believed to present a hazard due to its physical nature.
-------------------------	---

Advice for firefighters

Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials.
--	---

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	For personal protection, see Section 8.
-----------------------------	---

Environmental precautions

Environmental precautions	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
----------------------------------	--

Methods and material for containment and cleaning up

Methods for cleaning up	Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material
--------------------------------	---

Reference to other sections	For waste disposal, see Section 13. For personal protection, see Section 8.
------------------------------------	---

7. Handling and storage

Precautions for safe handling

Usage precautions	Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.
--------------------------	--

Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly-closed, original container in a dry and cool place.
----------------------------	--

Specific end uses(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

LUG 10 WHITE

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilation requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none

LUG 10 WHITE

Oxidizing properties none

Other information Not applicable.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous reactions None known.

Conditions to avoid None known.

Materials to avoid None known.

Hazardous decomposition products None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

LUG 10 WHITE

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information

Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

International Regulations

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

2-aminoethanol

<1%

asp 400

5-10%

LUG 10 WHITE

silica

5-10%

Rhode Island "Right To Know" List

2-aminoethanol

<1%

asp 400

5-10%

silica

5-10%

Minnesota "Right To Know" List

2-aminoethanol

<1%

asp 400

5-10%

silica

5-10%

New Jersey "Right To Know" List

2-aminoethanol

<1%

asp 400

5-10%

silica

5-10%

Pennsylvania "Right To Know" List

2-aminoethanol

<1%

asp 400

5-10%

silica

5-10%

Inventories

Canada - DSL/NDL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

LUG 10 WHITE

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/1/2016
Revision	4
Supersedes date	7/27/2016
SDS No.	5321

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 15 WARM GRAY

1. Identification

Product identifier

Product name LUG 15 WARM GRAY

Product number LUG 15 WARM GRAY

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

LUG 15 WARM GRAY

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

LUG 15 WARM GRAY

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilation requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none

LUG 15 WARM GRAY

Oxidizing properties none

Other information Not applicable.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous reactions None known.

Conditions to avoid None known.

Materials to avoid None known.

Hazardous decomposition products None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

LUG 15 WARM GRAY

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

Other adverse effects**Other adverse effects**

None known.

13. Disposal considerations**Waste treatment methods****General information**

Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information**General**

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards**Environmentally Hazardous Substance**

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information**International Regulations****US State Regulations****California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

5-10%

LUG 15 WARM GRAY

silica

5-10%

Rhode Island "Right To Know" List

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

5-10%

silica

5-10%

Minnesota "Right To Know" List

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

5-10%

silica

5-10%

New Jersey "Right To Know" List

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

5-10%

silica

5-10%

Pennsylvania "Right To Know" List

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

5-10%

silica

5-10%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

LUG 15 WARM GRAY

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/1/2016
Revision	4
Supersedes date	7/27/2016
SDS No.	5322

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 20 LIGHT BLUE

1. Identification

Product identifier

Product name LUG 20 LIGHT BLUE

Product number LUG 20 LIGHT BLUE

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

LUG 20 LIGHT BLUE

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

Special hazards arising from the substance or mixture

Specific hazards	The product is not believed to present a hazard due to its physical nature.
-------------------------	---

Advice for firefighters

Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials.
--	---

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	For personal protection, see Section 8.
-----------------------------	---

Environmental precautions

Environmental precautions	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
----------------------------------	--

Methods and material for containment and cleaning up

Methods for cleaning up	Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material
--------------------------------	---

Reference to other sections	For waste disposal, see Section 13. For personal protection, see Section 8.
------------------------------------	---

7. Handling and storage

Precautions for safe handling

Usage precautions	Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.
--------------------------	--

Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly-closed, original container in a dry and cool place.
----------------------------	--

Specific end uses(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

LUG 20 LIGHT BLUE

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilations requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none

LUG 20 LIGHT BLUE

Oxidizing properties none

Other information Not applicable.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous reactions None known.

Conditions to avoid None known.

Materials to avoid None known.

Hazardous decomposition products None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

LUG 20 LIGHT BLUE

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

Other adverse effects**Other adverse effects**

None known.

13. Disposal considerations**Waste treatment methods****General information**

Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information**General**

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards**Environmentally Hazardous Substance**

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information**International Regulations****US State Regulations****California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

tennessee 10

10-30%

silica

5-10%

LUG 20 LIGHT BLUE

2-aminoethanol

<1%

Rhode Island "Right To Know" List

tennessee 10

10-30%

silica

5-10%

2-aminoethanol

<1%

Minnesota "Right To Know" List

tennessee 10

10-30%

silica

5-10%

2-aminoethanol

<1%

New Jersey "Right To Know" List

tennessee 10

10-30%

silica

5-10%

2-aminoethanol

<1%

Pennsylvania "Right To Know" List

tennessee 10

10-30%

silica

5-10%

2-aminoethanol

<1%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

LUG 20 LIGHT BLUE

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/1/2016
Revision	4
Supersedes date	7/27/2016
SDS No.	5323

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 21 MEDIUM BLUE

1. Identification

Product identifier

Product name LUG 21 MEDIUM BLUE

Product number LUG 21 MEDIUM BLUE

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

LUG 21 MEDIUM BLUE

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

Special hazards arising from the substance or mixture

Specific hazards	The product is not believed to present a hazard due to its physical nature.
-------------------------	---

Advice for firefighters

Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials.
--	---

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	For personal protection, see Section 8.
-----------------------------	---

Environmental precautions

Environmental precautions	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
----------------------------------	--

Methods and material for containment and cleaning up

Methods for cleaning up	Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material
--------------------------------	---

Reference to other sections	For waste disposal, see Section 13. For personal protection, see Section 8.
------------------------------------	---

7. Handling and storage

Precautions for safe handling

Usage precautions	Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.
--------------------------	--

Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly-closed, original container in a dry and cool place.
----------------------------	--

Specific end uses(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

LUG 21 MEDIUM BLUE

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilation requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none

LUG 21 MEDIUM BLUE

Oxidizing properties none

Other information Not applicable.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous reactions None known.

Conditions to avoid None known.

Materials to avoid None known.

Hazardous decomposition products None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

LUG 21 MEDIUM BLUE

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

Other adverse effects**Other adverse effects**

None known.

13. Disposal considerations**Waste treatment methods****General information**

Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information**General**

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards**Environmentally Hazardous Substance**

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information**International Regulations****US State Regulations****California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

2-aminoethanol

<1%

silica

5-10%

LUG 21 MEDIUM BLUE

HYDROUS ALUMINIUM SILICATE

5-10%

Rhode Island "Right To Know" List

2-aminoethanol

<1%

silica

5-10%

HYDROUS ALUMINIUM SILICATE

5-10%

Minnesota "Right To Know" List

2-aminoethanol

<1%

silica

5-10%

HYDROUS ALUMINIUM SILICATE

5-10%

New Jersey "Right To Know" List

2-aminoethanol

<1%

silica

5-10%

HYDROUS ALUMINIUM SILICATE

5-10%

Pennsylvania "Right To Know" List

2-aminoethanol

<1%

silica

5-10%

HYDROUS ALUMINIUM SILICATE

5-10%

Inventories

Canada - DSL/NDL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

LUG 21 MEDIUM BLUE

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/1/2016
Revision	4
Supersedes date	7/27/2016
SDS No.	5324

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 22 DARK BLUE

1. Identification

Product identifier

Product name LUG 22 DARK BLUE

Product number LUG 22 DARK BLUE

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

LUG 22 DARK BLUE

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

Special hazards arising from the substance or mixture

Specific hazards	The product is not believed to present a hazard due to its physical nature.
-------------------------	---

Advice for firefighters

Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials.
--	---

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	For personal protection, see Section 8.
-----------------------------	---

Environmental precautions

Environmental precautions	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
----------------------------------	--

Methods and material for containment and cleaning up

Methods for cleaning up	Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material
--------------------------------	---

Reference to other sections	For waste disposal, see Section 13. For personal protection, see Section 8.
------------------------------------	---

7. Handling and storage

Precautions for safe handling

Usage precautions	Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.
--------------------------	--

Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly-closed, original container in a dry and cool place.
----------------------------	--

Specific end uses(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

LUG 22 DARK BLUE

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilation requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none

LUG 22 DARK BLUE

Oxidizing properties none

Other information Not applicable.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous reactions None known.

Conditions to avoid None known.

Materials to avoid None known.

Hazardous decomposition products None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

LUG 22 DARK BLUE

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

Other adverse effects**Other adverse effects**

None known.

13. Disposal considerations**Waste treatment methods****General information**

Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information**General**

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards**Environmentally Hazardous Substance**

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information**International Regulations****US State Regulations****California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

5-10%

LUG 22 DARK BLUE

silica

10-30%

Rhode Island "Right To Know" List

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

5-10%

silica

10-30%

Minnesota "Right To Know" List

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

5-10%

silica

10-30%

New Jersey "Right To Know" List

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

5-10%

silica

10-30%

Pennsylvania "Right To Know" List

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

5-10%

silica

10-30%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

LUG 22 DARK BLUE

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/1/2016
Revision	4
Supersedes date	7/27/2016
SDS No.	5325

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 25 TURQUOISE

1. Identification

Product identifier

Product name LUG 25 TURQUOISE

Product number LUG 25 TURQUOISE

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

LUG 25 TURQUOISE

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

Special hazards arising from the substance or mixture

Specific hazards	The product is not believed to present a hazard due to its physical nature.
-------------------------	---

Advice for firefighters

Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials.
--	---

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	For personal protection, see Section 8.
-----------------------------	---

Environmental precautions

Environmental precautions	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
----------------------------------	--

Methods and material for containment and cleaning up

Methods for cleaning up	Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material
--------------------------------	---

Reference to other sections	For waste disposal, see Section 13. For personal protection, see Section 8.
------------------------------------	---

7. Handling and storage

Precautions for safe handling

Usage precautions	Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.
--------------------------	--

Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly-closed, original container in a dry and cool place.
----------------------------	--

Specific end uses(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

LUG 25 TURQUOISE

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilation requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none

LUG 25 TURQUOISE

Oxidizing properties none

Other information Not applicable.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous reactions None known.

Conditions to avoid None known.

Materials to avoid None known.

Hazardous decomposition products None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

LUG 25 TURQUOISE

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

Other adverse effects**Other adverse effects**

None known.

13. Disposal considerations**Waste treatment methods****General information**

Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information**General**

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards**Environmentally Hazardous Substance**

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information**International Regulations****US State Regulations****California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

2-aminoethanol

<1%

tennessee 10

5-10%

LUG 25 TURQUOISE

silica

5-10%

Rhode Island "Right To Know" List

2-aminoethanol

<1%

tennessee 10

5-10%

silica

5-10%

Minnesota "Right To Know" List

2-aminoethanol

<1%

tennessee 10

5-10%

silica

5-10%

New Jersey "Right To Know" List

2-aminoethanol

<1%

tennessee 10

5-10%

silica

5-10%

Pennsylvania "Right To Know" List

2-aminoethanol

<1%

tennessee 10

5-10%

silica

5-10%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

LUG 25 TURQUOISE

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/1/2016
Revision	4
Supersedes date	7/27/2016
SDS No.	5326

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 26 AQUA

1. Identification

Product identifier

Product name LUG 26 AQUA

Product number LUG 26 AQUA

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

LUG 26 AQUA

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

Special hazards arising from the substance or mixture

Specific hazards	The product is not believed to present a hazard due to its physical nature.
-------------------------	---

Advice for firefighters

Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials.
--	---

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	For personal protection, see Section 8.
-----------------------------	---

Environmental precautions

Environmental precautions	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
----------------------------------	--

Methods and material for containment and cleaning up

Methods for cleaning up	Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material
--------------------------------	---

Reference to other sections	For waste disposal, see Section 13. For personal protection, see Section 8.
------------------------------------	---

7. Handling and storage

Precautions for safe handling

Usage precautions	Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.
--------------------------	--

Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly-closed, original container in a dry and cool place.
----------------------------	--

Specific end uses(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

LUG 26 AQUA

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilations requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none

LUG 26 AQUA

Oxidizing properties none

Other information Not applicable.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous reactions None known.

Conditions to avoid None known.

Materials to avoid None known.

Hazardous decomposition products None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

LUG 26 AQUA

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

Other adverse effects**Other adverse effects**

None known.

13. Disposal considerations**Waste treatment methods****General information**

Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information**General**

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards**Environmentally Hazardous Substance**

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information**International Regulations****US State Regulations****California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

2-aminoethanol

<1%

Hydrated Aluminium Silicate

10-30%

LUG 26 AQUA

silica

10-30%

Rhode Island "Right To Know" List

2-aminoethanol

<1%

Hydrated Aluminium Silicate

10-30%

silica

10-30%

Minnesota "Right To Know" List

2-aminoethanol

<1%

Hydrated Aluminium Silicate

10-30%

silica

10-30%

New Jersey "Right To Know" List

2-aminoethanol

<1%

Hydrated Aluminium Silicate

10-30%

silica

10-30%

Pennsylvania "Right To Know" List

2-aminoethanol

<1%

Hydrated Aluminium Silicate

10-30%

silica

10-30%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

LUG 26 AQUA

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/1/2016
Revision	4
Supersedes date	7/27/2016
SDS No.	5327

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 30 LIGHT BROWN

1. Identification

Product identifier

Product name LUG 30 LIGHT BROWN

Product number LUG 30 LIGHT BROWN

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

LUG 30 LIGHT BROWN

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

Special hazards arising from the substance or mixture

Specific hazards	The product is not believed to present a hazard due to its physical nature.
-------------------------	---

Advice for firefighters

Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials.
--	---

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	For personal protection, see Section 8.
-----------------------------	---

Environmental precautions

Environmental precautions	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
----------------------------------	--

Methods and material for containment and cleaning up

Methods for cleaning up	Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material
--------------------------------	---

Reference to other sections	For waste disposal, see Section 13. For personal protection, see Section 8.
------------------------------------	---

7. Handling and storage

Precautions for safe handling

Usage precautions	Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.
--------------------------	--

Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly-closed, original container in a dry and cool place.
----------------------------	--

Specific end uses(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

LUG 30 LIGHT BROWN

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilation requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none

LUG 30 LIGHT BROWN

Oxidizing properties none

Other information Not applicable.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous reactions None known.

Conditions to avoid None known.

Materials to avoid None known.

Hazardous decomposition products None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

LUG 30 LIGHT BROWN

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

Other adverse effects**Other adverse effects**

None known.

13. Disposal considerations**Waste treatment methods****General information**

Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information**General**

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards**Environmentally Hazardous Substance**

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information**International Regulations****US State Regulations****California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

asp 400

10-30%

2-aminoethanol

<1%

LUG 30 LIGHT BROWN

Rhode Island "Right To Know" List

asp 400

10-30%

2-aminoethanol

<1%

Minnesota "Right To Know" List

asp 400

10-30%

2-aminoethanol

<1%

New Jersey "Right To Know" List

asp 400

10-30%

2-aminoethanol

<1%

Pennsylvania "Right To Know" List

asp 400

10-30%

2-aminoethanol

<1%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/1/2016
Revision	4
Supersedes date	7/27/2016
SDS No.	5328

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 31 MAHOGANY BROWN

1. Identification

Product identifier

Product name LUG 31 MAHOGANY BROWN

Product number LUG 31 MAHOGANY BROWN

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

LUG 31 MAHOGANY BROWN

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

Special hazards arising from the substance or mixture

Specific hazards	The product is not believed to present a hazard due to its physical nature.
-------------------------	---

Advice for firefighters

Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials.
--	---

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	For personal protection, see Section 8.
-----------------------------	---

Environmental precautions

Environmental precautions	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
----------------------------------	--

Methods and material for containment and cleaning up

Methods for cleaning up	Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material
--------------------------------	---

Reference to other sections	For waste disposal, see Section 13. For personal protection, see Section 8.
------------------------------------	---

7. Handling and storage

Precautions for safe handling

Usage precautions	Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.
--------------------------	--

Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly-closed, original container in a dry and cool place.
----------------------------	--

Specific end uses(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

LUG 31 MAHOGANY BROWN

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilation requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none

LUG 31 MAHOGANY BROWN

Oxidizing properties none

Other information Not applicable.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous reactions None known.

Conditions to avoid None known.

Materials to avoid None known.

Hazardous decomposition products None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

LUG 31 MAHOGANY BROWN

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

Other adverse effects**Other adverse effects**

None known.

13. Disposal considerations**Waste treatment methods****General information**

Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information**General**

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards**Environmentally Hazardous Substance**

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information**International Regulations****US State Regulations****California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

HYDROUS ALUMINIUM SILICATE

5-10%

silica

5-10%

LUG 31 MAHOGANY BROWN

2-aminoethanol

<1%

Rhode Island "Right To Know" List

HYDROUS ALUMINIUM SILICATE

5-10%

silica

5-10%

2-aminoethanol

<1%

Minnesota "Right To Know" List

HYDROUS ALUMINIUM SILICATE

5-10%

silica

5-10%

2-aminoethanol

<1%

New Jersey "Right To Know" List

HYDROUS ALUMINIUM SILICATE

5-10%

silica

5-10%

2-aminoethanol

<1%

Pennsylvania "Right To Know" List

HYDROUS ALUMINIUM SILICATE

5-10%

silica

5-10%

2-aminoethanol

<1%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

LUG 31 MAHOGANY BROWN

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/1/2016
Revision	4
Supersedes date	7/27/2016
SDS No.	5329

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 40 CHARTREUSE

1. Identification

Product identifier

Product name LUG 40 CHARTREUSE

Product number LUG 40 CHARTREUSE

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

LUG 40 CHARTREUSE

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

Special hazards arising from the substance or mixture

Specific hazards	The product is not believed to present a hazard due to its physical nature.
-------------------------	---

Advice for firefighters

Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials.
--	---

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	For personal protection, see Section 8.
-----------------------------	---

Environmental precautions

Environmental precautions	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
----------------------------------	--

Methods and material for containment and cleaning up

Methods for cleaning up	Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material
--------------------------------	---

Reference to other sections	For waste disposal, see Section 13. For personal protection, see Section 8.
------------------------------------	---

7. Handling and storage

Precautions for safe handling

Usage precautions	Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.
--------------------------	--

Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly-closed, original container in a dry and cool place.
----------------------------	--

Specific end uses(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

LUG 40 CHARTREUSE

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilation requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none

LUG 40 CHARTREUSE

Oxidizing properties none

Other information Not applicable.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous reactions None known.

Conditions to avoid None known.

Materials to avoid None known.

Hazardous decomposition products None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

LUG 40 CHARTREUSE

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects

None known.

13. Disposal considerations

Waste treatment methods

General information

Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

International Regulations

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

asp 400

10-30%

silica

1-5%

LUG 40 CHARTREUSE

2-aminoethanol

<1%

Rhode Island "Right To Know" List

asp 400

10-30%

silica

1-5%

2-aminoethanol

<1%

Minnesota "Right To Know" List

asp 400

10-30%

silica

1-5%

2-aminoethanol

<1%

New Jersey "Right To Know" List

asp 400

10-30%

silica

1-5%

2-aminoethanol

<1%

Pennsylvania "Right To Know" List

asp 400

10-30%

silica

1-5%

2-aminoethanol

<1%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

LUG 40 CHARTREUSE

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/1/2016
Revision	4
Supersedes date	7/27/2016
SDS No.	5330

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 41 WARM GREEN

1. Identification

Product identifier

Product name LUG 41 WARM GREEN

Product number LUG 41 WARM GREEN

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

LUG 41 WARM GREEN

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

Special hazards arising from the substance or mixture

Specific hazards	The product is not believed to present a hazard due to its physical nature.
-------------------------	---

Advice for firefighters

Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials.
--	---

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	For personal protection, see Section 8.
-----------------------------	---

Environmental precautions

Environmental precautions	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
----------------------------------	--

Methods and material for containment and cleaning up

Methods for cleaning up	Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material
--------------------------------	---

Reference to other sections	For waste disposal, see Section 13. For personal protection, see Section 8.
------------------------------------	---

7. Handling and storage

Precautions for safe handling

Usage precautions	Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.
--------------------------	--

Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly-closed, original container in a dry and cool place.
----------------------------	--

Specific end uses(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

LUG 41 WARM GREEN

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilation requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none

LUG 41 WARM GREEN

Oxidizing properties none

Other information Not applicable.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous reactions None known.

Conditions to avoid None known.

Materials to avoid None known.

Hazardous decomposition products None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

LUG 41 WARM GREEN

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

Other adverse effects**Other adverse effects**

None known.

13. Disposal considerations**Waste treatment methods****General information**

Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information**General**

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards**Environmentally Hazardous Substance**

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information**International Regulations****US State Regulations****California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

silica

5-10%

2-aminoethanol

<1%

LUG 41 WARM GREEN

HYDROUS ALUMINIUM SILICATE

5-10%

Rhode Island "Right To Know" List

silica

5-10%

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

5-10%

Minnesota "Right To Know" List

silica

5-10%

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

5-10%

New Jersey "Right To Know" List

silica

5-10%

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

5-10%

Pennsylvania "Right To Know" List

silica

5-10%

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

5-10%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

LUG 41 WARM GREEN

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/1/2016
Revision	4
Supersedes date	7/27/2016
SDS No.	5331

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 42 BLUE GREEN

1. Identification

Product identifier

Product name LUG 42 BLUE GREEN

Product number LUG 42 BLUE GREEN

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

LUG 42 BLUE GREEN

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

Special hazards arising from the substance or mixture

Specific hazards	The product is not believed to present a hazard due to its physical nature.
-------------------------	---

Advice for firefighters

Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials.
--	---

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	For personal protection, see Section 8.
-----------------------------	---

Environmental precautions

Environmental precautions	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
----------------------------------	--

Methods and material for containment and cleaning up

Methods for cleaning up	Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material
--------------------------------	---

Reference to other sections	For waste disposal, see Section 13. For personal protection, see Section 8.
------------------------------------	---

7. Handling and storage

Precautions for safe handling

Usage precautions	Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.
--------------------------	--

Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly-closed, original container in a dry and cool place.
----------------------------	--

Specific end uses(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

LUG 42 BLUE GREEN

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilation requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none

LUG 42 BLUE GREEN

Oxidizing properties none

Other information Not applicable.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous reactions None known.

Conditions to avoid None known.

Materials to avoid None known.

Hazardous decomposition products None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

LUG 42 BLUE GREEN

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

Other adverse effects**Other adverse effects**

None known.

13. Disposal considerations**Waste treatment methods****General information**

Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information**General**

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards**Environmentally Hazardous Substance**

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information**International Regulations****US State Regulations****California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

10-30%

LUG 42 BLUE GREEN

silica

10-30%

Rhode Island "Right To Know" List

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

10-30%

silica

10-30%

Minnesota "Right To Know" List

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

10-30%

silica

10-30%

New Jersey "Right To Know" List

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

10-30%

silica

10-30%

Pennsylvania "Right To Know" List

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

10-30%

silica

10-30%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

LUG 42 BLUE GREEN

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/1/2016
Revision	4
Supersedes date	7/27/2016
SDS No.	5332

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 43 DARK GREEN

1. Identification

Product identifier

Product name LUG 43 DARK GREEN

Product number LUG 43 DARK GREEN

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

LUG 43 DARK GREEN

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

LUG 43 DARK GREEN

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilation requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none

LUG 43 DARK GREEN

Oxidizing properties none

Other information Not applicable.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous reactions None known.

Conditions to avoid None known.

Materials to avoid None known.

Hazardous decomposition products None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

LUG 43 DARK GREEN

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

Other adverse effects**Other adverse effects**

None known.

13. Disposal considerations**Waste treatment methods****General information**

Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information**General**

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards**Environmentally Hazardous Substance**

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information**International Regulations****US State Regulations****California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

silica

5-10%

Hydrated Aluminium Silicate

5-10%

LUG 43 DARK GREEN

2-aminoethanol

<1%

Rhode Island "Right To Know" List

silica

5-10%

Hydrated Aluminium Silicate

5-10%

2-aminoethanol

<1%

Minnesota "Right To Know" List

silica

5-10%

Hydrated Aluminium Silicate

5-10%

2-aminoethanol

<1%

New Jersey "Right To Know" List

silica

5-10%

Hydrated Aluminium Silicate

5-10%

2-aminoethanol

<1%

Pennsylvania "Right To Know" List

silica

5-10%

Hydrated Aluminium Silicate

5-10%

2-aminoethanol

<1%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

LUG 43 DARK GREEN

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/1/2016
Revision	4
Supersedes date	7/27/2016
SDS No.	5333

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 50 PINK

1. Identification

Product identifier

Product name LUG 50 PINK

Product number LUG 50 PINK

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

silica	5-10%
---------------	--------------

CAS number: 14808-60-7

Classification

STOT RE 2 - H373

zinc oxide	1-5%
-------------------	-------------

CAS number: 1314-13-2

Classification

Not relevant.

The full text for all hazard statements is displayed in Section 16.

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

LUG 50 PINK

4. First-aid measures

Description of first aid measures

General information

--

Ingestion

Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact

Wash skin thoroughly with soap and water.

Eye contact

Rinse with water.

Most important symptoms and effects, both acute and delayed

Inhalation

Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.

Ingestion

Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.

Skin contact

Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.

Eye contact

Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards

The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters

Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions

For personal protection, see Section 8.

Environmental precautions

Environmental precautions

Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up

Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material

Reference to other sections

For waste disposal, see Section 13. For personal protection, see Section 8.

LUG 50 PINK

7. Handling and storage

Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilations requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.

LUG 50 PINK

Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none
Oxidizing properties	none
Other information	Not applicable.

10. Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	No particular stability concerns.
Possibility of hazardous reactions	None known.
Conditions to avoid	None known.
Materials to avoid	None known.
Hazardous decomposition products	None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects	Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).
-----------------------	---

Skin corrosion/irritation

Skin sensitization

Skin sensitization	Based on available data the classification criteria are not met.
--------------------	--

Eye contact	May cause temporary eye irritation.
-------------	-------------------------------------

12. Ecological Information

Ecotoxicity	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
-------------	--

Toxicity

Toxicity	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
----------	--

LUG 50 PINK

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General This package is shipped in accordance with ADR SP375, IATA A197 & IMDG 2.10.2.7.

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labelling requirements for larger volumes

Special precautions for user

Not applicable.

Transport in bulk according to Not applicable.

**Annex II of MARPOL 73/78
and the IBC Code**

15. Regulatory information

International Regulations

LUG 50 PINK

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

silica

5-10%

HYDROUS ALUMINIUM SILICATE

5-10%

zinc oxide

1-5%

2-aminoethanol

<1%

Rhode Island "Right To Know" List

silica

5-10%

HYDROUS ALUMINIUM SILICATE

5-10%

zinc oxide

1-5%

2-aminoethanol

<1%

Minnesota "Right To Know" List

silica

5-10%

HYDROUS ALUMINIUM SILICATE

5-10%

zinc oxide

1-5%

2-aminoethanol

<1%

New Jersey "Right To Know" List

silica

5-10%

HYDROUS ALUMINIUM SILICATE

5-10%

zinc oxide

1-5%

2-aminoethanol

<1%

Pennsylvania "Right To Know" List

silica

5-10%

LUG 50 PINK

HYDROUS ALUMINIUM SILICATE

5-10%

zinc oxide

1-5%

2-aminoethanol

<1%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/3/2016
Revision	8
Supersedes date	8/2/2016
SDS No.	5334
Hazard statements in full	H373 May cause damage to organs through prolonged or repeated exposure.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 51 ROSE

1. Identification

Product identifier

Product name LUG 51 ROSE

Product number LUG 51 ROSE

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

silica	5-10%
---------------	--------------

CAS number: 14808-60-7

Classification

STOT RE 2 - H373

The full text for all hazard statements is displayed in Section 16.

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

LUG 51 ROSE

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

Inhalation Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.

Ingestion Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.

Skin contact Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.

Eye contact Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

LUG 51 ROSE

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilations requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0

LUG 51 ROSE

Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none
Oxidizing properties	none
Other information	Not applicable.

10. Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	No particular stability concerns.
Possibility of hazardous reactions	None known.
Conditions to avoid	None known.
Materials to avoid	None known.
Hazardous decomposition products	None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects	Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).
------------------------------	---

Skin corrosion/irritation

Skin sensitization

Skin sensitization	Based on available data the classification criteria are not met.
---------------------------	--

Eye contact	May cause temporary eye irritation.
--------------------	-------------------------------------

12. Ecological Information

Ecotoxicity	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
--------------------	--

Toxicity

Toxicity	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
-----------------	--

Persistence and degradability

Persistence and degradability	No data available.
--------------------------------------	--------------------

LUG 51 ROSE

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

International Regulations

US State Regulations

LUG 51 ROSE

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

tennessee 10

10-30%

silica

5-10%

2-aminoethanol

<1%

calcium carbonate and dolomite

1-5%

Rhode Island "Right To Know" List

tennessee 10

10-30%

silica

5-10%

2-aminoethanol

<1%

calcium carbonate and dolomite

1-5%

Minnesota "Right To Know" List

tennessee 10

10-30%

silica

5-10%

2-aminoethanol

<1%

calcium carbonate and dolomite

1-5%

New Jersey "Right To Know" List

tennessee 10

10-30%

silica

5-10%

2-aminoethanol

<1%

calcium carbonate and dolomite

1-5%

Pennsylvania "Right To Know" List

tennessee 10

10-30%

LUG 51 ROSE

silica

5-10%

2-aminoethanol

<1%

calcium carbonate and dolomite

1-5%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/3/2016
Revision	6
Supersedes date	8/2/2016
SDS No.	5335
Hazard statements in full	H373 May cause damage to organs through prolonged or repeated exposure.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 52 PEACH

1. Identification

Product identifier

Product name LUG 52 PEACH

Product number LUG 52 PEACH

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

silica	5-10%
CAS number: 14808-60-7	
Classification STOT RE 2 - H373	

The full text for all hazard statements is displayed in Section 16.

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

LUG 52 PEACH

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

Inhalation Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.

Ingestion Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.

Skin contact Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.

Eye contact Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

LUG 52 PEACH

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilations requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0

LUG 52 PEACH

Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none
Oxidizing properties	none
Other information	Not applicable.

10. Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	No particular stability concerns.
Possibility of hazardous reactions	None known.
Conditions to avoid	None known.
Materials to avoid	None known.
Hazardous decomposition products	None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects	Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).
------------------------------	---

Skin corrosion/irritation

Skin sensitization

Skin sensitization	Based on available data the classification criteria are not met.
---------------------------	--

Eye contact	May cause temporary eye irritation.
--------------------	-------------------------------------

12. Ecological Information

Ecotoxicity	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
--------------------	--

Toxicity

Toxicity	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
-----------------	--

Persistence and degradability

Persistence and degradability	No data available.
--------------------------------------	--------------------

LUG 52 PEACH

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

International Regulations

US State Regulations

LUG 52 PEACH

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

HYDROUS ALUMINIUM SILICATE

5-10%

2-aminoethanol

<1%

silica

5-10%

calcium carbonate and dolomite

1-5%

Rhode Island "Right To Know" List

HYDROUS ALUMINIUM SILICATE

5-10%

2-aminoethanol

<1%

silica

5-10%

calcium carbonate and dolomite

1-5%

Minnesota "Right To Know" List

HYDROUS ALUMINIUM SILICATE

5-10%

2-aminoethanol

<1%

silica

5-10%

calcium carbonate and dolomite

1-5%

New Jersey "Right To Know" List

HYDROUS ALUMINIUM SILICATE

5-10%

2-aminoethanol

<1%

silica

5-10%

calcium carbonate and dolomite

1-5%

Pennsylvania "Right To Know" List

HYDROUS ALUMINIUM SILICATE

5-10%

LUG 52 PEACH

2-aminoethanol

<1%

silica

5-10%

calcium carbonate and dolomite

1-5%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/3/2016
Revision	6
Supersedes date	8/2/2016
SDS No.	5336
Hazard statements in full	H373 May cause damage to organs through prolonged or repeated exposure.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 53 SUN TAN

1. Identification

Product identifier

Product name LUG 53 SUN TAN

Product number LUG 53 SUN TAN

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

silica	5-10%
---------------	--------------

CAS number: 14808-60-7

Classification

STOT RE 2 - H373

The full text for all hazard statements is displayed in Section 16.

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

LUG 53 SUN TAN

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

Inhalation Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.

Ingestion Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.

Skin contact Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.

Eye contact Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

LUG 53 SUN TAN

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilations requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0

LUG 53 SUN TAN

Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none
Oxidizing properties	none
Other information	Not applicable.

10. Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	No particular stability concerns.
Possibility of hazardous reactions	None known.
Conditions to avoid	None known.
Materials to avoid	None known.
Hazardous decomposition products	None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects	Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).
------------------------------	---

Skin corrosion/irritation

Skin sensitization

Skin sensitization	Based on available data the classification criteria are not met.
---------------------------	--

Eye contact	May cause temporary eye irritation.
--------------------	-------------------------------------

12. Ecological Information

Ecotoxicity	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
--------------------	--

Toxicity

Toxicity	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
-----------------	--

Persistence and degradability

Persistence and degradability	No data available.
--------------------------------------	--------------------

LUG 53 SUN TAN

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

International Regulations

US State Regulations

LUG 53 SUN TAN

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

silica

5-10%

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

10-30%

Rhode Island "Right To Know" List

silica

5-10%

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

10-30%

Minnesota "Right To Know" List

silica

5-10%

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

10-30%

New Jersey "Right To Know" List

silica

5-10%

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

10-30%

Pennsylvania "Right To Know" List

silica

5-10%

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

10-30%

Inventories

Canada - DSL/NDL

All the ingredients are listed or exempt.

LUG 53 SUN TAN

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/3/2016
Revision	5
Supersedes date	8/1/2016
SDS No.	5337
Hazard statements in full	H373 May cause damage to organs through prolonged or repeated exposure.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 54 LILAC

1. Identification

Product identifier

Product name LUG 54 LILAC

Product number LUG 54 LILAC

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

silica	1-5%
CAS number: 14808-60-7	

Classification
STOT RE 2 - H373

The full text for all hazard statements is displayed in Section 16.

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

LUG 54 LILAC

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

Inhalation Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.

Ingestion Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.

Skin contact Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.

Eye contact Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

LUG 54 LILAC

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilations requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0

LUG 54 LILAC

Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none
Oxidizing properties	none
Other information	Not applicable.

10. Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	No particular stability concerns.
Possibility of hazardous reactions	None known.
Conditions to avoid	None known.
Materials to avoid	None known.
Hazardous decomposition products	None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects	Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).
------------------------------	---

Skin corrosion/irritation

Skin sensitization

Skin sensitization	Based on available data the classification criteria are not met.
---------------------------	--

Eye contact	May cause temporary eye irritation.
--------------------	-------------------------------------

12. Ecological Information

Ecotoxicity	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
--------------------	--

Toxicity

Toxicity	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
-----------------	--

Persistence and degradability

Persistence and degradability	No data available.
--------------------------------------	--------------------

LUG 54 LILAC

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

International Regulations

US State Regulations

LUG 54 LILAC

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

silica

1-5%

2-aminoethanol

<1%

asp 400

10-30%

Rhode Island "Right To Know" List

silica

1-5%

2-aminoethanol

<1%

asp 400

10-30%

Minnesota "Right To Know" List

silica

1-5%

2-aminoethanol

<1%

asp 400

10-30%

New Jersey "Right To Know" List

silica

1-5%

Tin Oxide

<1%

2-aminoethanol

<1%

asp 400

10-30%

Pennsylvania "Right To Know" List

silica

1-5%

2-aminoethanol

<1%

asp 400

10-30%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

LUG 54 LILAC

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/3/2016
Revision	6
Supersedes date	8/2/2016
SDS No.	5338
Hazard statements in full	H373 May cause damage to organs through prolonged or repeated exposure.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 55 PURPLE

1. Identification

Product identifier

Product name LUG 55 PURPLE

Product number LUG 55 PURPLE

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

LUG 55 PURPLE

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

Special hazards arising from the substance or mixture

Specific hazards	The product is not believed to present a hazard due to its physical nature.
-------------------------	---

Advice for firefighters

Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials.
--	---

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	For personal protection, see Section 8.
-----------------------------	---

Environmental precautions

Environmental precautions	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
----------------------------------	--

Methods and material for containment and cleaning up

Methods for cleaning up	Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material
--------------------------------	---

Reference to other sections	For waste disposal, see Section 13. For personal protection, see Section 8.
------------------------------------	---

7. Handling and storage

Precautions for safe handling

Usage precautions	Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.
--------------------------	--

Conditions for safe storage, including any incompatibilities

Storage precautions	Store in tightly-closed, original container in a dry and cool place.
----------------------------	--

Specific end uses(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

LUG 55 PURPLE

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilation requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none

LUG 55 PURPLE

Oxidizing properties none

Other information Not applicable.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous reactions None known.

Conditions to avoid None known.

Materials to avoid None known.

Hazardous decomposition products None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

LUG 55 PURPLE

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

Other adverse effects**Other adverse effects**

None known.

13. Disposal considerations**Waste treatment methods****General information**

Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information**General**

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards**Environmentally Hazardous Substance**

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information**International Regulations****US State Regulations****California Proposition 65 Carcinogens and Reproductive Toxins**

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

asp 400

5-10%

2-aminoethanol

<1%

LUG 55 PURPLE

Rhode Island "Right To Know" List

asp 400

5-10%

2-aminoethanol

<1%

Minnesota "Right To Know" List

asp 400

5-10%

2-aminoethanol

<1%

New Jersey "Right To Know" List

asp 400

5-10%

2-aminoethanol

<1%

Pennsylvania "Right To Know" List

asp 400

5-10%

2-aminoethanol

<1%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/1/2016
Revision	4
Supersedes date	7/27/2016
SDS No.	5339

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 56 MAROON

1. Identification

Product identifier

Product name LUG 56 MAROON

Product number LUG 56 MAROON

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

silica	5-10%
---------------	--------------

CAS number: 14808-60-7

Classification

STOT RE 2 - H373

The full text for all hazard statements is displayed in Section 16.

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

LUG 56 MAROON

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

Inhalation Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.

Ingestion Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.

Skin contact Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.

Eye contact Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

LUG 56 MAROON

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilations requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0

LUG 56 MAROON

Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none
Oxidizing properties	none
Other information	Not applicable.

10. Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	No particular stability concerns.
Possibility of hazardous reactions	None known.
Conditions to avoid	None known.
Materials to avoid	None known.
Hazardous decomposition products	None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects	Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).
------------------------------	---

Skin corrosion/irritation

Skin sensitization

Skin sensitization	Based on available data the classification criteria are not met.
---------------------------	--

Eye contact	May cause temporary eye irritation.
--------------------	-------------------------------------

12. Ecological Information

Ecotoxicity	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
--------------------	--

Toxicity

Toxicity	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
-----------------	--

Persistence and degradability

Persistence and degradability	No data available.
--------------------------------------	--------------------

LUG 56 MAROON

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

International Regulations

US State Regulations

LUG 56 MAROON

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

2-aminoethanol

<1%

tennessee 10

5-10%

silica

5-10%

Rhode Island "Right To Know" List

2-aminoethanol

<1%

tennessee 10

5-10%

silica

5-10%

Minnesota "Right To Know" List

2-aminoethanol

<1%

tennessee 10

5-10%

silica

5-10%

New Jersey "Right To Know" List

2-aminoethanol

<1%

tennessee 10

5-10%

silica

5-10%

Pennsylvania "Right To Know" List

2-aminoethanol

<1%

tennessee 10

5-10%

silica

5-10%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

LUG 56 MAROON

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/3/2016
Revision	5
Supersedes date	8/1/2016
SDS No.	5340
Hazard statements in full	H373 May cause damage to organs through prolonged or repeated exposure.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 58 DARK RED

1. Identification

Product identifier

Product name LUG 58 DARK RED

Product number LUG 58 DARK RED

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

silica	10-30%
---------------	---------------

CAS number: 14808-60-7

Classification

STOT RE 2 - H373

The full text for all hazard statements is displayed in Section 16.

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

LUG 58 DARK RED

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

Inhalation Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.

Ingestion Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.

Skin contact Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.

Eye contact Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

LUG 58 DARK RED

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilations requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0

LUG 58 DARK RED

Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none
Oxidizing properties	none
Other information	Not applicable.

10. Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	No particular stability concerns.
Possibility of hazardous reactions	None known.
Conditions to avoid	None known.
Materials to avoid	None known.
Hazardous decomposition products	None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects	Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).
------------------------------	---

Skin corrosion/irritation

Skin sensitization

Skin sensitization	Based on available data the classification criteria are not met.
---------------------------	--

Eye contact	May cause temporary eye irritation.
--------------------	-------------------------------------

12. Ecological Information

Ecotoxicity	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
--------------------	--

Toxicity

Toxicity	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
-----------------	--

Persistence and degradability

Persistence and degradability	No data available.
--------------------------------------	--------------------

LUG 58 DARK RED

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

International Regulations

US State Regulations

LUG 58 DARK RED

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

silica

10-30%

Hydrated Aluminium Silicate

10-30%

2-aminoethanol

<1%

Rhode Island "Right To Know" List

silica

10-30%

Hydrated Aluminium Silicate

10-30%

2-aminoethanol

<1%

Minnesota "Right To Know" List

silica

10-30%

Hydrated Aluminium Silicate

10-30%

2-aminoethanol

<1%

New Jersey "Right To Know" List

silica

10-30%

Hydrated Aluminium Silicate

10-30%

2-aminoethanol

<1%

Pennsylvania "Right To Know" List

silica

10-30%

Hydrated Aluminium Silicate

10-30%

2-aminoethanol

<1%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

LUG 58 DARK RED

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/3/2016
Revision	5
Supersedes date	8/1/2016
SDS No.	5341
Hazard statements in full	H373 May cause damage to organs through prolonged or repeated exposure.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 60 LIGHT YELLOW

1. Identification

Product identifier

Product name LUG 60 LIGHT YELLOW

Product number LUG 60 LIGHT YELLOW

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

silica	10-30%
---------------	---------------

CAS number: 14808-60-7

Classification

STOT RE 2 - H373

The full text for all hazard statements is displayed in Section 16.

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

LUG 60 LIGHT YELLOW

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

Inhalation Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.

Ingestion Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.

Skin contact Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.

Eye contact Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

LUG 60 LIGHT YELLOW

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilations requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0

LUG 60 LIGHT YELLOW

Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none
Oxidizing properties	none
Other information	Not applicable.

10. Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	No particular stability concerns.
Possibility of hazardous reactions	None known.
Conditions to avoid	None known.
Materials to avoid	None known.
Hazardous decomposition products	None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects	Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).
------------------------------	---

Skin corrosion/irritation

Skin sensitization

Skin sensitization	Based on available data the classification criteria are not met.
---------------------------	--

Eye contact	May cause temporary eye irritation.
--------------------	-------------------------------------

12. Ecological Information

Ecotoxicity	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
--------------------	--

Toxicity

Toxicity	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
-----------------	--

Persistence and degradability

Persistence and degradability	No data available.
--------------------------------------	--------------------

LUG 60 LIGHT YELLOW

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

International Regulations

US State Regulations

LUG 60 LIGHT YELLOW

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

silica

10-30%

2-aminoethanol

<1%

tennessee 10

10-30%

Rhode Island "Right To Know" List

silica

10-30%

2-aminoethanol

<1%

tennessee 10

10-30%

Minnesota "Right To Know" List

silica

10-30%

2-aminoethanol

<1%

tennessee 10

10-30%

New Jersey "Right To Know" List

silica

10-30%

2-aminoethanol

<1%

tennessee 10

10-30%

Pennsylvania "Right To Know" List

silica

10-30%

2-aminoethanol

<1%

tennessee 10

10-30%

Inventories

Canada - DSL/NDL

All the ingredients are listed or exempt.

LUG 60 LIGHT YELLOW

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/3/2016
Revision	5
Supersedes date	8/1/2016
SDS No.	5342
Hazard statements in full	H373 May cause damage to organs through prolonged or repeated exposure.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 61 BRIGHT YELLOW

1. Identification

Product identifier

Product name LUG 61 BRIGHT YELLOW

Product number LUG 61 BRIGHT YELLOW

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

silica	5-10%
---------------	--------------

CAS number: 14808-60-7

Classification

STOT RE 2 - H373

The full text for all hazard statements is displayed in Section 16.

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

LUG 61 BRIGHT YELLOW

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

Inhalation Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.

Ingestion Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.

Skin contact Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.

Eye contact Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

LUG 61 BRIGHT YELLOW

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilations requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0

LUG 61 BRIGHT YELLOW

Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none
Oxidizing properties	none
Other information	Not applicable.

10. Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	No particular stability concerns.
Possibility of hazardous reactions	None known.
Conditions to avoid	None known.
Materials to avoid	None known.
Hazardous decomposition products	None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects	Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).
------------------------------	---

Skin corrosion/irritation

Skin sensitization

Skin sensitization	Based on available data the classification criteria are not met.
---------------------------	--

Eye contact	May cause temporary eye irritation.
--------------------	-------------------------------------

12. Ecological Information

Ecotoxicity	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
--------------------	--

Toxicity

Toxicity	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
-----------------	--

Persistence and degradability

Persistence and degradability	No data available.
--------------------------------------	--------------------

LUG 61 BRIGHT YELLOW

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

International Regulations

US State Regulations

LUG 61 BRIGHT YELLOW

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

2-aminoethanol

<1%

tennessee 10

5-10%

silica

5-10%

Rhode Island "Right To Know" List

2-aminoethanol

<1%

tennessee 10

5-10%

silica

5-10%

Minnesota "Right To Know" List

2-aminoethanol

<1%

tennessee 10

5-10%

silica

5-10%

New Jersey "Right To Know" List

2-aminoethanol

<1%

tennessee 10

5-10%

silica

5-10%

Pennsylvania "Right To Know" List

2-aminoethanol

<1%

tennessee 10

5-10%

silica

5-10%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

LUG 61 BRIGHT YELLOW

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/3/2016
Revision	5
Supersedes date	8/1/2016
SDS No.	5343
Hazard statements in full	H373 May cause damage to organs through prolonged or repeated exposure.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LUG 65 ORANGE

1. Identification

Product identifier

Product name LUG 65 ORANGE

Product number LUG 65 ORANGE

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present

3. Composition/information on ingredients

Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

General information --

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

LUG 65 ORANGE

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust / mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

LUG 65 ORANGE

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilation requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none

LUG 65 ORANGE

Oxidizing properties none

Other information Not applicable.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous reactions None known.

Conditions to avoid None known.

Materials to avoid None known.

Hazardous decomposition products None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

LUG 65 ORANGE

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects

None known.

13. Disposal considerations

Waste treatment methods

General information

Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

International Regulations

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

silica

5-10%

2-aminoethanol

<1%

LUG 65 ORANGE

HYDROUS ALUMINIUM SILICATE

5-10%

Rhode Island "Right To Know" List

silica

5-10%

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

5-10%

Minnesota "Right To Know" List

silica

5-10%

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

5-10%

New Jersey "Right To Know" List

silica

5-10%

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

5-10%

Pennsylvania "Right To Know" List

silica

5-10%

2-aminoethanol

<1%

HYDROUS ALUMINIUM SILICATE

5-10%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

LUG 65 ORANGE

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Hydrous Aluminum Silicate1332-58-7, Crystalline Silica14808-60-7, Calcium Carbonate1317-65-3, Feldspar68476-25-5 Ground Calcined Fireclay Shapes14464-46-1
Revision date	8/1/2016
Revision	4
Supersedes date	7/27/2016
SDS No.	5344

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.