

SAFETY DATA SHEET

Urea 46-0-0 Granular Ag Grade

Section 1. Identification

Product identifier	: Urea 46-0-0 Granular Ag Grade
Other means of identification	: Product code: 509-14027; 1727-14027; 1741-14224; 2308-14027; 2456-14027; 2494-14224; 2495-30581; 2497-14027; 3497-14027; 4379-14027 Historic MSDS #: 16008
Product type	: Solid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses		
Fertilizer. Manufacture of specialty fertilizers. Fertilizer Blend Component		
Uses advised against	Reason	
None known.	Chemical Safety Assessment	

Supplier's details	: Agrium Wholesale 13131 Lake Fraser Drive, S.E. Calgary, Alberta, Canada, T2J 7E8
	Agrium U.S. Inc. Suite 1700, 4582 South Ulster St. Denver, Colorado, U.S.A., 80237
	Company phone number (North America): 1-800-403-2861 (Customer Service)
Emergency telephone number (with hours of operation)	: Agrium 24 Hr Emergency Telephone Numbers: English: Transportation Emergencies: 1-800-792-8311 Medical Emergencies: 1-303-389-1653
	French or Spanish: Tranportation or Medical Emergencies: 1-303-389-1654

Section 2. Hazard identification

Classification of the substance or mixture	:	Not classified. Non-hazardous substance.
OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
GHS label elements		
Hazard pictograms	:	Not Applicable.
		No Aplicable.
		Non applicable.
Signal word	:	No signal word.
Hazard statements	:	No known significant effects or critical hazards.
Precautionary statements		
General	:	Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	:	Not applicable.
Response	:	Not applicable.
Date of issue/Date of revision		: 7/4/2016 Date of previous issue : 3/1/2016 Version : 2.1 1/12

Section 2. Hazard identification

Other hazards which do not result in classification	:	Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.
Supplemental label elements	1	None known.
Disposal	1	Not applicable.
Storage	1	Not applicable.

Section 3. Composition/information on ingredients

Substance/mixture : Multi-constituent substance		
Ingredient name	% (w/w)	CAS number
Urea Urea, reaction products with formaldehyde Imidodicarbonic diamide	>98 <1.25 <1	57-13-6 68611-64-3 108-19-0

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

Description of necessary first aid measures

Eye contact	:	May cause irritation due to mechanical action. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. If possible, remove contact lenses being careful not to cause additional eye damage. Get medical attention if irritation occurs.
Inhalation	:	Remove person to fresh air. No known significant effects. Seek medical attention for any signs of wheezing and/or breathing difficulties. For additional advice call the medical emergency number on this SDS or your poison center or medical provider.
Skin contact	:	No known significant effects. Rinse the affected areas with water. Remove contaminated clothing, jewelry, and shoes. Wash/clean items before reuse. Seek medical attention for persistent skin pain or irritation. For additional advice call the medical emergency number on this SDS or your poison center or doctor.
Ingestion		Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person.
Most important symptoms/e Potential acute health effec		its, acute and delayed
Eye contact		No known significant effects or critical hazards.
Inhalation		No known significant effects or critical hazards.
Skin contact		No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symp	tom	<u>IS</u>
Eye contact	:	No specific data. May cause irritation due to mechanical action.
Inhalation	:	No specific data. Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
Skin contact	:	No specific data. Inorganic salt. Prolonged or repeated exposure may dry the skin, causing irritation.
Ingestion	1	No specific data. May cause irritation of the digestive tract with accompanying nausea, vomiting and diarrhea.

Date of issue/Date of revision	: 7/4/2016	Date of previous issue	: 3/1/2016	Version :2.1	2/12

Section 4. First-aid measures

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. For professional, multilingual, medical support, in case of medical emergencies involving Agrium products, telephone the Agrium global 24 hour Emergency Number: 1-303-389-1653.
Specific treatments	: No specific treatment. If necessary, veterinary advice may be obtained by calling the Medical Emergency number in Section 1.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. Mouth-to-mouth resuscitation of oral exposure patients is not recommended. First- aiders with contaminated clothing should be properly decontaminated.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Non-flammable. Material will not burn. Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	: Material will not burn. Undergoes thermal decomposition at elevated temperatures to produce solid cyanuric acid and release toxic and combustible gases (ammonia, carbon dioxide, and oxides of nitrogen).
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Remark	: Incompatible with halogens. If mixed with chlorine or hypochlorites, it may form nitrogen trichloride which may explode spontaneously in air. Contain and collect the water used to fight the fire for later treatment and disposal.

Section 6. Accidental release measures

Personal precautions, protect	tiv	e equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Section 6. Accidental release measures

Small spill	 Move containers from spill area. Recover the material and use it for the intended purpose. or Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Collect spillage. Recover the material and use it for the intended purpose.
	or Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

recoulded to sale nationing	1
Protective measures	: Put on appropriate personal protective equipment (see Section 8). If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.
Advice on general occupational hygiene	: Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. May form steep piles that can collapse without warning when stored in bulk. Avoid forming steep slopes when removing product. Ensure that bulk bags or smaller packaged products stored in tiers are stacked, racked, blocked, interlocked, or otherwise secured to prevent sliding, rolling, or collapse. Use caution when opening truck or railcar doors as product may have shifted during transport.
	Must be stored in a dry location. Absorbs moisture on long-term storage under high humidity conditions. Store away from incompatible materials (see Section 10). When product is stored in sealable containers, keep container tightly closed and sealed until ready for use. Sealable containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Urea	Alberta TWA: 10 mg/m3 Inhalable, 3 mg/m3 Respirable, for Particles Not Otherwise Regulated. AIHA WEEL TWA: 10 mg/m ³ 8 hours.
Urea - Urea, reaction products with formaldehyde	OSHA PEL: Particulates not otherwise regulated (PNOR): Total dust: 15 mg/m3, Respirable fraction: 5 mg/m3 AIHA WEEL TWA: 10 mg/m ³ 8 hours. OSHA PEL: Particulates not otherwise regulated (PNOR): Total dust: 15 mg/m3, Respirable fraction: 5 mg/m3
Biuret	OSHA PEL : Particulates not otherwise regulated (PNOR): Total dust: 15 mg/m3, Respirable fraction: 5 mg/m3
Appropriate engineering : Good general version contaminants.	ntilation should be sufficient to control worker exposure to airborne
Date of issue/Date of revision : 7/4/2016 Date of issue/Date of revision	e of previous issue : 3/1/2016 Version : 2.1 4/1

Section 8. Exposure controls/personal protection

Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection meas	<u>ures</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: sealed eyewear
Skin protection	
Hand protection	: The personal protective equipment required varies, depending upon your risk assessment. Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Cotton or cotton/synthetic overalls or coveralls are normally suitable.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. For U.S. work sites where respiratory protection is required, ensure that a respiratory protection program meeting 29 CFR 1910.134 requirements is in place.

Section 9. Physical and chemical properties

Appearance	
Physical state	: Solid. [Granular solid.]
Color	: White.
Odor	: Characteristic.
Odor threshold	: Not available.
рН	: 7.2 @ 10% solution.
Melting point	: 133°C (271.4°F)
Boiling point	: Not available.
Flash point	: [Product does not sustain combustion.]
Evaporation rate	: Not available.
Flammability (solid, gas)	: Non-flammable substance. Non-combustible.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: 0.08 kPa (0.6 mm Hg) [room temperature]
Vapor density	: Not available.
Relative density	: 1.33
Solubility	: Easily soluble in the following materials: cold water and hot water.
Solubility in water	: 1080 g/l
Partition coefficient: n- octanol/water	: -1.59

Date of issue/Date of revision

Section 9. Physical and chemical properties

Auto-ignition temperature	:	Not applicable.
Decomposition temperature	:	135°C (275°F)
Viscosity	:	Not available.

Section 10. Stability and reactivity

Reactivity	:	Incompatible with halogens, hydrogen peroxide, chlorinated hydrocarbons, fluorine, nitric acid, oxidizing agents and sulfuric acid.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Absorbs moisture on long-term storage under high humidity conditions. Decomposes on heating to high temperature.
Incompatible materials	:	See above May be incompatible with some materials of construction. Contact your sales representative or a metallurgical specialist to ensure compatability with your equipment.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Urea	LD50 Oral LD50 Oral LD50 Oral TDLo Oral	Rat - Male Rat - Male	11 g/kg 8471 mg/kg 14300 mg/kg 200 mg (N) /kg	- - -

Conclusion/Summary : Non-hazardous substance.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Urea	Skin	Rabbit	0	-	72 hours

Conclusion/Summary

- : Non-irritating to the skin.
- : Non-irritating to the eyes.
- Respiratory

Skin

Eyes

: Non-irritating to the respiratory system.

Sensitization Not available.

Con	innl	C	

Conclusion/Summary	
Skin	: Non-sensitizer to skin.
Respiratory	: Non-sensitizer to lungs.
Mutagenicity	

Section 11. Toxicological information

Product/ingredient name	Test	Experiment		Result
Urea	OECD 471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria Cell: Somatic Metabolic activation: V without	Vith and	Negative
Conclusion/Summary Carcinogenicity	: No mutagenic effect.			
Product/ingredient name	Result	Species	Dose	Exposure
Urea	Negative - Oral - TC	Rat - Male, Female	2250 mg/kg Continuous	-
Conclusion/Summary Reproductive toxicity Not available.	: No known significant o	effects or critical hazard	5.	i
Conclusion/Summary <u>Teratogenicity</u> Not available.	: No known significant o	effects or critical hazard	5.	
Conclusion/Summary Specific target organ toxicit Not available.	: No known significant e ty (single exposure)	effects or critical hazard	5.	
Specific target organ toxicit Not available.	ty (repeated exposure)			
Aspiration hazard Not available.				
nformation on the likely outes of exposure	: Routes of entry anticip Routes of entry not ar			
Potential acute health effects				
Eye contact	: No known significant effects or critical hazards.			
Inhalation	: No known significant effects or critical hazards.			
Skin contact Ingestion	No known significant effects or critical hazards.No known significant effects or critical hazards.			
	-			
Symptoms related to the phy Eye contact				tion
Inhalation	 No specific data. May cause irritation due to mechanical action. No specific data. Exposure to airborne concentrations above statut recommended exposure limits may cause irritation of the nose, thro 		e statutory or	
Skin contact	 No specific data. Inorganic salt. Prolonged or repeated exposure m causing irritation. 		•	
Ingestion	: No specific data. May nausea, vomiting and	/ cause irritation of the d diarrhea.	igestive tract v	vith accompanying
Delayed and immediate effect	cts and also chronic effe	cts from short and lon	g term expos	<u>ure</u>
Short term exposure				
Potential immediate effects	: No known significant e	effects or critical hazard	S.	
Potential delayed effects	: No known significant e	effects or critical bazard	s	

Date of issue/Date of revision

: 7/4/2016

5 Date of previous issue

Section 11. Toxicological information

Potential immediate effects	: No known significant effects or critical hazards.
Potential delayed effects	: No known significant effects or critical hazards.
Potential chronic health eff	ects
Conclusion/Summary	: No known significant effects or critical hazards.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Urea	Acute EC50 6573.1 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute EC50 3910000 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 >1000 mg/l Marine water	Crustaceans - Chaetogammarus marinus - Young	48 hours
	Acute LC50 5000 µg/l Fresh water	Fish - Colisa fasciata - Fingerling	96 hours
	Acute LC50 22500 mg/l Fresh water	Fish - Oreochromis mossambicus - Young	96 hours
	Chronic NOEC 2 g/L Fresh water	Fish - Heteropneustes fossilis	30 days

Conclusion/Summary : No known significant effects or critical hazards.

Persistence and degradability

Conclusion/Summary	: Readily biodegradable
---------------------------	-------------------------

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Urea	-	-	Readily

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Urea	-1.59	-	low

Mobility in soil	
Soil/water partition coefficient (Koc)	: 0.037
Other adverse effects	: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Section 14. Transport information					
	TDG Classification	DOT Classification	Mexico Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.
Additional information	Classification per the current revision, Transportation of Dangerous Goods Regulation, Part 2, Sec 2.3.	-	-	-	-

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL and the IBC Code

Section 15. Regulatory information

Canadian lists

Canadian NPRI : None of the components are listed. **CEPA Toxic substances** : None of the components are listed. Canada inventory : This material is listed or exempted. International regulations Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

Section 15. Regulatory information

Rotterdam Convention on Prior Inform Consent (PIC) Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals Not listed.

Inventory list

inventory list		
Australia	: This material is listed or exempted.	
China	: This material is listed or exempted.	
Europe	: This material is listed or exempted.	
Japan	: This material is listed or exempted.	
Malaysia	: Not determined.	
New Zealand	: This material is listed or exempted.	
Philippines	: This material is listed or exempted.	
Republic of Korea	: This material is listed or exempted.	
Taiwan	: This material is listed or exempted.	
Turkey	: Not determined.	
U.S. Federal Regulations	: TSCA 8(a) CDR Exempt/Partial exemption: Not determine	ed
	TSCA 8(b) inventory:: This material is listed or exempted.	
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Not listed	
Clean Air Act Section 602 Class I Substances	: Not listed	
Clean Air Act Section 602 Class II Substances	: Not listed	
DEA List I Chemicals (Precursor Chemicals)	: Not listed	
DEA List II Chemicals (Essential Chemicals)	: Not listed	
SARA 302/304 Composition	information on ingredients	
SARA 304 RQ	: Not applicable.	
SARA 311/312		
Classification	: Not applicable.	
State regulations		
Massachusetts	This material is not listed.	
New York	This material is not listed.	
New Jersey	This material is not listed.	
Pennsylvania	This material is not listed.	
California Prop. 65	Not listed.	

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	0
Flammability	0
Physical hazards	0

Section 16. Other information

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA).

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Copyright ©2013, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

<u>Histor</u>	У		
Date	of	pri	int

Date of printing	:	7/4/2016
Date of issue/Date of revision	:	7/4/2016
Date of previous issue	:	3/1/2016
Version	:	2.1
Indicates information that	h	as change

Indicates information that has changed from previously issued version. This Safety Data Sheet has been revised to comply with Hazcom 2012 and WHMIS 2015 requirements

This Salety Data Sheet has been h	evised to comply with hazcom zorz and whimis zors requirements.
BC GH IA IB IM Lo MJ 19 UN	 TE = Acute Toxicity Estimate CF = Bioconcentration Factor HS = Globally Harmonized System of Classification and Labelling of Chemicals TA = International Air Transport Association C = Internediate Bulk Container DG = International Maritime Dangerous Goods gPow = logarithm of the octanol/water partition coefficient ARPOL = International Convention for the Prevention of Pollution From Ships, 73 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N = United Nations PR = Hazardous Products Regulations

Procedure used to derive the classification

Classification		Justification	
Not classified.		Weight of evidence	
References	 Transportation of Dangerous Goods Act and Clear Language Regulations, current edition at time of (M)SDS preparation, Transport Canada; Hazardous Products Act and Regulations, current revision at time of (M)SDS preparation, Health Canada; Domestic Substances List, current revision at time of (M)SDS preparation, Health Canada; 29 CFR Part 1910, current revision at time of SDS preparation, U.S. Occupational Safety and Health Administration; 40 CFR Parts 1-799, current revision at time of SDS preparation, U.S. Environmental Protection Agency; 49 CFR Parts 1-199, current revision at time of SDS preparation, U.S. Department of Transport; Threshold Limit Values for Chemical Substances, current edition at time of SDS preparation, American Conference of Governmental Industrial Hygienists; NFPA 400, National Fire Codes, National Fire Protection Association, current edition at time of SDS preparation; NFPA 704, National Fire Codes, National Fire Protection Association, current edition at time of SDS preparation; Corrosion Data Survey, Sixth Edition, 1985, National Association of Corrosion Engineers; ERG 2012, Emergency Response Guidebook, U.S. Department of Transport, 		
Date of issue/Date of revision	: 7/4/2016 Date of previo	ous issue : 3/1/2016	Version : 2.1 11/1:

Section 16. Other information

Transport Canada, and the Secretariat of Transportation and Communications of Mexico Hazardous Substances Data Bank, current revision at time of SDS preparation, National Library of Medicine, Bethesda, Maryland Integrated Risk Information System, current revision at time of SDS preparation, U. S. Environmental Protection Agency, Washington, D.C. Pocket Guide to Chemical Hazards, current revision at time of SDS preparation, National Institute for Occupational Safety and Health, Cincinnati, Ohio; Agency for Toxic Substances and Disease Registry Databank, current revision at time of SDS preparation, U.S. Department of Health and Human Services, Atlanta, Georgia National Toxicology Program, Report on Carcinogens, Division of the National Institute of Environmental Health Sciences, Research Triangle Park, North Carolina. Registry of Toxic Effects of Chemical Substances. National Institute for Occupational Safety and Health, Cincinnati, Ohio The Fertilizer Institute, Product Toxicology Testing Program Results, TFI, Washington, D.C., 2003

Notice to reader

DISCLAIMER AND LIMITATION OF LIABILITY

The information and recommendations contained in this Safety Data Sheet ("SDS") relate only to the specific material referred to herein (the "Material") and do not relate to the use of such Material in combination with any other material or process. The information and recommendations contained herein are believed to be current and correct as of the date of this SDS. HOWEVER, THE INFORMATION AND RECOMMENDATIONS ARE PRESENTED WITHOUT WARRANTY, REPRESENTATION OR LICENSE OF ANY KIND, EXPRESS OR IMPLIED, WITH RESPECT TO THEIR ACCURACY, CORRECTNESS OR COMPLETENESS, AND THE SELLER, SUPPLIER AND MANUFACTURER OF THE MATERIAL AND THEIR RESPECTIVE AFFILIATES (COLLECTIVELY, THE "SUPPLIER") DISCLAIM ALL LIABILITY FOR RELIANCE ON SUCH INFORMATION AND RECOMMENDATIONS. This SDS is not a guarantee of safety. A buyer or user of the Material (a "Recipient") is responsible for ensuring that it has all current information necessary to safely use the Material for its specific purpose.

FURTHERMORE, THE RECIPIENT ASSUMES ALL RISK IN CONNECTION WITH THE USE OF THE MATERIAL. THE RECIPIENT ASSUMES ALL RESPONSIBILITY FOR ENSURING THE MATERIAL IS USED IN A SAFE MANNER IN COMPLIANCE WITH APPLICABLE ENVIRONMENTAL, HEALTH, SAFETY AND SECURITY LAWS, POLICIES AND GUIDELINES. THE SUPPLIER DOES NOT WARRANT THE MERCHANTABILITY OF THE MATERIAL OR THE FITNESS OF THE MATERIAL FOR ANY PARTICULAR USE AND ASSUMES NO RESPONSIBILITY FOR INJURY OR DAMAGE CAUSED DIRECTLY OR INDIRECTLY BY OR RELATED TO THE USE OF THE MATERIAL.