

SDS #: 183

Revision Date: June 25, 2015

3/3/2025: File reviewed, more current MSDS/SDS not available. CAS

Safety Data Sheet (SDS)

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Signal Word DANGER

tert-Butyl Alcohol

Flinn Scientific, Inc. P.O. Box 219, Batavia, IL 60510 (800) 452-1261

Chemtrec Emergency Phone Number: (800) 424-9545

Pictograms

SECTION 2 — HAZARDS IDENTIFICATION

Hazard class: Flammable liquids (Category 2). Highly flammable liquid and vapor (H225). Keep away from heat, sparks, open flames, and hot surfaces. No smoking (P210).



Hazard class: Serious eye damage or irritation (Category 2A). Causes serious eye irritation (H319).

Hazard class: Specific target organ toxicity, single exposure; respiratory tract irritation (Category 3). May cause respiratory irritation (H335). Avoid breathing mist, vapors or spray (P261).



Hazard class: Specific target organ toxicity, single exposure; Narcotic effects (Category 3). May cause drowsiness or dizziness (H336). Avoid breathing mist, vapors or spray (P261).

SECTION 3 — COMPOSITION, INFORMATION ON INGREDIENTS

Component Name	CAS Number	Formula	Formula Weight	Concentration
tert-Butyl alcohol	75-65-0	(CH ₃) ₃ COH	74.12	
Synonyms: 2-methyl-2-propanol				

SECTION 4 — FIRST AID MEASURES

Call a POISON CENTER or physician if you feel unwell (P312). **If inhaled:** Remove victim to fresh air and keep at rest in a position comfortable for breathing (P304+P340). **If in eyes:** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing (P305+P351+P338). **If eye irritation persists eyes:** Get medical advice or attention (P337+P313). **If on skin or hair:** Immediately remove all contaminated clothing. Rinse skin with water (P303+P361+P353). **If skin irritation occurs:** Get medical advice or attention (P332+P313). **If swallowed:** Rinse mouth.**Call a POISON CENTER or physician if you feel unwell.**

SECTION 5 — FIRE FIGHTING MEASURES

Class 1B flammable liquid; dangerous fire risk.	NFPA Code
Flash point: 11 °C Flammable limits: Lower: 2.4% Upper: 8.0% Autoignition Temperature: 478	H-2
$^{\circ}\mathrm{C}$	F-3
When heated to decomposition, may emit toxic fumes.	R-0

In case of fire: Use a tri-class dry chemical fire extinguisher (P370+P378).

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Remove all ignition sources and ventilate area. Contain the spill with sand or other inert absorbent material; deposit in sealed bag or container. See Sections 8 and 13 for further information.

SECTION 7 — HANDLING AND STORAGE

Flinn Suggested Chemical Storage Pattern: Organic #2. Store with alcohols, glycols, amines and amides.

Store in a dedicated flammables cabinet. If a flammables cabinet is not available, store in Flinn Saf-StorTM can.

Keep container tightly closed (P233). Keep cool (P235). Use only in a hood or well-ventilated area (P271).

SECTION 8 — EXPOSURE CONTROLS, PERSONAL PROTECTION

Wear protective gloves, protective clothing, and eye protection (P280). Wash hands thoroughly after handling (P264). Use only in a hood or well-ventilated area (P271).

Exposure guidelines: PEL/TLV 100 ppm (OSHA/ACGIH). IDLH 1600 ppm (NIOSH)

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Colorless, mobile liquid. Camphor-like odor. May be Boiling point: 82.4 °C

solid at room temperature. Melting point: 25.7 °C

Soluble: Water. Miscible in alcohol. Specific gravity: 0.7885

Vapor density: 2.5

SECTION 10 — STABILITY AND REACTIVITY

Avoid contact with acids, acid chlorides, acid anhydrides, oxidizers, and heat.

Shelf life: Fair.

SECTION 11 — TOXICOLOGICAL INFORMATION

Acute effects: Eye, skin, and respiratory tract irritation. ORL-RAT LD₅₀: 2743 mg/kg

Nausea, dizziness, and headache. IHL-RAT LC₅₀: greater than 10,000 ppm/4H

Chronic effects: N.A. SKN-RBT LD₅₀: greater than 2 g/kg

Target organs: Eyes, skin, respiratory system, and

central nervous system.

SECTION 12 — ECOLOGICAL INFORMATION

Data not yet available.

SECTION 13 — DISPOSAL CONSIDERATIONS

Please review all federal, state and local regulations that may apply before proceeding.

Flinn Suggested Disposal Method #26b is one option.

SECTION 14 — TRANSPORT INFORMATION

Shipping name: Butanols. Hazard class: 3, Flammable liquid. UN number: UN 1120.

SECTION 15 — REGULATORY INFORMATION

TSCA-listed, EINECS-listed (200-889-7), RCRA code D001.

SECTION 16 — OTHER INFORMATION

This Safety Data Sheet (SDS) is for guidance and is based upon information and tests believed to be reliable. Flinn Scientific, Inc. makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the science instructor to be in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of Flinn Scientific, Inc. and may be beyond our knowledge. FOR THIS AND

OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).

N.A. = Not available, not all health aspects of this substance have been fully investigated.

N/A = Not applicable

Consult your copy of the Flinn Science Catalog/Reference Manual for additional information about laboratory chemicals.

Revision Date: June 25, 2015