



Revision Date: 07-Feb-2025

Safety Data Sheet

Spartan Chemical Company, Inc.

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name: AIRLIFT FRESH SCENT(BULK CONCENTRATE)
Product Code: 3022
Recommended Use: Air freshener
Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.
1110 Spartan Drive
Maumee, Ohio 43537 USA
800-537-8990 (Business hours)
www.spartanchemical.com

24 Hour Emergency Phone

Numbers:
Medical Emergency/Information: 888-314-6171
Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Serious eye damage/eye irritation: Category 1
Skin sensitization: Category 1A

Label elements

Signal word:

Symbols:

Danger



Hazard statements:

Causes serious eye damage
May cause an allergic skin reaction

Precautionary Statements - Prevention:

Wear protective gloves/clothing and eye/face protection
Avoid breathing dust/fume/gas/mist/vapors/spray
Contaminated work clothing must not be allowed out of the workplace

Precautionary Statements - Response:

Eyes:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Skin:

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

-Specific Treatment:

See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Precautionary Statements - Storage: Not applicable.

Precautionary Statements - Disposal: Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC): Not applicable

Other hazards:

- May be harmful if swallowed
- May cause skin irritation.
- Inhalation of vapors or mist may cause respiratory irritation.
- Keep out of reach of children

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Water	7732-18-5	80-100
C9-11 Alcohols Ethoxylated	68439-46-3	1-5
Isopropyl Alcohol	67-63-0	1-5
Alkyl C12-16 Dimethylbenzyl Ammonium Chloride	68424-85-1	0.1-1
4-Tert-Butylcyclohexyl Acetate	32210-23-4	0.1-1
Phenethyl Alcohol	60-12-8	0.1-1
Citronellol	106-22-9	0.1-1
Orange Terpenes	68647-72-3	0.1-1
Limonene	5989-27-5	0.1-1
Benzyl Acetate	140-11-4	0.1-1
2,6-Dimethyl-7-Octen-2-ol	18479-58-8	0.1-1
Fragrance	PROPRIETARY	0.1-1
Linalyl Acetate	115-95-7	0.1-1
P-Methyl Acetophenone	122-00-9	0.1-1
Amyl Cinnamal	122-40-7	0.1-1
Terpineol Acetate	8007-35-0	0.1-1
Benzyl Salicylate	118-58-1	0.1-1
Cyclamen Aldehyde	103-95-7	0.1-1
Hexamethylindanopyran	1222-05-5	0.1-1
Coumarin	91-64-5	<0.1
Terpineol	98-55-5	<0.1
Geraniol	106-24-1	<0.1
Undecylenal	112-45-8	<0.1
Methylbenzyl Acetate	93-92-5	<0.1
1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)pent-1-en-3-one	7779-30-8	<0.1
Linalool	78-70-6	<0.1
P-Cresyl Methylether	104-93-8	<0.1
Cananga Odorata Leaf Oil	8006-81-3	<0.1
Alpha-Isomethyl Ionone	127-51-5	<0.1
Myrcene	123-35-3	<0.1
Hydroxycitronellal	107-75-5	<0.1
Acid Blue 1	129-17-9	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Eye contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

Skin contact: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical attention. Wash contaminated clothing before reuse.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or physician if you feel unwell.

Ingestion: Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.

Note to physicians: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:	Product does not support combustion. Use extinguishing agent suitable for type of surrounding fire.
Specific Hazards Arising from the Chemical:	Dried product is capable of burning. Combustion products are toxic.
Hazardous Combustion Products:	May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.
Protective Equipment and Precautions for Firefighters:	Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Environmental Precautions:	Do not rinse spill onto the ground, into storm sewers or bodies of water.
Methods for cleaning up:	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

Advice on safe handling:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.
Storage Conditions:	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep from freezing.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Isopropyl Alcohol 67-63-0	TWA: 200 ppm STEL: 400 ppm	TWA: 400 ppm TWA: 980 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m ³	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m ³ STEL: 500 ppm STEL: 1225 mg/m ³
Phenethyl Alcohol 60-12-8	TWA: 0.5 ppm Sk*	-	-
Benzyl Acetate 140-11-4	TWA: 10 ppm	-	-

Engineering Controls:	Provide good general ventilation. If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.
------------------------------	---

Individual protection measures, such as personal protective equipment

Eye/face protection:	Wear splash goggles.
Skin and body protection:	Wear rubber or other chemical-resistant gloves.
Respiratory protection:	Not required with expected use. If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered.
General hygiene considerations:	Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state:	Liquid
Color:	Blue
Odor:	Pleasant
Odor Threshold:	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH:	6.0-8.0	
Melting Point / Freezing Point:	No data available	
Boiling Point / Boiling Range:	89 °C / 192 °F	
Flash Point:	None °C / °F	Pensky-Martens Closed Cup (PMCC)
Evaporation Rate:	< 1	(BuAc = 1)
Flammability (solid, gas):	No data available	No information available
Flammability Limits in Air:		No information available
Upper Flammability Limit:	No data available	
Lower Flammability Limit:	No data available	
Vapor Pressure:	No data available	No information available
Vapor Density:	No data available	No information available
Relative Density:	1.00	
Solubility(ies):	Soluble in water	
Partition Coefficient:	No data available	No information available
Autoignition Temperature:	Not applicable	
Decomposition Temperature:	Not applicable	
Kinematic Viscosity:	No information available	No information available
Particle characteristics:	Not applicable	

10. STABILITY AND REACTIVITY

Reactivity:	This material is considered to be non-reactive under normal conditions of use.
Chemical stability:	Stable under normal conditions.
Possibility of hazardous reactions:	Not expected to occur with normal handling and storage.
Conditions to Avoid:	Extremes of temperature and direct sunlight
Incompatible materials:	Strong oxidizing agents. Strong acids.
Hazardous decomposition products:	May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Eyes, Skin, Ingestion, Inhalation.
Symptoms of Exposure:	
Eye contact:	Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause permanent damage.
Skin contact:	Pain, redness and cracking of the skin. May cause sensitization by skin contact.
Inhalation:	Nasal discomfort and coughing.
Ingestion:	Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information:	Data not available or insufficient for classification.
Target organ effects:	Eyes. Respiratory system. Skin.

Acute toxicity**Numerical measures of toxicity:**

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	27,219.80 mg/kg
ATEmix (dermal)	184,722.10 mg/kg
ATEmix (inhalation-dust/mist)	3,304.00 mg/l

Component Information:

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-

7732-18-5			
C9-11 Alcohols Ethoxylated 68439-46-3	= 1400 mg/kg (Rat)	-	-
Isopropyl Alcohol 67-63-0	4710 - 5840 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	> 10000 ppm (Rat) 6 h
Alkyl C12-16 Dimethylbenzyl Ammonium Chloride 68424-85-1	= 358 mg/kg (Rat)	= 2730 mg/kg (Rabbit)	-
4-Tert-Butylcyclohexyl Acetate 32210-23-4	= 5 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Phenethyl Alcohol 60-12-8	= 1609 mg/kg (Rat)	= 2535 mg/kg (Rabbit)	> 4.63 mg/L (Rat) 4 h
Citronellol 106-22-9	= 3450 mg/kg (Rat)	= 2650 mg/kg (Rabbit)	-
Limonene 5989-27-5	= 5200 mg/kg (Rat) = 4400 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
Benzyl Acetate 140-11-4	= 2490 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
2,6-Dimethyl-7-Octen-2-ol 18479-58-8	= 3600 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
Linalyl Acetate 115-95-7	= 14550 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 18.94 mg/L (Rat) 8 h
P-Methyl Acetophenone 122-00-9	= 1400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Amyl Cinnamal 122-40-7	= 3730 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Benzyl Salicylate 118-58-1	= 2227 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Cyclamen Aldehyde 103-95-7	= 3810 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
Hexamethylindanopyran 1222-05-5	> 3250 mg/kg (Rat)	> 3250 mg/kg (Rabbit)	> 5.04 mg/L (Rat) 4 h
Coumarin 91-64-5	> 5000 mg/kg (Rat)	= 293 mg/kg (Rat)	-
Terpineol 98-55-5	= 5170 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Geraniol 106-24-1	= 3600 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
Undecylenal 112-45-8	> 5 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Methylbenzyl Acetate 93-92-5	> 5 g/kg (Rat)	> 8 mL/kg (Rabbit)	-
Linalool 78-70-6	= 2790 mg/kg (Rat)	= 5610 mg/kg (Rabbit)	-
P-Cresyl Methylether 104-93-8	= 1920 mg/kg (Rat)	> 5 g/kg (Rabbit)	> 6.1 mg/L (Rat) 4 h
Cananga Odorata Leaf Oil 8006-81-3	> 5 g/kg (Rat)	-	-
Alpha-Isomethyl Ionone 127-51-5	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Myrcene 123-35-3	> 5 g/kg (Rat)	> 5 g/kg (Rabbit)	-
Hydroxycitronellal 107-75-5	> 6400 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	EC50: >1000mg/L (96h, <i>Desmodesmus subspicatus</i>) EC50: >1000mg/L (72h, <i>Desmodesmus subspicatus</i>)	LC50: =9640mg/L (96h, <i>Pimephales promelas</i>) LC50: =11130mg/L (96h, <i>Pimephales promelas</i>) LC50: >1400000µg/L (96h, <i>Lepomis macrochirus</i>)	-	EC50: =13299mg/L (48h, <i>Daphnia magna</i>)
4-Tert-Butylcyclohexyl Acetate 32210-23-4	-	LC50: =8.6mg/L (96h, <i>Cyprinus carpio</i>)	-	-
Phenethyl Alcohol 60-12-8	EC50: =490mg/L (72h, <i>Desmodesmus subspicatus</i>)	-	-	EC50: =287.17mg/L (48h, <i>Daphnia magna</i>)
Limonene 5989-27-5	-	LC50: 0.619 - 0.796mg/L (96h, <i>Pimephales promelas</i>) LC50: =35mg/L (96h, <i>Oncorhynchus mykiss</i>)	-	-
Linalyl Acetate 115-95-7	-	LC50: =11mg/L (96h, <i>Cyprinus carpio</i>)	-	-
P-Methyl Acetophenone 122-00-9	-	LC50: =71mg/L (96h, <i>Danio rerio</i>)	-	-
Benzyl Salicylate 118-58-1	-	LC50: =1.03mg/L (96h, <i>Danio rerio</i>)	-	-
Geraniol 106-24-1	-	LC50: =22mg/L (96h, <i>Danio rerio</i>)	-	-
Methylbenzyl Acetate 93-92-5	-	LC50: =18.32mg/L (96h, <i>Danio rerio</i>)	-	-
Linalool 78-70-6	EC50: =88.3mg/L (96h, <i>Desmodesmus subspicatus</i>)	LC50: =27.8mg/L (96h, <i>Oncorhynchus mykiss</i>)	-	EC50: =20mg/L (48h, <i>Daphnia magna</i>)
P-Cresyl Methylether 104-93-8	EC50: =320mg/L (72h, <i>Desmodesmus subspicatus</i>) EC50: =390mg/L (96h, <i>Desmodesmus subspicatus</i>)	-	-	EC50: =44.2mg/L (48h, <i>Daphnia magna</i> Straus)

Persistence and Degradability: No information available.
Bioaccumulation: No information available.

Mobility in Soil: No information available
Other adverse effects: No information available.

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused products: Dispose of in accordance with federal, state and local regulations.
Contaminated packaging: Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

DOT: Not Regulated
Proper Shipping Name: Non-Hazardous Product
Special Provisions: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Check with a trained hazardous materials transportation

expert for information specific to your situation.

IMDG: Not Regulated
Proper Shipping Name: Non-Hazardous Product

15. REGULATORY INFORMATION

TSCA (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute health hazard:	Yes
Chronic Health Hazard:	No
Fire hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

NFPA	Health hazards: 3	Flammability: 0	Instability: 0	Special hazards: -
HMIS	Health hazards: 3	Flammability: 0	Physical hazards: 0	

Revision Date: 07-Feb-2025
Revision Note: Section, 2, 3, 7, 8, 9, 11, 12

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet