

## MSDS for #23884 - ALEENES TACKY GLUE



# Safety Data Sheet



## 1. COMPANY AND PRODUCT IDENTIFICATION

**iLoveToCreate**  
**A Duncan Enterprises Company**  
 5673 East Shields Avenue  
 Fresno, CA 93727  
 559-291-4444  
 559-291-9444 (Fax)

### EMERGENCY TELEPHONE NUMBERS

**Health Emergencies:**  
 559-291-4444 7:00 am – 3:30 pm Pacific Std. Time  
**Spill and Off-Hour Health Emergencies:**  
 800-424-9300 U.S. and Canada  
 703-527-3887 Outside U.S. and Canada (Collect)

**Product Name:** ALEENE'S ORIGINAL TACKY GLUE  
**Product Description:** Water-Based Adhesive

## 2. HAZARDS IDENTIFICATION

HMIS Hazard Ratings for Product		Rating Scale:
Health	1	0 = Minimal
Flammability	0	1 = Slight
Reactivity	0	2 = Moderate
Personal Protection	See Section 8	3 = Serious
		4 = Severe
		* = Chronic Effects

<b>Emergency Overview</b>	Not considered as hazardous
<b>Eye Contact:</b>	Slight / mild irritant
<b>Skin Contact:</b>	Repeated or prolonged skin contact may result in mild irritation
<b>Inhalation:</b>	Vapor may be an irritant to respiratory tract
<b>Ingestion:</b>	Ingestion may cause irritation of the gastrointestinal tract

## 3. COMPOSITION / INGREDIENT INFORMATION

<b>Chemical Family:</b>	Water based polymer emulsion	
<b>Component</b>	<b>CAS Number</b>	<b>Concentration %</b>
None Hazardous	None	None

## 4. FIRST AID MEASURES

<b>Eye Contact:</b>	Flush eyes with large amounts of water until irritation subsides. Consult a physician if irritation persists.
<b>Skin Contact:</b>	Wash affected skin areas thoroughly with soap and water. Remove contaminated clothing.
<b>Inhalation:</b>	Move subject to fresh air. If breathing is difficult, give oxygen. Consult a physician if symptoms persist.
<b>Ingestion:</b>	Rinse out mouth. Drink 1-2 glasses of water. DO NOT induce vomiting. If symptoms develop and persist, get medical attention. Treat symptomatically and supportively. Get medical attention. DO NOT attempt to give anything by mouth to an unconscious person.

## iLoveToCreate Safety Data Sheet – Aleene's Original Tacky Glue

## 5. FIRE FIGHTING MEASURES

<b>Autoignition Temperature:</b>	Not Available
<b>Flash Point:</b>	No flash point up to 100°C. Aqueous preparation.
<b>Upper Explosive Limit (%):</b>	Not Applicable
<b>Lower Explosive Limit (%):</b>	Not Applicable
<b>Extinguisher Media:</b>	Use extinguishing measures appropriate to local circumstances and the surrounding environment. Water spray or fog foam carbon dioxide. Dry chemical.
<b>Special Firefighting Procedures:</b>	Fire fighters should be equipped with self-contained breathing apparatus to protect against potentially toxic and irritating fumes.
<b>Fire &amp; Explosion Hazards:</b>	This is a water-based product and presents no particular fire or explosion hazard. Dry polymer film may pose a moderate fire hazard. Closed containers may rupture (due to build up of pressure) when exposed to extreme heat.
<b>Hazardous Combustion Products:</b>	Under decomposition, this product emits carbon monoxide, carbon dioxide, and/or low molecular weight hydrocarbons.

## 6. ACCIDENTAL RELEASE MEASURES

<b>Spill or Leak Procedures:</b>	Absorb spillages with vermiculite, clay, or other suitable non-biodegradable absorbent material. Sweep up and shovel into waste drums. Wash the spillage area with water. Washings must be prevented from entering surface water drains. Follow all local, state, federal, and provincial regulations for disposal.
For safety and environmental precautions, please review entire Safety Data Sheet for necessary information.	

## 7. HANDLING AND STORAGE

<b>Storage:</b>	For safe storage, store between 5°C (41°F) and 37°C (98.6°F). Keep the container tightly closed and in a cool, well-ventilated place. Protect from freezing.
<b>Handling:</b>	Wash thoroughly after handling. Use only with adequate ventilation. Avoid contact with eyes, skin and clothing. Do not taste or swallow. Keep container closed.

## iLoveToCreate Safety Data Sheet – Aleene's Original Tacky Glue

## 8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous components	ACGIH TLV	OSHA PEL	AKHA WEEL	OTHER
None	None	None	None	None

<b>Conditions Under Which Personal Protective Equipment Required:</b>	Normal work conditions, maintenance / repair
<b>Engineering Controls:</b>	Work should be done in an adequately ventilated area (i.e., ventilation sufficient to effectively prevent buildup of vapor/fume/dust, appropriate NIOSH/MSHA respiratory protection must be provided.
<b>Eye Protection Requirements:</b>	Wear safety glasses with side shields; protect against splashing. Do not wear contact lenses.
<b>Respirator Requirements:</b>	None required under normal handling conditions. Use NIOSH approved respirator if vapor or mist levels are irritating.
<b>Ventilation Requirements:</b>	General
<b>Skin Protection:</b>	Use of protective coveralls and long sleeves is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Pure Material or Mixture:</b>	Mixture
<b>Physical Form:</b>	Liquid
<b>Appearance / Physical Description:</b>	White liquid
<b>pH:</b>	4.5
<b>Boiling Point:</b>	Approx. 100° C (212°F)
<b>Melting / Freezing Point:</b>	< 5°C (< 41°F)
<b>Odor Threshold:</b>	Not Available
<b>Solubility in Water:</b>	Miscible
<b>Partition Coefficient (n-octanol/water):</b>	Not Applicable
<b>Specific Gravity (Water = 1):</b>	1.08
<b>Volatiles:</b>	Not available
<b>Vapor Pressure:</b>	Not determined
<b>Evaporation Rate (Water = 1):</b>	Not determined
<b>Vapor Density (Air = 1):</b>	Not determined
<b>Volatile Organic Compounds:</b>	Not available
<b>Autoignition Temperature:</b>	Unknown
<b>Flash Point:</b>	No flash point up to 100° C (212°F)
<b>Oxidizing Properties:</b>	Not Applicable

## 10. STABILITY AND REACTIVITY

<b>Stability:</b>	Stable under normal conditions
<b>Materials to Avoid:</b>	Strong oxidizers, materials that react with water
<b>NFPA Reactivity Class:</b>	0 = Insignificant
<b>Conditions to Avoid:</b>	Protect from freezing
<b>Hazardous Decomposition Products:</b>	Oxides of carbon. Thermal decomposition can lead to release of irritating gases and vapors.

**iLoveToCreate Safety Data Sheet – Aleene’s Original Tacky Glue****11. TOXICOLOGICAL INFORMATION**

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
None	None	None	None

Hazardous components	Health Effects/Target Organs
None	None

**12. ECOLOGICAL INFORMATION**

**Ecological Information:** No data available

**13. DISPOSAL CONSIDERATIONS**

**Information provided is for unused product only.**

<b>Waste Disposal Methods:</b>	Legal disposition of wastes is the responsibility of the owner/generator of the waste. Waste disposal should be in accordance with existing Federal, State, and Local environmental regulations.
<b>Hazardous Waste Number:</b>	The product is not listed or does not meet the criteria of hazardous waste is discarded in its purchased form. However, under RCRA, it is the responsibility of the user to determine at the time of disposal whether a product meets any of the RCRA hazardous waste criteria. Product uses, transformations, mixtures processes, etc., may render the resulting material hazardous, under the criteria of ignitability, corrosivity, reactivity, and toxicity characteristics under the new Toxicity Characteristics Leaching Procedure (TCLP) 40 code of Federal Regulations 261.20-24.


**14. TRANSPORT INFORMATION**

<b>U.S. Department of Transportation Information</b>	
<b>DOT Shipping Name:</b>	Not regulated
<b>DOT Hazard Class:</b>	None
<b>DOT Identification Number:</b>	None
<b>DOT Packing Group:</b>	None

<b>International Air Transportation Information</b>	
<b>ICAO/IATA Shipping Name:</b>	Not regulated
<b>ICAO/IATA Hazard Class:</b>	None
<b>ICAO/IATA Identification Number:</b>	None
<b>ICAO/IATA Packing Group:</b>	None

<b>Water Transportation</b>	
<b>IMO/IMDG Shipping Name:</b>	Not regulated
<b>IMO/IMDG Hazard Class:</b>	None
<b>IMO/IMDG Identification Number:</b>	None
<b>IMO/IMDG Packing Group:</b>	None

**iLoveToCreate Safety Data Sheet – Aleene's Original Tacky Glue****15. REGULATORY INFORMATION**

<b>TSCA 8 (b):</b>	All components are on the TSCA Inventory
<b>TSCA 12 (b):</b>	None above reporting de minimus
<b>CEPA DSL/NDL Status:</b>	All components are listed on or are exempt from listing on the Canadian Domestic Substances List.
<b>SARA/Title III:</b>	This product contains no substances at or above the reported threshold under Section 313, based on available data.
	Products bearing the Nontoxic Product Seal are certified in a program of toxicological evaluation by a nationally recognized toxicologist to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. These products are certified to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236. In addition, there is no physical hazard as defined within 29 CFR Part 1910.1200(c).
<b>CALIFORNIA PROPOSITION 65</b>	
<b>WARNING:</b>	This product contains a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm.

**16. OTHER INFORMATION****Table of Abbreviations**

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists
<b>ANSI</b>	American National Standards Institute
<b>ASTM</b>	American Society for Testing Materials
<b>°C</b>	Degrees Centigrade
<b>CAS</b>	Chemical Abstract Service
<b>CERCLA</b>	Comprehensive Environmental Response, Compensation and Liability Act
<b>CFR</b>	Code of Federal Regulations
<b>CPR</b>	Controlled Products Regulations
<b>DOT</b>	Department of Transportation
<b>EPA</b>	Environmental Protection Agency
<b>°F</b>	Degrees Fahrenheit
<b>FDA</b>	Food & Drug Administration
<b>g / l</b>	Grams per liter
<b>DOT</b>	Department of Transportation
<b>EPA</b>	Environmental Protection Agency
<b>°F</b>	Degrees Fahrenheit
<b>FDA</b>	Food & Drug Administration
<b>g / l</b>	Grams per liter
<b>Hg</b>	Mercury
<b>HMIS</b>	Hazardous Materials Identification System
<b>IARC</b>	International Agency for Research on Cancer
<b>LD</b>	Lethal Dose
<b>mg / kg</b>	Milligram per kilogram
<b>mm</b>	Millimeter
<b>SDS</b>	Safety Data Sheet
<b>MSHA</b>	Mine Safety and Health Administration

**iLoveToCreate Safety Data Sheet – Aleene’s Original Tacky Glue****16. OTHER INFORMATION (Continued)**

<b>Table of Abbreviations (Continued)</b>	
<b>CFR</b>	Code of Federal Regulations
<b>CPR</b>	Controlled Products Regulations
<b>DOT</b>	Department of Transportation
<b>EPA</b>	Environmental Protection Agency
<b>°F</b>	Degrees Fahrenheit
<b>FDA</b>	Food & Drug Administration
<b>g / l</b>	Grams per liter
<b>DOT</b>	Department of Transportation
<b>EPA</b>	Environmental Protection Agency
<b>°F</b>	Degrees Fahrenheit
<b>FDA</b>	Food & Drug Administration
<b>g / l</b>	Grams per liter
<b>Hg</b>	Mercury
<b>HMIS</b>	Hazardous Materials Identification System
<b>IARC</b>	International Agency for Research on Cancer
<b>LD</b>	Lethal Dose
<b>mg / kg</b>	Milligram per kilogram
<b>mm</b>	Millimeter
<b>SDS</b>	Safety Data Sheet
<b>MSHA</b>	Mine Safety and Health Administration
<b>N / A</b>	Not Applicable
<b>NFPA</b>	National Fire Protection Association
<b>NIOSH</b>	National Institute for Occupational Safety and Health
<b>NTP</b>	National Toxicology Program
<b>OSHA</b>	Occupational Safety and Health Administration
<b>ppm</b>	Parts per million
<b>SARA</b>	Superfund Amendment and Reauthorization Act
<b>STEL</b>	Short-Term Exposure Limit
<b>TSCA</b>	Toxic Substances Control Act
<b>TWA</b>	Time - Weighted Average
<b>U.N.</b>	United Nations
<b>WHMIS</b>	Workplace Hazardous Materials Information System
<b>&gt;</b>	Greater Than
<b>&lt;</b>	Less Than

**iLoveToCreate Safety Data Sheet – Aleene’s Original Tacky Glue****16. OTHER INFORMATION (Continued)**

<b>Creation Date:</b>	04/06/93
<b>Revision Date:</b>	07/29/13
<b>Technical Contact:</b>	Frank Peters Research & Development Manager iLoveToCreate A Duncan Enterprises Company 5673 East Shields Avenue Fresno, CA 93727 559-291-4444 559-291-9444 (Fax)

**Disclaimer**

The information given and the recommendations made herein apply to our product(s) alone and not combined with any other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the purchaser’s responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.