

SAFETY DATA SHEET

LT-3 OLD PEWTER

9/16/2024: File reviewed, more current MSDS/SDS not available. CAS

1. Identification

Product identifier

Product name LT-3 OLD PEWTER

Product number LT-3 OLD PEWTER

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Acute Tox. 4 - H302

Label elements

Pictogram



Signal word Warning

Hazard statements H302 Harmful if swallowed.

Precautionary statements P264 Wash contaminated skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P301+P310 If swallowed: Immediately call a poison center/ doctor.
P330 Rinse mouth.
P501 Dispose of contents/ container in accordance with national regulations.

Supplemental label information WARNING: MAY BE HARMFUL IF SWALLOWED. Contains: COPPER. PRECAUTIONS: Keep in original container. Wash hands immediately after use. When using do not eat, drink or smoke. NOT FOR SPRAY APPLICATION. NOT FOR USE IN HEALTH CARE FACILITIES. KEEP OUT OF REACH OF CHILDREN. FIRST AID TREATMENT: If swallowed get prompt medical attention. For further information, contact a national poison control number; 800-222-1222.

Other hazards

none present.

3. Composition/information on ingredients

LT-3 OLD PEWTER

Mixtures

Copper Oxide	1-5%
CAS number: 1317-38-0	
Classification	
Unknown Classification	

The full text for all hazard statements is displayed in Section 16.

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

Inhalation	Unlikely route of exposure as the product does not contain volatile substances.
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.
Skin Contact	Wash skin thoroughly with soap and water.
Eye contact	Rinse with water.

Most important symptoms and effects, both acute and delayed

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust/mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

LT-3 OLD PEWTER

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Copper Oxide (CAS: 1317-38-0)

Immediate danger to life and health 100 mg/m³

Exposure controls

Appropriate engineering controls No specific ventilations requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Colored liquid.

LT-3 OLD PEWTER

Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none
Oxidizing properties	none
Other information	Not applicable.

10. Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	No particular stability concerns.
Possibility of hazardous reactions	None known.
Conditions to avoid	None known.
Materials to avoid	None known.
Hazardous decomposition products	None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Acute toxicity - oral

LT-3 OLD PEWTER

ATE oral (mg/kg) 500.0

Acute toxicity - inhalation

ATE inhalation (dusts/mists mg/l) 60.48

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

LT-3 OLD PEWTER

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

International Regulations

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

Known to the State of California to cause developmental and reproductive toxicity.

lithium carb

1-5%

Rhode Island "Right To Know" List

aluminium oxide

1-5%

zinc oxide

1-5%

Hydrated Aluminium Silicate

1-5%

2-aminoethanol

<1%

Minnesota "Right To Know" List

aluminium oxide

1-5%

zinc oxide

1-5%

Hydrated Aluminium Silicate

1-5%

2-aminoethanol

<1%

LT-3 OLD PEWTER

New Jersey "Right To Know" List

aluminium oxide

1-5%

zinc oxide

1-5%

lithium carb

1-5%

Hydrated Aluminium Silicate

1-5%

manganese dioxide

1-5%

2-aminoethanol

<1%

Pennsylvania "Right To Know" List

aluminium oxide

1-5%

zinc oxide

1-5%

Hydrated Aluminium Silicate

1-5%

2-aminoethanol

<1%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Water 7732-18-5, Non Lead Frit65997-18-4, Calcium Silicate13983-17-0, Zirconium Alumina Silicate 10101-52-7 Gillespie Borate
Revision date	11/16/2016
Revision	6
Supersedes date	9/16/2016
SDS No.	5315
Hazard statements in full	H302 Harmful if swallowed.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LT-12 SPECKLED GREEN

1. Identification

Product identifier

Product name LT-12 SPECKLED GREEN

Product number LT-12 SPECKLED GREEN

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present.

3. Composition/information on ingredients

Mixtures

dicopper oxide	<1%
CAS number: —	
Classification Not relevant.	

The full text for all hazard statements is displayed in Section 16.

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

Inhalation Unlikely route of exposure as the product does not contain volatile substances.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

LT-12 SPECKLED GREEN

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

Inhalation Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust/mist can and may aggravate irritation of the throat and lungs.

Ingestion Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.

Skin contact Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.

Eye contact Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

LT-12 SPECKLED GREEN

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilations requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.

LT-12 SPECKLED GREEN

Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none
Oxidizing properties	none
Other information	Not applicable.

10. Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	No particular stability concerns.
Possibility of hazardous reactions	None known.
Conditions to avoid	None known.
Materials to avoid	None known.
Hazardous decomposition products	None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

LT-12 SPECKLED GREEN

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

International Regulations

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

LT-12 SPECKLED GREEN

2-aminoethanol

<1%

zinc oxide

1-5%

Hydrated Aluminium Silicate

5-10%

silica

1-5%

Rhode Island "Right To Know" List

2-aminoethanol

<1%

zinc oxide

1-5%

Hydrated Aluminium Silicate

5-10%

silica

1-5%

Minnesota "Right To Know" List

2-aminoethanol

<1%

zinc oxide

1-5%

Hydrated Aluminium Silicate

5-10%

silica

1-5%

New Jersey "Right To Know" List

2-aminoethanol

<1%

zinc oxide

1-5%

Hydrated Aluminium Silicate

5-10%

silica

1-5%

Pennsylvania "Right To Know" List

2-aminoethanol

<1%

zinc oxide

1-5%

Hydrated Aluminium Silicate

5-10%

LT-12 SPECKLED GREEN

silica

1-5%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Water 7732-18-5, Non Lead Frit65997-18-4, Calcium Silicate13983-17-0, Zirconium Alumina Silicate 10101-52-7 Gillespie Borate
Revision date	9/16/2016
Revision	4
Supersedes date	3/10/2016
SDS No.	5305

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LT-13 DALMATIAN

1. Identification

Product identifier

Product name LT-13 DALMATIAN

Product number LT-13 DALMATIAN

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present.

3. Composition/information on ingredients

Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

Inhalation Unlikely route of exposure as the product does not contain volatile substances.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

Inhalation Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust/mist can and may aggravate irritation of the throat and lungs.

LT-13 DALMATIAN

Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

LT-13 DALMATIAN

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilation requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none
Oxidizing properties	none

LT-13 DALMATIAN

Other information Not applicable.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous reactions None known.

Conditions to avoid None known.

Materials to avoid None known.

Hazardous decomposition products None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

LT-13 DALMATIAN

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

International Regulations

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

Hydrated Aluminium Silicate

5-10%

silica

1-5%

2-aminoethanol

<1%

LT-13 DALMATIAN

zinc oxide
1-5%

Rhode Island "Right To Know" List

Hydrated Aluminium Silicate
5-10%

silica
1-5%

2-aminoethanol
<1%

zinc oxide
1-5%

Minnesota "Right To Know" List

Hydrated Aluminium Silicate
5-10%

silica
1-5%

2-aminoethanol
<1%

zinc oxide
1-5%

New Jersey "Right To Know" List

Hydrated Aluminium Silicate
5-10%

silica
1-5%

2-aminoethanol
<1%

zinc oxide
1-5%

Pennsylvania "Right To Know" List

Hydrated Aluminium Silicate
5-10%

silica
1-5%

2-aminoethanol
<1%

zinc oxide
1-5%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

LT-13 DALMATIAN

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Water 7732-18-5, Non Lead Frit65997-18-4, Calcium Silicate13983-17-0, Zirconium Alumina Silicate 10101-52-7 Gillespie Borate
Revision date	9/16/2016
Revision	4
Supersedes date	3/10/2016
SDS No.	5306

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LT-15 SPECKLED BLUE GRAY

1. Identification

Product identifier

Product name LT-15 SPECKLED BLUE GRAY

Product number LT-15 SPECKLED BLUE GRAY

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present.

3. Composition/information on ingredients

Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

Inhalation Unlikely route of exposure as the product does not contain volatile substances.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

Inhalation Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust/mist can and may aggravate irritation of the throat and lungs.

LT-15 SPECKLED BLUE GRAY

Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

LT-15 SPECKLED BLUE GRAY

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilation requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none
Oxidizing properties	none

LT-15 SPECKLED BLUE GRAY

Other information Not applicable.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous reactions None known.

Conditions to avoid None known.

Materials to avoid None known.

Hazardous decomposition products None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

LT-15 SPECKLED BLUE GRAY

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

International Regulations

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

2-aminoethanol

<1%

Hydrated Aluminium Silicate

1-5%

zinc oxide

1-5%

LT-15 SPECKLED BLUE GRAY

aluminium oxide

1-5%

Rhode Island "Right To Know" List

2-aminoethanol

<1%

Hydrated Aluminium Silicate

1-5%

zinc oxide

1-5%

aluminium oxide

1-5%

Minnesota "Right To Know" List

2-aminoethanol

<1%

Hydrated Aluminium Silicate

1-5%

zinc oxide

1-5%

aluminium oxide

1-5%

New Jersey "Right To Know" List

2-aminoethanol

<1%

Hydrated Aluminium Silicate

1-5%

zinc oxide

1-5%

aluminium oxide

1-5%

Pennsylvania "Right To Know" List

2-aminoethanol

<1%

Hydrated Aluminium Silicate

1-5%

zinc oxide

1-5%

aluminium oxide

1-5%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

LT-15 SPECKLED BLUE GRAY

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Water 7732-18-5, Non Lead Frit65997-18-4, Calcium Silicate13983-17-0, Zirconium Alumina Silicate 10101-52-7 Gillespie Borate
Revision date	9/16/2016
Revision	4
Supersedes date	3/10/2016
SDS No.	5309

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LT-16 GREEN STONE

1. Identification

Product identifier

Product name LT-16 GREEN STONE

Product number LT-16 GREEN STONE

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Acute Tox. 4 - H302

Label elements

Pictogram



Signal word Warning

Hazard statements H302 Harmful if swallowed.

Precautionary statements P264 Wash contaminated skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P301+P310 If swallowed: Immediately call a poison center/ doctor.
P330 Rinse mouth.
P501 Dispose of contents/ container in accordance with national regulations.

Supplemental label information WARNING: MAY BE HARMFUL IF SWALLOWED. Contains: COPPER. PRECAUTIONS: Keep in original container. Wash hands immediately after use. When using do not eat, drink or smoke. NOT FOR SPRAY APPLICATION. NOT FOR USE IN HEALTH CARE FACILITIES. KEEP OUT OF REACH OF CHILDREN. FIRST AID TREATMENT: If swallowed get prompt medical attention. For further information, contact a national poison control number; 800-222-1222.

Other hazards

none present.

3. Composition/information on ingredients

LT-16 GREEN STONE

Mixtures

dicopper oxide	<1%
CAS number: —	
Classification	
Not relevant.	

The full text for all hazard statements is displayed in Section 16.

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

Inhalation	Unlikely route of exposure as the product does not contain volatile substances.
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.
Skin Contact	Wash skin thoroughly with soap and water.
Eye contact	Rinse with water.

Most important symptoms and effects, both acute and delayed

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust/mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

LT-16 GREEN STONE

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilations requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Colored liquid.

Color Various colors.

Odor Almost odorless.

Odor threshold No information available.

LT-16 GREEN STONE

pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none
Oxidizing properties	none
Other information	Not applicable.

10. Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	No particular stability concerns.
Possibility of hazardous reactions	None known.
Conditions to avoid	None known.
Materials to avoid	None known.
Hazardous decomposition products	None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Acute toxicity - oral

ATE oral (mg/kg) 500.0

Skin corrosion/irritation

Skin sensitization

LT-16 GREEN STONE

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

LT-16 GREEN STONE

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Not applicable.

**Annex II of MARPOL 73/78
and the IBC Code**

15. Regulatory information

International Regulations

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

aluminium oxide

5-10%

Hydrated Aluminium Silicate

1-5%

2-aminoethanol

<1%

Rhode Island "Right To Know" List

aluminium oxide

5-10%

Hydrated Aluminium Silicate

1-5%

2-aminoethanol

<1%

Minnesota "Right To Know" List

aluminium oxide

5-10%

Hydrated Aluminium Silicate

1-5%

2-aminoethanol

<1%

New Jersey "Right To Know" List

aluminium oxide

5-10%

Hydrated Aluminium Silicate

1-5%

LT-16 GREEN STONE

2-aminoethanol

<1%

Pennsylvania "Right To Know" List

aluminium oxide

5-10%

Hydrated Aluminium Silicate

1-5%

2-aminoethanol

<1%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Water 7732-18-5, Non Lead Frit65997-18-4, Calcium Silicate13983-17-0, Zirconium Alumina Silicate 10101-52-7 Gillespie Borate
Revision date	9/16/2016
Revision	7
Supersedes date	3/10/2016
SDS No.	5310
Hazard statements in full	H302 Harmful if swallowed.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LT-17 LIANA GRAY

1. Identification

Product identifier

Product name LT-17 LIANA GRAY

Product number LT-17 LIANA GRAY

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present.

3. Composition/information on ingredients

Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

Inhalation Unlikely route of exposure as the product does not contain volatile substances.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

Inhalation Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust/mist can and may aggravate irritation of the throat and lungs.

LT-17 LIANA GRAY

Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

LT-17 LIANA GRAY

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilation requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none
Oxidizing properties	none

LT-17 LIANA GRAY

Other information Not applicable.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous reactions None known.

Conditions to avoid None known.

Materials to avoid None known.

Hazardous decomposition products None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

LT-17 LIANA GRAY

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

International Regulations

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

Known to the State of California to cause developmental and reproductive toxicity.

lithium carb

1-5%

Massachusetts "Right To Know" List

Rutile

5-10%

lithium carb

1-5%

LT-17 LIANA GRAY

Hydrated Aluminium Silicate

1-5%

zinc oxide

1-5%

2-aminoethanol

<1%

Rhode Island "Right To Know" List

Rutile

5-10%

Hydrated Aluminium Silicate

1-5%

zinc oxide

1-5%

2-aminoethanol

<1%

Minnesota "Right To Know" List

Rutile

5-10%

Hydrated Aluminium Silicate

1-5%

zinc oxide

1-5%

2-aminoethanol

<1%

New Jersey "Right To Know" List

Rutile

5-10%

lithium carb

1-5%

Hydrated Aluminium Silicate

1-5%

zinc oxide

1-5%

2-aminoethanol

<1%

Pennsylvania "Right To Know" List

Rutile

5-10%

Hydrated Aluminium Silicate

1-5%

zinc oxide

1-5%

LT-17 LIANA GRAY

2-aminoethanol

<1%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Water 7732-18-5, Non Lead Frit65997-18-4, Calcium Silicate13983-17-0, Zirconium Alumina Silicate 10101-52-7 Gillespie Borate
Revision date	9/16/2016
Revision	4
Supersedes date	3/10/2016
SDS No.	5313

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LT-22 TAHITIAN BLUE

1. Identification

Product identifier

Product name LT-22 TAHITIAN BLUE

Product number LT-22 TAHITIAN BLUE

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Acute Tox. 4 - H302

Environmental hazards Not Classified

Label elements

Pictogram



Signal word Warning

Hazard statements H302 Harmful if swallowed.

Precautionary statements P264 Wash contaminated skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P301+P310 If swallowed: Immediately call a poison center/ doctor.
P330 Rinse mouth.
P501 Dispose of contents/ container in accordance with national regulations.

Supplemental label information WARNING: MAY BE HARMFUL IF SWALLOWED. Contains: COPPER. PRECAUTIONS: Keep in original container. Wash hands immediately after use. When using do not eat, drink or smoke. NOT FOR SPRAY APPLICATION. NOT FOR USE IN HEALTH CARE FACILITIES. KEEP OUT OF REACH OF CHILDREN. FIRST AID TREATMENT: If swallowed get prompt medical attention. For further information, contact a national poison control number; 800-222-1222.

Other hazards

none present.

LT-22 TAHITIAN BLUE

3. Composition/information on ingredients

Mixtures

copper carb	1-5%
CAS number: 7492-68-4	
Classification	
Skin Irrit. 2 - H315	
Eye Irrit. 2A - H319	
STOT SE 3 - H335	

The full text for all hazard statements is displayed in Section 16.

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

Inhalation	Unlikely route of exposure as the product does not contain volatile substances.
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.
Skin Contact	Wash skin thoroughly with soap and water.
Eye contact	Rinse with water.

Most important symptoms and effects, both acute and delayed

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust/mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

LT-22 TAHITIAN BLUE

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilations requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Colored liquid.

Color Various colors.

LT-22 TAHITIAN BLUE

Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none
Oxidizing properties	none
Other information	Not applicable.

10. Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	No particular stability concerns.
Possibility of hazardous reactions	None known.
Conditions to avoid	None known.
Materials to avoid	None known.
Hazardous decomposition products	None known.

11. Toxicological information**Information on toxicological effects**

Toxicological effects	Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).
<u>Acute toxicity - oral</u>	
ATE oral (mg/kg)	500.0

LT-22 TAHITIAN BLUE

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

LT-22 TAHITIAN BLUE

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78
and the IBC Code

15. Regulatory information

International Regulations

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

Known to the State of California to cause developmental and reproductive toxicity.

lithium carb

5-10%

Massachusetts "Right To Know" List

2-aminoethanol

<1%

lithium carb

5-10%

Hydrated Aluminium Silicate

1-5%

Rhode Island "Right To Know" List

2-aminoethanol

<1%

Hydrated Aluminium Silicate

1-5%

Minnesota "Right To Know" List

2-aminoethanol

<1%

Hydrated Aluminium Silicate

1-5%

New Jersey "Right To Know" List

2-aminoethanol

<1%

lithium carb

5-10%

LT-22 TAHITIAN BLUE*Hydrated Aluminium Silicate*

1-5%

Pennsylvania "Right To Know" List*2-aminoethanol*

<1%

Hydrated Aluminium Silicate

1-5%

Inventories**Canada - DSL/NDSL**

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Water 7732-18-5, Non Lead Frit65997-18-4, Calcium Silicate13983-17-0, Zirconium Alumina Silicate 10101-52-7 Gillespie Borate
Revision date	9/16/2016
Revision	5
Supersedes date	3/10/2016
SDS No.	5314
Hazard statements in full	H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LT-34 ANTIQUE BROWN

1. Identification

Product identifier

Product name LT-34 ANTIQUE BROWN

Product number LT-34 ANTIQUE BROWN

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present.

3. Composition/information on ingredients

Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

Inhalation Unlikely route of exposure as the product does not contain volatile substances.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

LT-34 ANTIQUE BROWN

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust/mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

LT-34 ANTIQUE BROWN

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilation requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none

LT-34 ANTIQUE BROWN

Oxidizing properties none

Other information Not applicable.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous reactions None known.

Conditions to avoid None known.

Materials to avoid None known.

Hazardous decomposition products None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

LT-34 ANTIQUE BROWN

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

International Regulations

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

Known to the State of California to cause developmental and reproductive toxicity.

lithium carb

5-10%

Massachusetts "Right To Know" List

2-aminoethanol

<1%

LT-34 ANTIQUE BROWN

lithium carb

5-10%

Hydrated Aluminium Silicate

1-5%

Rutile

1-5%

Rhode Island "Right To Know" List

2-aminoethanol

<1%

Hydrated Aluminium Silicate

1-5%

Rutile

1-5%

Minnesota "Right To Know" List

2-aminoethanol

<1%

Hydrated Aluminium Silicate

1-5%

Rutile

1-5%

New Jersey "Right To Know" List

2-aminoethanol

<1%

lithium carb

5-10%

Hydrated Aluminium Silicate

1-5%

Rutile

1-5%

Pennsylvania "Right To Know" List

2-aminoethanol

<1%

Hydrated Aluminium Silicate

1-5%

Rutile

1-5%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

LT-34 ANTIQUE BROWN

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Water 7732-18-5, Non Lead Frit65997-18-4, Calcium Silicate13983-17-0, Zirconium Alumina Silicate 10101-52-7 Gillespie Borate
Revision date	9/16/2016
Revision	4
Supersedes date	3/10/2016
SDS No.	5318

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LT-48 MOSS AGATE

1. Identification

Product identifier

Product name LT-48 MOSS AGATE

Product number LT-48 MOSS AGATE

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Acute Tox. 4 - H302

Label elements

Pictogram



Signal word Warning

Hazard statements H302 Harmful if swallowed.

Precautionary statements P264 Wash contaminated skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P301+P310 If swallowed: Immediately call a poison center/ doctor.
P330 Rinse mouth.
P501 Dispose of contents/ container in accordance with national regulations.

Supplemental label information WARNING: MAY BE HARMFUL IF SWALLOWED. Contains: COPPER. PRECAUTIONS: Keep in original container. Wash hands immediately after use. When using do not eat, drink or smoke. NOT FOR SPRAY APPLICATION. NOT FOR USE IN HEALTH CARE FACILITIES. KEEP OUT OF REACH OF CHILDREN. FIRST AID TREATMENT: If swallowed get prompt medical attention. For further information, contact a national poison control number; 800-222-1222.

Other hazards

none present.

3. Composition/information on ingredients

LT-48 MOSS AGATE

Mixtures

dicopper oxide	<1%
CAS number: —	
Classification	
Not relevant.	

The full text for all hazard statements is displayed in Section 16.

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

Inhalation	Unlikely route of exposure as the product does not contain volatile substances.
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.
Skin Contact	Wash skin thoroughly with soap and water.
Eye contact	Rinse with water.

Most important symptoms and effects, both acute and delayed

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust/mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

LT-48 MOSS AGATE

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilations requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Colored liquid.

Color Various colors.

Odor Almost odorless.

Odor threshold No information available.

LT-48 MOSS AGATE

pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none
Oxidizing properties	none
Other information	Not applicable.

10. Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	No particular stability concerns.
Possibility of hazardous reactions	None known.
Conditions to avoid	None known.
Materials to avoid	None known.
Hazardous decomposition products	None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Acute toxicity - oral

ATE oral (mg/kg) 500.0

Skin corrosion/irritation

Skin sensitization

LT-48 MOSS AGATE

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General This package is shipped in accordance with ADR SP375, IATA A197 & IMDG 2.10.2.7.

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

LT-48 MOSS AGATE

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labelling requirements for larger volumes

Special precautions for user

Not applicable.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

International Regulations

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

Known to the State of California to cause developmental and reproductive toxicity.

lithium carb

5-10%

Massachusetts "Right To Know" List

Hydrated Aluminium Silicate

1-5%

Rutile

5-10%

lithium carb

5-10%

zinc oxide

1-5%

2-aminoethanol

<1%

Rhode Island "Right To Know" List

Hydrated Aluminium Silicate

1-5%

Rutile

5-10%

zinc oxide

1-5%

2-aminoethanol

<1%

Minnesota "Right To Know" List

Hydrated Aluminium Silicate

1-5%

Rutile

5-10%

LT-48 MOSS AGATE*zinc oxide*

1-5%

2-aminoethanol

<1%

New Jersey "Right To Know" List*Hydrated Aluminium Silicate*

1-5%

Rutile

5-10%

lithium carb

5-10%

zinc oxide

1-5%

2-aminoethanol

<1%

Pennsylvania "Right To Know" List*Hydrated Aluminium Silicate*

1-5%

Rutile

5-10%

zinc oxide

1-5%

2-aminoethanol

<1%

Inventories**Canada - DSL/NDSL**

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Water 7732-18-5, Non Lead Frit65997-18-4, Calcium Silicate13983-17-0, Zirconium Alumina Silicate 10101-52-7 Gillespie Borate
Revision date	9/16/2016
Revision	6
Supersedes date	4/18/2016
SDS No.	5319
Hazard statements in full	H302 Harmful if swallowed.

LT-48 MOSS AGATE

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LT-132 JEWEL BROWN

1. Identification

Product identifier

Product name LT-132 JEWEL BROWN

Product number LT-132 JEWEL BROWN

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present.

3. Composition/information on ingredients

Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

Inhalation Unlikely route of exposure as the product does not contain volatile substances.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

LT-132 JEWEL BROWN

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust/mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

LT-132 JEWEL BROWN

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilation requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none

LT-132 JEWEL BROWN

Oxidizing properties none

Other information Not applicable.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous reactions None known.

Conditions to avoid None known.

Materials to avoid None known.

Hazardous decomposition products None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

LT-132 JEWEL BROWN

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

International Regulations

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

None of the ingredients are listed or exempt.

Massachusetts "Right To Know" List

red iron oxide

5-10%

silica

5-10%

LT-132 JEWEL BROWN

2-aminoethanol

<1%

Rhode Island "Right To Know" List

red iron oxide

5-10%

silica

5-10%

2-aminoethanol

<1%

Minnesota "Right To Know" List

red iron oxide

5-10%

silica

5-10%

2-aminoethanol

<1%

New Jersey "Right To Know" List

red iron oxide

5-10%

silica

5-10%

2-aminoethanol

<1%

Pennsylvania "Right To Know" List

red iron oxide

5-10%

silica

5-10%

2-aminoethanol

<1%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

LT-132 JEWEL BROWN

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Water 7732-18-5, Non Lead Frit65997-18-4, Calcium Silicate13983-17-0, Zirconium Alumina Silicate 10101-52-7 Gillespie Borate
Revision date	9/16/2016
Revision	4
Supersedes date	3/10/2016
SDS No.	5307

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LT-147 YELLOW GREEN

1. Identification

Product identifier

Product name LT-147 YELLOW GREEN

Product number LT-147 YELLOW GREEN

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present.

3. Composition/information on ingredients

Mixtures

copper carb	<1%
--------------------	---------------

CAS number: 7492-68-4

Classification

Skin Irrit. 2 - H315

Eye Irrit. 2A - H319

STOT SE 3 - H335

The full text for all hazard statements is displayed in Section 16.

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

LT-147 YELLOW GREEN

Inhalation	Unlikely route of exposure as the product does not contain volatile substances.
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.
Skin Contact	Wash skin thoroughly with soap and water.
Eye contact	Rinse with water.

Most important symptoms and effects, both acute and delayed

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust/mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

Special hazards arising from the substance or mixture

Specific hazards	The product is not believed to present a hazard due to its physical nature.
-------------------------	---

Advice for firefighters

Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials.
--	---

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	For personal protection, see Section 8.
-----------------------------	---

Environmental precautions

Environmental precautions	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
----------------------------------	--

Methods and material for containment and cleaning up

Methods for cleaning up	Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.
--------------------------------	--

Reference to other sections	For waste disposal, see Section 13. For personal protection, see Section 8.
------------------------------------	---

7. Handling and storage

Precautions for safe handling

LT-147 YELLOW GREEN

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilation requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0

LT-147 YELLOW GREEN

Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none
Oxidizing properties	none
Other information	Not applicable.

10. Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	No particular stability concerns.
Possibility of hazardous reactions	None known.
Conditions to avoid	None known.
Materials to avoid	None known.
Hazardous decomposition products	None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact

May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

LT-147 YELLOW GREEN

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

International Regulations

US State Regulations

LT-147 YELLOW GREEN

California Proposition 65 Carcinogens and Reproductive Toxins

Known to the State of California to cause developmental and reproductive toxicity.

lithium carb

1-5%

Massachusetts "Right To Know" List

Rutile

1-5%

silica

1-5%

Hydrated Aluminium Silicate

1-5%

lithium carb

1-5%

2-aminoethanol

<1%

Rhode Island "Right To Know" List

Rutile

1-5%

silica

1-5%

Hydrated Aluminium Silicate

1-5%

2-aminoethanol

<1%

Minnesota "Right To Know" List

Rutile

1-5%

silica

1-5%

Hydrated Aluminium Silicate

1-5%

2-aminoethanol

<1%

New Jersey "Right To Know" List

Rutile

1-5%

silica

1-5%

Hydrated Aluminium Silicate

1-5%

lithium carb

1-5%

LT-147 YELLOW GREEN*2-aminoethanol*

<1%

Pennsylvania "Right To Know" List*Rutile*

1-5%

silica

1-5%

Hydrated Aluminium Silicate

1-5%

2-aminoethanol

<1%

Inventories**Canada - DSL/NDSL**

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Water 7732-18-5, Non Lead Frit65997-18-4, Calcium Silicate13983-17-0, Zirconium Alumina Silicate 10101-52-7 Gillespie Borate
Revision date	9/16/2016
Revision	4
Supersedes date	3/10/2016
SDS No.	5308
Hazard statements in full	H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LT-161 TIGER EYE

1. Identification

Product identifier

Product name LT-161 TIGER EYE

Product number LT-161 TIGER EYE

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present.

3. Composition/information on ingredients

Mixtures

copper carb	<1%
CAS number: 7492-68-4	

Classification

Skin Irrit. 2 - H315
Eye Irrit. 2A - H319
STOT SE 3 - H335

The full text for all hazard statements is displayed in Section 16.

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

LT-161 TIGER EYE

Inhalation	Unlikely route of exposure as the product does not contain volatile substances.
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.
Skin Contact	Wash skin thoroughly with soap and water.
Eye contact	Rinse with water.

Most important symptoms and effects, both acute and delayed

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust/mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
-----------------------------	------------------------

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
-------------------------------------	---

Special hazards arising from the substance or mixture

Specific hazards	The product is not believed to present a hazard due to its physical nature.
-------------------------	---

Advice for firefighters

Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials.
--	---

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	For personal protection, see Section 8.
-----------------------------	---

Environmental precautions

Environmental precautions	Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.
----------------------------------	--

Methods and material for containment and cleaning up

Methods for cleaning up	Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.
--------------------------------	--

Reference to other sections	For waste disposal, see Section 13. For personal protection, see Section 8.
------------------------------------	---

7. Handling and storage

Precautions for safe handling

LT-161 TIGER EYE

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilation requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0

LT-161 TIGER EYE

Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none
Oxidizing properties	none
Other information	Not applicable.

10. Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	No particular stability concerns.
Possibility of hazardous reactions	None known.
Conditions to avoid	None known.
Materials to avoid	None known.
Hazardous decomposition products	None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

LT-161 TIGER EYE

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

International Regulations

US State Regulations

LT-161 TIGER EYE

California Proposition 65 Carcinogens and Reproductive Toxins

Known to the State of California to cause developmental and reproductive toxicity.

lithium carb

1-5%

Massachusetts "Right To Know" List

silica

1-5%

Hydrated Aluminium Silicate

1-5%

lithium carb

1-5%

Rutile

1-5%

2-aminoethanol

<1%

Rhode Island "Right To Know" List

silica

1-5%

Hydrated Aluminium Silicate

1-5%

Rutile

1-5%

2-aminoethanol

<1%

Minnesota "Right To Know" List

silica

1-5%

Hydrated Aluminium Silicate

1-5%

Rutile

1-5%

2-aminoethanol

<1%

New Jersey "Right To Know" List

silica

1-5%

Hydrated Aluminium Silicate

1-5%

lithium carb

1-5%

Rutile

1-5%

LT-161 TIGER EYE

2-aminoethanol

<1%

Pennsylvania "Right To Know" List

silica

1-5%

Hydrated Aluminium Silicate

1-5%

Rutile

1-5%

2-aminoethanol

<1%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Water 7732-18-5, Non Lead Frit65997-18-4, Calcium Silicate13983-17-0, Zirconium Alumina Silicate 10101-52-7 Gillespie Borate
Revision date	11/16/2016
Revision	5
Supersedes date	9/16/2016
SDS No.	5311
Hazard statements in full	H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET

LT-166 MOTTLED ORANGE

1. Identification

Product identifier

Product name LT-166 MOTTLED ORANGE

Product number LT-166 MOTTLED ORANGE

Recommended use of the chemical and restrictions on use

Application ceramic glaze

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

Emergency telephone 1 317 243 0066 ext. 1303 Mon-Fri, 0900-1700 EST

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Label elements

Hazard statements NC Not Classified

Other hazards

none present.

3. Composition/information on ingredients

Mixtures

Composition comments Only ingredients listed above are notifiable for this product. If none are shown then all ingredients are exempt.

4. First-aid measures

Description of first aid measures

Inhalation Unlikely route of exposure as the product does not contain volatile substances.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.

Skin Contact Wash skin thoroughly with soap and water.

Eye contact Rinse with water.

Most important symptoms and effects, both acute and delayed

LT-166 MOTTLED ORANGE

Inhalation	Read Section 2 for any specific precautions associated with this product. In general, breathing any type of dust/mist can and may aggravate irritation of the throat and lungs.
Ingestion	Read Section 2 for any specific precautions associated with the use of this product. Products with specific warnings about ingestion will give guidance there.
Skin contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic glazes, clays and special products will tend to have a drying effect on the skin and may cause some sensitivity to users with sensitive skin.
Eye contact	Read Section 2 for any specific precautions associated with the use of this product. In general most ceramic and special products contain materials that maybe abrasive to eyes. Keeping materials from contacting the eyes is prudent. If contact does occur, flush with clean water, do not rub.

Indication of immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Environmental precautions Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage for reclamation or absorb in vermiculite, dry sand or similar material.

Reference to other sections For waste disposal, see Section 13. For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

LT-166 MOTTLED ORANGE

8. Exposure Controls/personal protection

Control parameters

Ingredient comments Only ingredients listed in Section 3 are notifiable for this product. If none are shown then all ingredients are exempt.

Exposure controls

Appropriate engineering controls No specific ventilation requirements unless the "FAN" pictogram is shown above or specified in Section 2.

Eye/face protection No specific eye protection required unless the "EYE PROTECTION" pictogram is shown above or specified in Section 2.

Hand protection No specific hand protection required unless the "HAND PROTECTION" pictogram is shown above or specified in Section 2.

Hygiene measures Using good personal hygiene practices is always appropriate. Keeping a clean work space, cleaning up properly when done, and not eating, drinking or smoking when using this product.

Respiratory protection No specific respiratory protection required unless the "RESPIRATOR" pictogram is shown above or specified in Section 2. Using the appropriate certified protection for the operation is important if required.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance	Colored liquid.
Color	Various colors.
Odor	Almost odorless.
Odor threshold	No information available.
pH	6-8
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	No information available.
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapor pressure	No information available.
Relative density	Greater than 1.0
Solubility(ies)	Not applicable.
Partition coefficient	No information available.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	No information available.
Viscosity	No information available.
Explosive properties	none

LT-166 MOTTLED ORANGE

Oxidizing properties none

Other information Not applicable.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous reactions None known.

Conditions to avoid None known.

Materials to avoid None known.

Hazardous decomposition products None known.

11. Toxicological information

Information on toxicological effects

Toxicological effects Please read Section 2 thoroughly to understand the toxicological risks, (if any) and precautions for safe use (if any).

Skin corrosion/irritation

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Eye contact May cause temporary eye irritation.

12. Ecological Information

Ecotoxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Toxicity

Toxicity Please read Section 2 completely. If any environmental warnings such as; H411 or H412 are listed in Section 2, please use appropriate procedures when disposing of product and container. Do not put materials into waterways or sewers.

Persistence and degradability

Persistence and degradability No data available.

Biodegradation Not inherently biodegradable.

Bioaccumulative potential

Partition coefficient No information available.

Mobility in soil

Mobility Semi-mobile.

Results of PBT and vPvB assessment

LT-166 MOTTLED ORANGE

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally Hazardous Substance

Please refer to Section 2 for any environmental hazards associated with this product. If H411/H412 warnings are shown then please verify packaging and labeling requirements for larger volumes.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

International Regulations

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

Known to the State of California to cause developmental and reproductive toxicity.

lithium carb

5-10%

Massachusetts "Right To Know" List

2-aminoethanol

<1%

LT-166 MOTTLED ORANGE

Hydrated Aluminium Silicate

1-5%

lithium carb

5-10%

Rutile

1-5%

Rhode Island "Right To Know" List

2-aminoethanol

<1%

Hydrated Aluminium Silicate

1-5%

Rutile

1-5%

Minnesota "Right To Know" List

2-aminoethanol

<1%

Hydrated Aluminium Silicate

1-5%

Rutile

1-5%

New Jersey "Right To Know" List

2-aminoethanol

<1%

Hydrated Aluminium Silicate

1-5%

lithium carb

5-10%

Rutile

1-5%

Pennsylvania "Right To Know" List

2-aminoethanol

<1%

Hydrated Aluminium Silicate

1-5%

Rutile

1-5%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

LT-166 MOTTLED ORANGE

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Water 7732-18-5, Non Lead Frit65997-18-4, Calcium Silicate13983-17-0, Zirconium Alumina Silicate 10101-52-7 Gillespie Borate
Revision date	9/16/2016
Revision	4
Supersedes date	3/10/2016
SDS No.	5312

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.