


MATERIAL SAFETY DATA SHEET



The information and recommendations contained herein are based upon data believed to be correct, however, no guarantee or warranty of any kind expressed or implied is made with respect to the information contained herein.

Section I

Company Name Midwest Floor Care, Inc.	Product Name CARNA-WAX
Address (Number, Street, City, State, and ZIP Code) P. O. Box 30266 Lincoln, NE 68503	Emergency Telephone Number 816-234-3000 Poison Control
Chemical Family Wax, petroleum distillate	Telephone Number for Information 402-477-2701
	Date Prepared 5/91 S. Lowry

Section II — Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity, Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)

Section III — Physical/Chemical Characteristics

Boiling Point	300^o F	Specific Gravity (H ₂ O = 1)	0.76
Vapor Pressure (mm Hg.)	Unknown	Melting Point	NA
Vapor Density (AIR = 1)	Unknown	Evaporation Rate (Butyl Acetate = 1)	Unknown
Solubility in Water	Insoluble		
Appearance and Odor	Viscous, yellow, waxy, solvent odor		

Section IV — Fire and Explosion Hazard Data

Flash Point (Method Used)	Flammable Limits	LEL	NA	UEL
Extinguishing Media Foam, CO₂, dry chemical				
Special Fire Fighting Procedures Water may be ineffective. Use to cool containers. Fire fighting personnel should wear self contained breathing apparatus.				
Unusual Fire and Explosion Hazard: Keep containers cool, closed, away from sparks and flame.				

Section V — Reactivity Data

Stability	Unstable	X	Conditions to Avoid High temperatures, surfaces, electric arcs.
	Stable		
Incompatibility (Materials to Avoid) Strong oxidizing agents			
Hazardous Decomposition or Byproducts Normal hydrocarbon decomposition products including CO, CO₂			
Hazardous Polymerization	May Occur	X	Conditions to Avoid
	Will Not Occur		

The information and recommendations contained herein are based upon data believed to be correct, however, no guarantee or warranty of any kind expressed or implied is made with respect to the information contained herein.

SP

Section VI — Health Hazard Data

Route(s) of Entry: Inhalation? X Skin? X Ingestion? X

Health Hazards (Acute and Chronic) Signs and Symptoms of Exposure

Eyes: Can cause severe irritation, redness, tearing, blurred vision.

Skin: Prolonged contact can cause moderate irritation.

Inhalation: Nasal and respiratory irritation, dizziness, nausea.

Aspiration into the lungs can cause chemical pneumonitis which can be fatal.

Ingestion: Can cause gastro intestinal irritation, nausea, vomiting, diarrhea.

Carcinogenicity: None known NTP? IARC Monographs? OSHA Regulated?

Medical Conditions Generally Aggravated by Exposure

Dermatitis, allergic responses.

Emergency and First Aid Procedures

Eyes: Flush with water 15 min. Get medical attention immediately.

Skin: Wash with soap and water.

Inhalation: If affected, move to fresh air. If breathing difficult, administer oxygen.

Ingestion: DO NOT induce vomiting. Get medical attention.

Section VII — Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

Small: Absorb on paper, floor absorbent or other, transfer to hood.

Large: Stop at source. Dike. Transfer to containers. Dispose by liquid incineration. Eliminate sources of ignition. Prevent runoff to bodies of water.

Waste Disposal Method

Dispose in accordance with federal, state & local regulations.

Precautions to Be Taken in Handling and Storing

Avoid sparks and open flame. Use adequate ventilation.

Other Precautions

Empty containers retain residue. Observe all hazard precautions on data sheet when handling and disposing.

Section VIII — Control Measures

Respiratory Protection (Specify Type)

If TLV exceeded, use NIOSH approved respirator

Ventilation	Local Exhaust	Sufficient to maintain	Special
	Mechanical (General)	Below TLV	Other

Protective Gloves: Resistant as nitrile Eye Protection: Chemical goggles

Other Protective Clothing or Equipment: Prevent prolonged contact; boots & impervious clothing if necessary.

Work/Hygiene Practices

Clean after every use.



CARNA-WAX

MIDWEST FLOOR CARE, INC.

Home Office: P. O. Box 30266
Lincoln, NE 68503

FEATURES

PETROLEUM BASED CARNAUBA WAX
THAT PRODUCES A HARD GLOSSY
FILM.

USES

CLEANS, POLISHES, AND
PROTECTS ALL WOOD FLOORS
AND FURNITURE.

DIRECTIONS

APPLY A THIN COAT OF WAX WITH
MOP, DISTRIBUTING EVENLY ON THE
FLOOR. ALLOW A HALF AN HOUR TO
DRY, THEN POLISH WITH A RED OR
BLUE PAD BEFORE THE WAX DRIES
COMPLETELY.

BENEFITS

PRESERVES AND PROTECTS
WOOD.
EASY TO MAINTAIN.

TECHNICAL DATA

COLOR: YELLOW
FRAGRANCE: SOLVENT
SOLIDS: 12%
FLASH POINT: 105 DEGREES FAHRENHEIT

**FLOOR
CARE**

