



Safety Data Sheet

Section 1 – Identification of the Mixture and of the Company

Product Identification

Primary Identifier(s) Used on the Label

Berryman *CHEM-DIP CARBURETOR PARTS CLEANER*

Product Synonym(s)

blend "CD-A-INT"

Product Number(s)

0996, 0996C

Relevant Identified Uses and Uses Advised Against

Recommended Uses

immersion cleaner for carburetor and related parts

Uses Advised Against

not for use in some applications

Manufacturer/Supplier Details

Berryman Products, Inc.

3800 E Randol Mill Rd

Arlington, TX 76011

(800) 433-1704 (USA/Canada)

(817) 640-2376 (international)

www.BerrymanProducts.com

Emergency 24-Hour Telephone Number(s) – InfoTrac, Inc.

(800) 535-5053 (USA/Canada)

(352) 323-3500 (international)

Section 2 – Hazards Identification

Classification of the Substance or Mixture (29 CFR 1910.1200)

Physical Hazards

none classifiable

Health Hazards

Skin Irritant – Category 2

Eye Irritant – Category 2A

Specific Target Organ Toxicity - Repeated Exposure – Category 2 (blood/blood system)

Allocation of Label Elements

Chemical Identity

Berryman *CHEM-DIP CARBURETOR PARTS CLEANER*

Pictograms



Signal Word

WARNING

Hazard Statements

H315 – Causes skin irritation.

H319 – Causes serious eye irritation.

H373 – May cause damage to blood/blood system through prolonged or repeated exposure.

Prevention Precautionary Statements

P101 – Keep out of reach of children.

P102 – Read label before use.

P260 – Do not breathe fumes, gas, mist, vapor, or spray.

P264 – Wash thoroughly after handling.

P271 – Use only outdoors or in a well-ventilated area.

P280 – Wear protective gloves, protective clothing, and eye or face protection.

Response Precautionary Statements

P312 – Call POISON CONTROL CENTER, hospital emergency room, or doctor if you feel unwell.

P304/P340 – IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305/P351/P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P332/P313 – If skin irritation occurs, get medical advice/attention.

P337/P313 – If eye irritation persists, get medical advice/attention.

P362/364 – Take off contaminated clothing and launder before reuse.

Storage Precautionary Statements

none

Disposal Precautionary Statements

P501 – Dispose of contents/container in accordance with local, regional, national, and international regulations, as applicable.

Hazards Not Otherwise Classified

none known

Ingredients of unknown acute toxicity

none

Section 3 – Composition/Information on Ingredients

<u>Component</u>	<u>CAS RN</u>	<u>Weight</u>
Water	7732-18-5	40-55%
Heterocyclic Amine Derivatives	68909-77-3	15-20%
2-(Butoxyethoxy)ethanol	112-34-5	8-15%
2-Butoxyethanol	111-76-2	8-10%
Ethoxylated Alkyl Amine	proprietary	1-5%

Section 4 – First Aid Measures**Description of First Aid Measures****Ingestion**

Drink 1-2 glasses of fruit juice or water. Call poison control center, hospital emergency room, or doctor if you feel unwell.

Eye Contact

Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Skin Contact

Wash with plenty of water or shower.

Inhalation

Remove person to fresh air and keep comfortable. If experiencing respiratory symptoms or if breathing is difficult, administer oxygen and call poison control center, hospital emergency room, or doctor.

Most Important Symptoms and Effects**Acute/Immediate**

none known

Delayed

drying, cracking, or defatting of the skin

Indications of Need for Immediate Medical Attention and Specific Treatment Required**Indications of Need for Immediate Medical Attention**

In the event of spontaneous vomiting, severe headache, or loss of consciousness, seek immediate medical attention.

Specific Treatment and Notes to Physician

If spontaneous vomiting occurs, keep head below hips to avoid aspiration.

Section 5 – Firefighting Measures**Fire Extinguishing Media****Support for Combustion**

Product does not support combustion as-supplied.

Fire Extinguishing Media (cont'd.)**Suitable Extinguishing Media**

water jet/spray, water fog, dry chemical, alcohol-resistant foam, or carbon dioxide

Unsuitable Extinguishing Media

none known

Special Hazards/Considerations**Combustion Products**

Combustion of dehydrated material in the presence of air may yield various hydrocarbons, organic oxygenates, ammonia, amines, and oxides of carbon and nitrogen.

Special Protective Equipment and Precautions for Firefighters**Special Protective Equipment**

Firefighters should employ SCBA and full protective gear, including shield, as product may vent, rupture, or explode violently at elevated temperatures.

Precautions and Procedures

Vapors heavier than air. Remove product from area if safe to do so. Use water spray to cool nearby containers.

Additional Information**National Fire Protection Association (NFPA)****Flammable Liquid Classification**

none—product does not support combustion, as-supplied

Section 6 – Accidental Release Measures**Personal and Environmental Precautions****Personal Precautions**

Avoid breathing fumes, gas, mist, vapor, or spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves, protective clothing, and eye or face protection.

Environmental Precautions

Avoid release to the environment. Prevent contamination of ground water.

Materials and Methods for Containment**Small Spills**

Use socks/absorbent mini-booms or other inert barrier if necessary to contain small spills.

Large Spills

Utilize large socks/absorbent booms or other inert barrier to form dam/dike in order to contain spill and prevent further loss.

Materials and Methods for Cleanup**Small Spills**

Remove source from area if safe to do so. Use granular sorbent, gel sorbent, vermiculite, cat litter, dirt/earth, pads/rolls, or pillows to absorb spilled material. Other useful supplies may include a mop and mop bucket. Remediate affected area as necessary.

Large Spills

Keep upwind from spill. Remove source from area if safe to do so. Use a mop and mop bucket or mechanical transfer equipment to recover spilled material. Use granular sorbent, gel sorbent, vermiculite, cat litter, dirt/earth, pads/rolls, or pillows to absorb residual material. Remediate affected area as necessary.

Section 7 – Handling and Storage**Precautions for Safe Handling****Personal Precautions**

Avoid breathing fumes, gas, mist, vapor, or spray. Use only outdoors or in a well-ventilated area. Wear protective gloves, protective clothing, and eye or face protection. Wash thoroughly after handling.

Environmental Precautions**Conditions and Considerations for Safe Storage**

Keep out of reach of children.

Section 8 – Exposure Controls/Personal Protection

<u>Component</u>	<u>CAS RN</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
2-(Butoxyethoxy)ethanol	112-34-5	NE	10 ppm
2-Butoxyethanol	111-76-2	50 ppm	20 ppm

Exposure Controls**Appropriate Engineering Controls**

If practical, use outside with adequate ventilation to minimize exposure.

PPE Overview**Hand Protection**

Use of impermeable gloves is recommended.

Eye Protection

Use of safety glasses with wrap-around lens or goggles is recommended.

Respiratory Protection

If necessary, use respiratory protection sufficient to reduce exposure to permissible limits.

Additional Protection

For industrial settings, access to a chemical safety shower with eye wash station is strongly recommended.

Section 9 – Physical and Chemical Properties**Information on Basic Physical and Chemical Properties****Physical State**

liquid

Appearance

clear, dark amber to dark brown

Odor

mild, solvent

Odor Threshold

0.5 ppm

pH

9.5 - 10.5

Freezing Point

< 0°F

Boiling Range

212 - 720°F

Flash Point and Method

none, as supplied, by closed-cup tester

Explosion Limits in Air

1.1 - 12.5% by volume (composite)

Evaporation Rate

0.2 (n-Butyl Acetate=1.0)

Vapor Pressure, as supplied

9.4 mm of Hg at 68°F

Vapor Density

>1.0

Specific Gravity

1.04 at 68°F

Density

8.66 lb/gal at 68°F

Water Solubility

completely soluble

n-Octanol/Water Partition Coefficient (log P_{ow})

-1.7 (composite)

Viscosity

3 cSt at 68°F

Volatility

70 - 80% by weight

Auto-ignition temperature

unknown

Other Information**VOC Content**

10% by weight (for consumer products)

20% by weight (EPA Method 24)

VOC Composite Partial Pressure, PP_c

0.1 mm of Hg at 68°F

Section 10 – Stability and Reactivity

Chemical Stability under Normal Conditions of Use

Chemical Stability

Stable under normal conditions of use.

Conditions Affording Instability

none known

Reactivity

not expected

Possibility of Hazardous Reactions

May form peroxides in the presence of air.

Conditions to Avoid

none specific

Incompatible Materials

incompatible with strong acids; oxidizers; reducing agents; metallic aluminum and aluminum alloys; and powdered zinc, aluminum, magnesium, potassium, and sodium

Hazardous Decomposition Products

none known

Section 11 – Toxicological Information

Likely Routes of Exposure

ingestion, skin contact, eye contact, inhalation

Symptoms Related to Physical, Chemical, and Toxicological Characteristics

Ingestion

Large Quantity

gastrointestinal disturbances, including upset stomach, cramping, nausea, vomiting, and diarrhea

Small Quantity/Incidental Contact

virtually nontoxic after single ingestion of small quantity

Skin Contact

moderate irritation

Eye Contact

moderate eye irritation

Inhalation

virtually nontoxic by short-term inhalation

Immediate, Delayed, and Chronic Effects

SHORT-TERM EXPOSURE

Potential Immediate Effects

Ingestion

drying, burning, or irritation of the mouth and throat; gastrointestinal disturbances

Skin Contact

drying of the skin

Eye Contact

temporary corneal damage

Inhalation

shortness of breath or difficulty breathing, headache, dizziness, nausea and vomiting, loss of consciousness, and death

Potential Delayed Effects

Ingestion

none known

Skin Contact

defatting of the skin, drying and cracking of the skin, aggravation of pre-existing skin conditions

Eye Contact

temporary corneal damage

Inhalation

nausea and vomiting, loss of consciousness

LONG-TERM EXPOSURE

Potential Immediate Effects

none known

Potential Delayed Effects

none known

Potential Chronic Health Effects

Carcinogenicity

International Agency for Research on Cancer (IARC) Monographs

not listed

National Toxicology Program (NTP) Report on Carcinogens

not listed

Occupational Safety & Health Administration (OSHA)

not listed

Mutagenicity / Genetic Toxicity

not suspected of being a human mutagen / genetic toxicant

Teratogenicity

not suspected of being a human teratogen

Developmental Effects

not suspected of being a developmental toxicant

Fertility Effects

not suspected of being a reproductive/fertility toxicant

Effects on Lactation

not suspected of affecting lactation

SPECIFIC TARGET ORGAN TOXICITY (STOT)

Single Exposure

none known

Repeated Exposure

blood/blood system effects

Numerical Measures of Acute Toxicity

Oral (Rat)

LD₅₀: 4800 mg/kg (derived)

Dermal (Rabbit)

LD₅₀: 3210 mg/kg (derived)

Inhalation (Rat)

LC₅₀: 13 mg/L (derived)

Additional Toxicological Information

Skin Irritation/Corrosion (Rabbit)

skin irritant

Serious Eye Damage/Irritation (Rabbit)

eye irritant

Respiratory Sensitization

does not cause respiratory sensitization

Skin Sensitization

does not cause skin sensitization

Aspiration Hazard

not an aspiration hazard

Section 12 – Ecological Information

General Ecological Assessment/Overview

Very mobile in soils which may lead to contamination of groundwater.

Aquatic Toxicity

Vertebrates (Fish)

Acute Toxicity

LC₅₀: >100 mg/L (derived)

Chronic Toxicity

NOEC: >100 mg/L (derived)

Invertebrates (Water Flea)

Acute Toxicity

LC₅₀: >100 mg/L (derived)

Chronic Toxicity

NOEC: >100 mg/L (derived)

Aquatic Plants (Freshwater Algae)

Acute Toxicity

EC₅₀: >100 mg/L (derived)

Chronic Toxicity

NOEC: >100 mg/L (derived)

Terrestrial Toxicity

Invertebrate (Earthworm)

LC₅₀: not available

Persistence and Degradability

Persistence

not expected to be persistent

Degradability

rapidly degradable

Bioaccumulative Potential

Bioaccumulation Potential Assessment

does not bioaccumulate

Bioaccumulation Factor

not available

Mobility in Soils

Mobility in Soils Assessment

very mobile in soils—may contaminate groundwater

Soil Organic Carbon/Water Partition Coefficient (log K_{oc})

1.6 (composite)

Results of PBT and vPvB Assessment

not a persistent, bioaccumulative, toxic chemical (PBT)

not very persistent or very bioaccumulative (vPvB)

Other Adverse Effects

none known

Section 13 – Disposal Considerations

General Assessment/Overview

Dispose of waste in accordance with all applicable regulations.

RCRA Hazardous Waste Code(s) (40 CFR 261.20-33)

may not be regulated as RCRA hazardous waste based on composition and flammability characteristics

Section 14 – Transportation Information

Transportation by Ground – US Department of Transportation

Shipping Description

not regulated by DOT

Transportation by Air – ICAO/IATA

Shipping Description

not regulated by ICAO

Transportation by Water – IMO/IMDG

Shipping Description

not regulated by IMO

Section 15 – Regulatory Information

Safety, Health, and Environmental Regulations/Legislation

UNITED STATES – SELECT FEDERAL REGULATIONS

Environmental Protection Agency (EPA)

Toxic Substances Control Act (TSCA) (15 USC 2601, et seq.)

All chemicals known to be present in this product are either listed on the TSCA inventory or are not required to be.

SARA Title III (42 USC 9601, et seq.)**Section 302 – Extremely Hazardous Substances (40 CFR 355)**

none

Section 304 – Emergency Release Notification (40 CFR 302.4)

none

Section 311/312 – Hazard Categorization (40 CFR 370.40)

acute toxicity

Section 313 – Toxic Chemicals (40 CFR 372.65)

2-(Butoxyethoxy)ethanol (“certain glycol ethers”) and 2-Butoxyethanol (“certain glycol ethers”)

Clean Air Act (42 USC ch. 85 § 7401, et seq.)**Section 112 – Hazardous Air Pollutants**

none

Section 183(e) – Commercial and Consumer Products – VOC Limit and Category (40 CFR 59 subpart C)

75% as “Carburetor and choke cleaner” (complies)

Occupational Safety & Health Administration (OSHA)**Hazard Communication Standard**

This safety data sheet (SDS) is provided for compliance with applicable regulations of the Hazard Communication Standard of 2012 (HCS/HAZCOM 2012) found in §29 CFR 1910.1200. Federal law requires persons receiving this document to study it carefully, become aware of the hazards of this product, and notify all employees, visitors, agents, and contractors of the information contained herein.

Consumer Product Safety Commission**Federal Hazardous Substances Act**

This product is regulated under the Federal Hazardous Substances Act, is subject to the labeling requirements of 16 CFR 1500, and must include at minimum the following cautionary statements: WARNING: Eye and skin irritant. Keep out of the reach of children.

UNITED STATES – SELECT REGIONAL CONSIDERATIONS**Ozone Transport Commission (OTC) – Model Rule VOC Limit and Category**

10% as “Carburetor or Fuel-injection Air Intake Cleaner” (complies)

Lake Michigan Air Directors Consortium (LADCO) – Model Rule VOC Limit and Category

45% as “Carburetor or Fuel-injection Air Intake Cleaner” (complies)

UNITED STATES – SELECT STATE REGULATIONS**California****Office of Environmental Health Hazard Assessment (OEHHA)****Proposition 65 – Safe Drinking Water and Toxic Enforcement Act of 1986**

This product is not subject to the labeling requirements of Proposition 65 – Safe Drinking Water and Toxic Enforcement Act of 1986.

Air Resources Board (ARB/CARB)**Regulation for Reducing Emissions from Consumer Products – VOC Limit and Category**

10% as “Carburetor or Fuel-injection Air Intake Cleaner” (complies)

Massachusetts**“Right-to-Know” Legislation – Substance List (105 CMR 670.000)**

2-Butoxyethanol

New Jersey**“Right-to-Know” Legislation – Hazardous Substance List (34:5A-1, et seq.)**

2-(Butoxyethoxy)ethanol, 2-Butoxyethanol

Pennsylvania**“Right-to-Know” Legislation – Hazardous Substance List (Chapter 323)**

2-(Butoxyethoxy)ethanol, 2-Butoxyethanol

INTERNATIONAL – SELECT REGULATIONS**Canada****Environment Canada – Domestic Substances List (DSL)**

All chemicals known to be present in this product are either listed on the DSL or are not required to be.

China**Ministry of Environmental Protection – Inventory of Existing Chemical Substances Produced or Imported in China (IECSC)**

All chemicals known to be present in this product are either listed on the IECSC or are not required to be.

European Union**European Chemical Agency – European Inventory of Existing Chemical Substances (EINECS)**

All chemicals known to be present in this product are either listed on the EINECS or are not required to be.

Chemical Safety Assessment

has not been conducted on product, as-supplied

Section 16 – Other Information

Hazardous Materials Information System (HMIS)

Health	2	Hazard Index Least - 0 Slight - 1 Moderate - 2 High - 3 Extreme - 4
Flammability	0	
Reactivity	0	
Protective Equipment	B	

Index of Abbreviations

ACGIH – American Council of Governmental and Industrial Hygienists
 CAS RN – Chemical Abstracts Service Registry Number
 EC₅₀ – Median Effective Concentration
 IATA – International Air Transport Association
 ICAO – International Civil Aviation Organization
 IMDG – International Maritime Dangerous Goods
 IMO – International Maritime Organization
 LC₅₀ – Median Lethal Concentration
 LD₅₀ – Median Lethal Dose
 N/A – Not Applicable
 NE – Not Established
 NOEC – No Observable Exposure Concentration
 PEL – Permissible Exposure Limit (as required by OSHA)
 TLV – Threshold Limit Value (as recommended by ACGIH)
 VOC – Volatile Organic Compound

Relevant Dates and Applicability

Date of Issuance

February 18, 2019

Date of Previous Revision

July 8, 2016

Primary Revision Change(s)

general update

Document Applicability

This safety data sheet only applies to part numbers 0996 and 0996C manufactured on or after January 1, 2015.

Document Author

Dan Nowlan

Legal Disclaimer

The information contained in this document is, to the best of Berryman Products, Inc.'s knowledge, complete and accurate but is not warranted. All materials may present unknown hazards and should be used with caution. It is the responsibility of the user to evaluate the information in a prudent manner and to use it in a manner consistent with its intended purpose. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.