


1985.

SB09754

	Document	QL801-064
	Revision	C
	Prepared by	Jenifer Obia
	Approved by	Steve Partono
	Issue date	07/01/2014
[SDS] Urine Reagent Strips 1 Parameter (URS-1A, URS-1B, URS-1G, URS-1K, URS-1P)		

Section 1 - Product and Company Information			
Product Name	Urine Reagent Strips 1	Emergency Telephone No.	
Catalog Numbers	URS-1A, URS-1B, URS-1G, URS-1K, and URS-1P	CHEMTREC (800) 424-9300	
Product Type	Urine Reagent Strips	International CHEMTREC (703) 527-3887	
Company Name	LW Scientific, Inc	Company Telephone No.	
Street Address	865 Marathon Parkway	Phone 800-726-7345	
City, State, Zip Code, Country	Lawrenceville, GA 30046	Fax 770-270-1394	
Recommended Use: For <i>In Vitro</i> Diagnostic Use Only			
Section 2 - Hazard(s) Identification			
Classification. This material is not classified as hazardous according to the OSHA Hazard Communication Standard (21 CFR 1910.1200)			
Emergency Overview:			
When the recommended instructions for use are followed, the product is not expected to produce significant adverse health effects. There are no known significant effects or critical hazards, however, appropriate safety precautions should still be taken. Avoid contact with eyes and skin.			
Acute health effects: No known significant effects or critical hazards have been identified			
Chronic health effects: No known significant effects or critical hazards have been identified			
For additional information on toxicity, please refer to section 11			
Section 3 - Composition/Information on Ingredients			
Component	Type	Chemical Concentration or % (Based on dried weight at time of impregnation)	CAS#
Ascorbic Acid Test (for URS-1A)	Mixture	<0.5% w/w DCIP with buffer and non-reactive ingredients	620-45-1
Blood Test (for URS-1B)	Mixture	6.6% w/w cumene hydroperoxide, 4.0% w/w 3,3',5,5'-tetramethylbenzidine, with buffer and non-reactive ingredients	80-15-9, 54827-17-7
Glucose Test (for URS-1G)	Mixture	16.3% w/w glucose oxidase (<i>Aspergillus niger</i> , 13 IU), 0.6% w/w peroxidase (horse radish, 3300 IU), 7.0% w/w potassium iodide, with buffer and non-reactive ingredients	9001-37-0, 9003-99-0, 7684-11-0
Ketone Test (for URS-1K)	Mixture	7.7% w/w sodium nitroprusside with buffer and non-reactive ingredients	13755-38-9
Protein Test (for URS-1P)	Mixture	0.3% w/w tetrabromophenol blue	108321-10-4
Section 4 - First Aid Measures			
Ingestion			
If victim is conscious and alert, wash out their mouth with water, and then give 2 to 4 cups of water. Never give anything by mouth to an unconscious person. Seek medical attention.			
Inhalation			
Move exposed person to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention immediately.			
Skin Contact			
Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing. Wash clothing before reuse. Get medical attention if irritation occurs.			
Eye Contact			
Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if irritation occurs.			
Section 5 - Fire and Explosive Hazard Data			



Document	QI 801-064
Revision	C
Prepared by	Jenifer Ohtz
Approved by	Steve Partono
Issue date	07/01/2015

[SDS] Urine Reagent Strips 1 Parameter (URS-1A, URS-1B, URS-1G, URS-1K, URS-1P)

Extinguishing Media

Suitable: Use water spray, foam, or dry chemical

Unsuitable: None known

Specific Hazards: No known hazardous combustion products

Special protective equipment and precautions for fire-fighters

Wear self-contained breathing apparatus and appropriate protective clothing for firefighting.

Section 6 – Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Wear proper personal protective equipment (PPE) as indicated in section 8. Exercise appropriate precautions to avoid contact with skin or eyes and prevent inhalation.

Methods and materials for containment and cleaning up

Vacuum or sweep material and place into a suitable waste container. Dispose of in accordance with federal, state, and local regulations.

Section 7 – Handling and Storage

Handling

Wear appropriate personal protective equipment (PPE) as indicated in section 8.

Avoid contact with eyes, skin, and clothing. Avoid inhalation or ingestion.

Storage

Store at 15-30°C in the original container and protect from sunlight. Keep container closed when not in use.

Section 8 – Exposure Controls / PPE

Components with workplace control parameters

The product contains no components with occupational exposure limit values.

Engineering Controls

No special ventilation requirements. Good general ventilation is sufficient.

Personal Protective Equipment

Respiratory Protection: Respiratory protective equipment is not required where adequately ventilated.

Hand Protection: Wear chemical-resistant, impervious gloves.

Eye Protection: Safety glasses with side shields recommended.

Protective Clothing: Wear a lab coat.

Other protective equipment: Ensure the eyewash station and/or safety shower/wash is located near the work area.

General Hygiene Measures

Handle in accordance with good industrial hygiene practice. After handling the product, remove gloves using proper glove removal technique (without touching outer surface of glove), and dispose gloves according to applicable laws and good laboratory practices. Wash hands thoroughly. Also wash hands before eating, smoking, using the lavatory, and at end of the work period.

Section 9 – Physical and Chemical Properties

Appearance	1 small, colored reagent test pad on a white plastic strip
Odor	N/A
Odor threshold	N/A
pH	N/A
Melting point / freezing point	N/A
Initial boiling point and boiling range	N/A
Flash point	N/A
Evaporation rate	N/A
Flammability	Not flammable
Upper/lower flammability or explosion limits	N/A
Vapor pressure	N/A



Document	QL801 064
Revision	C
Prepared by	Jenifer Obia
Approved by	Steve Partono
Issue date	07/01/2015

[SDS] Urine Reagent Strips 1 Parameter (URS-1A, URS-1B, URS-1G, URS-1K, URS-1P)

Vapor density	N/A
Relative density	N/A
Solubility	insoluble
Partition coefficient n-octanol/water	N/A
Auto-ignition Temperature	N/A
Decomposition Temperature	N/A
Viscosity	N/A

Section 10 - Stability and Reactivity

Reactivity	Reacts with urine and possibly with other bodily fluids
Chemical stability	Stable under recommended storage conditions as indicated in section 7
Possibility of hazardous reactions	No information available
Conditions to avoid	Avoid high temperature, high humidity conditions
Incompatible materials	No information available
Hazardous decomposition products	No information available

Section 11- Toxicological Information

Route of Entry/Exposure	Skin contact, eye contact
Effects of acute exposure	
Skin contact	May cause irritation
Eye contact	May cause irritation
Ingestion	May be harmful if ingested
Inhalation	May cause irritation to mucous membranes and upper respiratory tract
Effects of chronic exposure	No information available

Toxicity:

Component	Chemical	Acute Toxicity	Chronic Toxicity	Other Information
Ascorbic Acid Test (for URS-1A)	DCIP	LD50 Intraperitoneal -mouse 75 mg/kg	No information available	RTECS GI15495000
Blood Test (for URS-1B)	Cumene hydroperoxide, 3, 3', 5, 5' -tetramethylbenzidine	LD50 Oral -rat 382 mg/kg, LD50 Oral -other >316 mg/kg	No information available	RTECS MX2450000, RTECS DV2300000
Glucose Test (for URS-1G)	Glucose oxidase, Peroxidase, Potassium iodide	LD50 Intraperitoneal-mouse 3 mg/kg, No information available, No information available	No information available	RTECS RQ8452000, RTECS Not available, RTECS IT2975000
Ketone Test (for URS-1K)	Sodium nitroprusside	LD50 Oral -rat 99 mg/kg	No information available	RTECS. LJ8925000
Protein Test (for URS-1P)	Tetrabromophenol blue	No information available	No information available	RTECS Not available

Carcinogenicity

IARC	URS-1A, URS-1B, URS-1G, URS-1K, and URS-1P	No component present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC
ACGIH	URS-1A, URS-1B, URS-1G, URS-1K and URS-1P	No component present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH
NTP	URS-1A, URS-1B, URS-1G, URS-1K, and URS-1P	No component present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP
OSHA	URS-1A, URS-1B, URS-1G, URS-1K, and URS-1P	No component present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA



Document	QL801-064
Revision	C
Prepared by	Jenifer Ohta
Approved by	Steve Partono
Issue date	07/01/2015

[SDS] Urine Reagent Strips 1 Parameter (URS-1A, URS-1B, URS-1G, URS-1K, URS-1P)

To the best of our knowledge, the chemical, physical and toxicological properties have not been thoroughly investigated

Section 12 - Ecological Information

Ecotoxicity	No information available	Mobility in soil	No information available
Persistence and degradability	No information available	Other adverse effects	No information available
Bio-accumulative potential	No information available	Water hazard class	No information available

Section 13 - Disposal Considerations

Waste residues and methods of disposal

This product has to be disposed in accordance with applicable regional, national and local laws and regulations. Surplus and non-recyclable components should be taken to a licensed waste disposal contractor for disposal

Contaminated Packaging

Waste packaging should be recycled, however, since empty containers may retain some product residues, they should be taken to an approved waste handling site or given to a licensed waste disposal contractor for recycling or disposal if recycling is not possible

Section 14 - Transport Information

UN Number	None. Not regulated
UN Proper shipping name	None. Not regulated
Transport hazard class	Not classified as hazardous. Not regulated
Packing group	Not applicable
Environmental hazard	No information available
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable
DOT (USA)	Not dangerous goods. Non-hazardous for transport
IMDG	Not dangerous goods. Non-hazardous for maritime transport
IATA	Not dangerous goods. Non-hazardous for air transport
Special precautions	None

Section 15 - Regulatory Information

United States	
HCS Classification	Not regulated
U.S Federal Regulations	
TSCA 8(a) CDR Exempt/Partial exemption: Not determined	
United States inventory TSCA 8(b): Not determined	
SARA 302: No components are subject to the reporting requirements of SARA Title III, section 302	
SARA 304 Extremely Hazardous Substances Reportable Quantity: The product does not contain any components with a section 304 FHS RQ	
SARA 311/312 Hazards Identification: Not regulated	
Clean Water Act (CWA) 307: This product does not contain any toxic pollutants listed under the U.S. Clean Water Act section 307	
Clean Water Act (CWA) 311: This product does not contain any hazardous substances listed under the U.S. Clean Water Act section 311	
Clean Air Act (CAA) 112 accidental release prevention: No products were found	



Document	QL801-064
Revision	C
Prepared by	Jenifer Ohta
Approved by	Steve Partono
Issue date	07/01/2015

[SDS] Urine Reagent Strips 1 Parameter (URS-1A, URS-1B, URS-1G, URS-1K, URS-1P)

U.S. State Regulations	Component	CAS No.
Massachusetts Right to Know:	Cumene hydroperoxide (for URS-1B)	80-15-9
Pennsylvania Right to Know:	Sodium 4-(3,5-dichloro-4-oxocyclohexa-2,5-dienylideneamino)phenoxide [DCIP] (for URS-1A), Cumene hydroperoxide (for URS-1B), 3,3',5,5'-tetramethylbenzidine (for URS-1B), Sodium nitroferrocyanide(III) dihydrate [Sodium nitroprusside] (for URS-1K), Tetrabromophenol Blue sodium salt (for URS-1P)	620-45-1 80-15-9, 54824-17-7 13755-38-9 108321-10-4
New Jersey Right to Know:	Sodium 4-(3,5-dichloro-4-oxocyclohexa-2,5-dienylideneamino)phenoxide [DCIP] (for URS-1A), Cumene hydroperoxide (for URS-1B), 3,3',5,5'-tetramethylbenzidine (for URS-1B), Sodium nitroferrocyanide(III) dihydrate [Sodium nitroprusside] (for URS-1K), Tetrabromophenol Blue sodium salt (for URS-1P)	620-45-1, 80-15-9, 54824-17-7 13755-38-9, 108321-10-4
California Prop. 65:	This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm	N/A
Canadian WHMIS Exempt		
Section 16 - Other Information		
This product is labeled in accordance with CFR 21 (Food and Drugs), Section 809.10		
The information contained herein has been compiled from data presented in various technical sources believed to be accurate		
We make no warranties, express or implied, and assume no liability in connection with the use of this information		
It is the user's responsibility to determine the suitability of this information and to assure the adoption of necessary safety precautions		
N/A - Not Applicable or Not Available		
Date of SDS Preparation 07/01/2015		